ELECTRIC VOTING MACHINE

A PROJECT REPORT

Submitted by

TEAM ID: NM2023TMID10692

A.THESIKA (963320106122)

P.J.SWETHA (963320106120)

PON VASANTH (9633201063082)

in partial fulfillment for the award of the degree

of

BACHELOR OF ENGINEERING

In

ELECTRONICS AND COMMUNICATION ENGINEERING



ANNA UNIVERSITY: CHENNAI 600 025

1. INTRODUCTON

1.1 Project overview:

The goal of this project is to develop a secure and transparent voting system by leveraging blockchain technology. The system will ensure the integrity of the voting process by recording votes on an immutable and transparent ledger. It will prevent double voting, protect against tampering or manipulation, and increase voter trust in the

electoral process. The system will be user-friendly, accessible to all voters, and prioritize the privacy and security of voter data. Through the implementation of smart contracts and encrypted transmission of voting data, the system will provide real-time

vote tracking and transparency. Overall, this project aims to revolutionize the voting process, increase voter turnout, and restore trust in elections.

1.2 Purpose:

The purpose of the project is to create an electronic voting system using blockchain technology to address concerns about the integrity, security, and transparency of the voting process. By leveraging the immutability and transparency of blockchain, the system aims to prevent tampering, ensure accurate vote counting, and provide a secure platform for voters to cast their ballots. The ultimate goal is to increase trustl in the electoral process, enhance voter engagement, and promote fair and reliableelections.

2. LITERATURE

SURVEY: 2.1.EXISTING

PROBLEM:

The existing problem with traditional voting systems is the potential for fraud, tampering, and lack of transparency. Paper-based systems can be vulnerable to human error, manipulation, and inaccuracies. Additionally, centralized electronic voting systems have faced security breaches and concerns about data privacy. By implementing a blockchain- based voting system, these issues can be addressed through the immutability, transparency, and decentralized nature of the technology. This ensures that votes are securely recorded, protected against tampering, and visible to all participants, increasing trust in the electoral process.

2.2 REFERENCES:


- 1. "Blockchain-Based Secure Voting System" by N. Sharma, S. Jain, and S. Tyagi.
 - 2. "A Survey on Blockchain-Based Voting Systems" by S. Zohrevand, M. R. Rasti, and S. S. Kanhere.
- 3. "Blockchain Voting Systems: A Survey" by M. Stavrou and L. Mancini.
- 4. "Blockchain Voting Systems: Challenges and Opportunities" by R. Matamoros, A. Ferrer, and J. L. Ferrer.
- 5. "A Blockchain-Based Voting System for the Future" by A. O. Adewumi and S. Misra.

2.3. Problem Statement Definition:


The problem statement for an electronic voting system using blockchain is to address the existing concerns of fraud, tampering, and lack of transparency in traditional voting systems. By leveraging blockchain technology, the goal is to develop a secure, transparent, and tamper-proof voting system that ensures the integrity of the voting process. This system should provide a decentralized platform that allows for accurate vote counting, prevents double voting, and safeguards the privacy of voter data. Ultimately, the aim is to restore trust in the electoral process and promote fair and reliable elections.

IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas:



3.2 Ideation & Brainstorming



4. REQUIREMENT ANALYSIS

4.1 Functional requirements

S/NO	Functional Requirement(Epic)	Sub Requirement (Story / Sub- Task)
FR1	User Registration	The system should allow eligible voters to register securely and verify their identity.
FR2	Vote Casting	Voters should be able to securely cast their votes using the system, ensuring that each vote is recorded accurately and cannot be tampered with.
FR3	Vote Counting	The system should automatically and accurately count the votes, ensuring transparency and eliminating the possibility of human error or manipulation.
FR4	Transparency	The blockchain-based system should provide a transparent and auditable record of all votes, allowing for verification and scrutiny by relevant stakeholders.
FR5	Security	The system should employ robust security measures to safeguard against hacking, tampering, or unauthorized access.

4.2 Non-Functional requirement


S/NO	Non- Functional Requirement	Description
NFR1	Scalability	The system should be able to handle a large number of voters and transactions without compromising performance or causing delays.
NFR2	Reliability	The system should be highly reliable, ensuring that votes are accurately recorded and preserved without any loss of data.
NFR3	Compatibility	The system should be compatible with various devices and operating systems to ensure widespread accessibility for voters.
NFR4	Privacy	The system should prioritize the privacy of voter data, implementing encryption and anonymization techniques to protect sensitive information.
NFR5	Interoperability	The system should be able to integrate with existing voting infrastructure and systems, facilitating a smooth.

5. PROJECT DESIGN

5.1 DATA FLOW DIAGRAM



Traditional Voting System




Blockchain Voting System

USER STORIES

User	Functi	User	User	Acce	Prior	Team
story	onal	story	story/	ptance	ity	member
	requir	num	Task	crite		
	emen	ber		ria		
	ts					
Voter	Clarity	USN1	I want to	Security	High	Thesika
			securely cast			
			my			
			vote			
Elect	Availa	USN2	I want to easily	Verify	Me	Swetha
ion	bility		verify the		diu	
official			authenticit		m	
			у			
Cand	Scala	USN3	I want a	Clear	Low	Pon
idat	bility		electoral	ance		1 OII
es			process			vasanth


SOLUTION ARCHITECTURE

5.2



PROJECT PLANNING AND SCHEDULING

6.1 TECHNICAL ARCHITECTURE



7. CODING AND SOLUTIONING

7.1. FEATURES 1

- 1. Transparent and Immutable: The blockchain technology ensures that all votes are recorded in a transparent and tamper-proof manner, providing a high level of integrity and trust.
- 2. Decentralized Network: The system can be built on a decentralized network of nodes, allowing for distributed consensus and reducing the risk of a single point of failure.
- 3. Secure Identity Verification: Implement robust identity verification mechanisms to ensure that only eligible voters can participate in the election.
- 4. Privacy Protection: Utilize cryptographic techniques to protect the privacy of voters, ensuring that their identities and voting choicesremain confidential.
- 5. Auditable and Verifiable: Enable election officials and stakeholders to audit and verify the voting process, allowing for transparent

7.2 FEATURES 2


- 1. Accessibility: Design the system to be user- friendly and accessible to a wide range of voters, including those with disabilities or limited technological proficiency.
- 2. Real-Time Results: Provide real-time updates on the vote count and results, allowing for timely reporting and analysis.
- 3. End-to-End Encryption: Implement strong encryption protocols to secure the transmission of votes from the voter to the blockchain network.
- 4. Scalability: Ensure that the system is capable of handling a large number of votes without compromising its performance or security.
- 5. Integration with Existing Systems: Enable seamless integration with existing electoral infrastructure, such as voter registration databases and result reporting systems.

8.PERFORMANCE TESTING

S/NO	PARAMETER	VALUE	SCREENSHOT
1	Information	Setup all the	
	gathering	Prerequisite:	
2	Extract the zip file	Open to vs	
		code	
3	Remix Ide	Deploy the	
	platform	smart	
	explorting	contract	
		code Deploy	
		and run the	
		transaction.	
		By selecting	
		the	
		environment	
		– inject the	
		MetaMask.	
4	Open file explorer	Open the extracted file and clickon the	
		folder.	

	_	_	
		Open src, and searchfor utiles. Open cmd enter commands 1.npm install 2.npm bootstrap 3. npm start	
5	LOCALHOST IP	copy the	
	ADDRESS	address and	
		open it to	
		chrome so	
		you can see	
		the front	
		end of your	
		project.	

9.RESULTS
















10. ADVANTAGES AND DISADVANTAGES

Advantages:

- **1.** Enhanced Security: The use of blockchain technologyprovides a high level of security and immutability, making it difficult for votes to betampered with or altered.
- **2.** Transparency and Trust: The transparent nature ofblockchain allows for increased trustin the voting process, as all transactions are recorded and can be audited by stakeholders.
- **3.** Improved Accessibility: An electrical voting system using blockchain can potentially increaseaccessibility for voters, allowing them to cast their votes remotely orthrough digital means.
- **4.** Efficient and Accurate Counting: The automated nature of the system can streamline the vote countingprocess, reducing the likelihood of human error and providing faster results.
- **5.** Reduced Costs: By eliminating the need for physicalballot papers and manual counting processes, an electrical voting system can potentially reduce costs associated.

Disadvantages:

- 1. Technological Barriers: Implementing and maintaining an electrical voting system using blockchainrequires a certain level of technical expertise, which may pose challenges for someorganizations or jurisdictions.
- 2. Privacy Concerns: While blockchain provides strongsecurity measures, there may still be concerns about the privacy of voter information and the potential fordeanonymization.
- 3. Digital Divide: Not all individuals may haveaccess to the necessary technology or internet connectivity required for participating in an electrical voting system, potentially excluding certain segments of the population.
- 4. Vulnerability to Cyber Attacks: Like any digital system, an electrical voting system using blockchain could be susceptible to cyber attacks, which could compromise the integrity of the voting process.
- 5. Lack of Paper Trail: Unlike traditional votingmethods, an electrical voting system may not provide a physical paper trail that can be use.

11. CONCLUSION

An electrical voting system using blockchain offersenhanced security, transparency, and efficiency. However, challenges related to technology, privacy, accessibility, cyber attacks, and the lackof a paper trailshould be carefully considered before implementation.

12.FUTURE SCOPE

The future scope for an electrical voting system using blockchain is promising. It has the potentialto revolutionize the way we conduct elections byproviding a secure and transparent platform for voting. With further advancements technology, we can expect improvements in accessibility, privacy, and scalability. Additionally, integrating features like biometric authentication and smart contracts could enhance theoverall efficiency and trustworthiness of the system.

CODE:

```
import java.io.*;
import java.util.*;
interface client
    void vote();
    void result();
}
class server1 implements client
    private int count1=0;
   private int count2=0;
    private int count3=0;
    private int count4=0;
    private int total=0;
    public void vote()
        int b=1;
        while (b!=0)
            System.out.println("welcome to the voting of IIITN General
Secratory election");
            System.out.println("\n" + "Press 1 for Voting OR 0 to stop
voting");
            Scanner s3 =new Scanner(System.in);
            b=s3.nextInt();
            switch(b)
                case 1 :
                System.out.println();
                System.out.println("ENTER YOUR COLLEGE ID in format of
BT21....");
                Scanner s= new Scanner(System.in);
                String ID = s.nextLine();
                int temp=1;
                try
                {
                    File tt = new File("temp.txt");
                    FileReader fr1=new FileReader(tt);
                    BufferedReader br1=new BufferedReader(fr1);
                    String st3;
                    while((st3=br1.readLine())!=null)
                        if(st3.contains(ID))
                             temp=0;
```

```
}
                catch(IOException i)
                    System.out.println("ERROR");
                if(temp!=1)
                    System.out.println("Already voted ! ");
                    continue;
                }
                else
                     try
                        FileWriter fw2 = new FileWriter("temp.txt", true);
                        fw2.write(ID);
                        fw2.close();
                    catch(IOException i)
                         System.out.println("ERROR");
                    try
                    File input =new File("list.txt");
                    FileReader fr=new FileReader(input);
                    BufferedReader br=new BufferedReader(fr);
                    String str;
                    int flag=0;
                    while((str=br.readLine())!=null)
                        if(str.contains(ID))
                             System.out.println(str);
                             flag=1;
                    if(flag!=1)
                         System.out.println("SORRY....Your ID is not in a
voter list, You can't vote");
                        continue;
                    fr.close();
                    catch(IOException e)
                         System.out.println("ERROR :-there would be some
problem in reading of a file");
```

}

```
System.out.println("... -: Candidates are :- ..." +
"\n");
                    System.out.println("1- ADITYA SINGH");
                    System.out.println("2- YASH MISHRA");
                    System.out.println("3- ANSHUMAN DAS");
                    System.out.println("4- NOTA"+"\n");
                    System.out.println("please select any one of them");
                    int a;
                    Scanner s2=new Scanner(System.in);
                    a=s2.nextInt();
                    if(a==1)
                        count1++;
                        total++;
                    else if (a==2)
                        count2++;
                        total++;
                    else if (a==3)
                    {
                        count3++;
                        total++;
                    else
                        count4++;
                        total++;
                    break;
                }
                case 0 :
                try
                    FileWriter fw = new FileWriter("temp.txt", false);
                    PrintWriter pw = new PrintWriter(fw, false);
                    pw.flush();
                    pw.close();
                catch(IOException i)
                    System.out.println(i);
                }
                try
                    FileWriter fw =new FileWriter("votecount.txt");
                    fw.write("votes for ADITYA SINGH are :- " + count1 +
"\n"+"votes for YASH MISHRA are :- "+ count2 + "\n"+
                             "votes for ANSHUMAN DAS are :- "+ count3
+"\n"+"votes for NOTA are :- "+ count4 +"\n");
                    fw.write("voting percentages are :- " + total*20+"%");
```

```
fw.close();
                }
                catch(IOException i)
                    System.out.println("ERROR: - ISSUE IN SECOND FILE
WRITING");
                break;
                default :
                System.out.println("Invalid Input");
                break;
    }
    public void result()
        System.out.println("results are");
        try
            File res= new File("votecount.txt");
            FileReader r=new FileReader(res);
            BufferedReader b=new BufferedReader(r);
            String str2;
            while((str2=b.readLine())!=null)
                System.out.println(str2);
            r.close();
        catch(IOException i)
            System.out.println("ERROR:- issue in a second file reading");
class VoterList
    void listcreation()
    {
        try
            FileWriter f=new FileWriter("list.txt");
```

```
String arr[]={"BT21CSE171 DEEPAK SINGH CHAUHAN", "BT21CSE179
AAYUSH PATIL", "BT21CSE206 PRIYANSHU SINGH"
            ,"BT21CSE200 VAIBHAV TAYVADE","BT21CSE131 PRANAV CHANDAK"};
            int length=arr.length;
            for(int i=0;i<length;i++)</pre>
                f.write(arr[i]+"\n");
             f.close();
        catch(IOException i)
            System.out.println("ERROR:-there would be a problem in voter list
creation");
    }
}
class EVM
    public static void main( String args[])
        VoterList obj2= new VoterList();
        obj2.listcreation();
        server1 obj=new server1();
        obj.vote();
        System.out.println("thanks for voting");
   }
}
```

GitHub & Project Demo Link:

GitHub link:

https://github.com/Thesika02/NMBC_NM2023TMID10692

Project demo link:

https://drive.google.com/file/d/1h80485G
7ZzXolhpTHTXSea4ai- uus5go/view?usp=drivesdk