

Even: 2	part2.html:16
Even: 4	part2.html:16
Even: 6	part2.html:16
Even: 8	part2.html:16
Even: 10	part2.html:16
Longest string: blueberry	part2.html:28
Odd: 1	part2.html:35
Odd: 3	part2.html:35
Odd: 5	part2.html:35
Odd: 7	part2.html:35
Odd: 9	part2.html:35
Odd: 11	part2.html:35
Odd: 13	part2.html:35
Odd: 15	part2.html:35
Fibonacci: 0	part2.html:44
2 Fibonacci: 1	part2.html:44
Fibonacci: 2	part2.html:44
Fibonacci: 3	part2.html:44
Fibonacci: 5	part2.html:44

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>

<body>
  <script>
    // 1. Print only even numbers
    const numbers = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];
    for (let i = 0; i < numbers.length; i++) {
      if (numbers[i] % 2 === 0) {
```

```
        console.log("Even:", numbers[i]);
    }
}

// 2. Find longest string in array
const strings = ["apple", "banana", "cherry", "blueberry"];
let longest = "";
for (let i = 0; i < strings.length; i++) {
    if (strings[i].length > longest.length) {
        longest = strings[i];
    }
}
console.log("Longest string:", longest);

// 3. Print all odd numbers from 1 to n
let n = 15;
let i = 1;
while (i <= n) {
    if (i % 2 !== 0) {
        console.log("Odd:", i);
    }
    i++;
}

// 4. Fibonacci numbers up to n
let limit = 50;
let a = 0, b = 1;
while (a <= limit) {
    console.log("Fibonacci:", a);
    let next = a + b;
    a = b;
    b = next;
}

// 5. Ask user repeatedly for a number until 0
let number;
do {
    number = parseInt(prompt("Enter a number (0 to stop):"));
} while (number !== 0);
console.log("Stopped input loop");
```

```

// 6. Guessing game with hints
const target = Math.floor(Math.random() * 10) + 1;
let guess;
do {
    guess = parseInt(prompt("Guess a number between 1 and 10:"));
    if (guess > target) {
        console.log("Too high!");
    } else if (guess < target) {
        console.log("Too low!");
    } else {
        console.log("Correct!");
    }
} while (guess !== target);

// 7. Do-while loop until user enters "exit"
let input;
do {
    input = prompt("Enter something (type 'exit' to quit):");
} while (input !== "exit");
console.log("Exited input loop");

// 8. Reverse an array using do-while
const array = [1, 2, 3, 4, 5];
const reversed = [];
i = array.length - 1;
do {
    reversed.push(array[i]);
    i--;
} while (i >= 0);
console.log("Reversed array:", reversed);

// 9. Multiplication table 1 to 10
for (let i = 1; i <= 10; i++) {
    for (let j = 1; j <= 10; j++) {
        console.log(`${i} x ${j} = ${i * j}`);
    }
    console.log("-----");
}

```

```
// 10. Factorial calculator until "exit"
while (true) {
    input = prompt("Enter a number to calculate factorial (type
'exit' to stop):");
    if (input === "exit") break;
    let num = parseInt(input);
    let fact = 1;
    for (let i = 2; i <= num; i++) {
        fact *= i;
    }
    console.log(`Factorial of ${num} is ${fact}`);
}

// 11. Guessing game using do-while loop
const randomNumber = Math.floor(Math.random() * 10) + 1;
do {
    guess = parseInt(prompt("Guess the number (1 to 10):"));
    if (guess < randomNumber) {
        console.log("Too low!");
    } else if (guess > randomNumber) {
        console.log("Too high!");
    } else {
        console.log("You guessed it!");
    }
} while (guess !== randomNumber);

</script>
</body>

</html>
```