

Campus Club Performance Trac

Google Docs

127.0.0.1:5501/Practical%203/final_task.html

Campus Club Score

Annual Inter-Department Club Competition

Team 1

Team Name

Sushmit Partakke

Team ID (PRN)

23070521156

Round 1 Score: 78

Round 2 Score

78

Round 3 Category

Innovation

Team 2

Team Name

Sharvayu Zade

Team ID (PRN)

23070521135

Round 1 Score: 70

Round 2 Score

67

Round 3 Category

Innovation

Team 3

Team Name

Sharvil Bharhanpure

Team ID (PRN)

23070521136

Round 1 Score: 68

Round 2 Score

60

Round 3 Category

Technical Skill

Campus Club Performance Trac

Untitled document - Google D

127.0.0.1:5501/Practical%203/final_task.html

Team ID (PRN)

23070521156

Round 1 Score: 78

Round 2 Score

78

Round 3 Category

Innovation

Team ID (PRN)

23070521135

Round 1 Score: 70

Round 2 Score

67

Round 3 Category

Innovation

Team ID (PRN)

23070521136

Round 1 Score: 68

Round 2 Score

60

Round 3 Category

Technical Skill

Track Performance

Sushmit Partakke

ID: 23070521156

Grade: B

Remark: Strong

Total: 81.00

Sharvayu Zade

ID: 23070521135

Grade: C

Remark: Average

Total: 71.20

Sharvil Bharhanpure

ID: 23070521136

Grade: C

Remark: Average

Total: 63.20

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Campus Club Performance Tracker</title>
  <style>
    /* Basic CSS Styling */
    body {
      font-family: Arial, sans-serif;
      background-color: #f0f4f8; /* Kept a light gray background for
contrast */
      color: #000;
      margin: 0;
```

```

        padding: 20px;
    }
    .container {
        max-width: 1000px;
        margin: auto;
        background-color: #ffffff;
        padding: 20px;
        border-radius: 8px;
        box-shadow: 0 2px 10px rgba(0,0,0,0.1);
    }
    header {
        text-align: center;
        margin-bottom: 30px;
        border-bottom: 1px solid #ddd;
        padding-bottom: 20px;
    }
    h1 {
        font-size: 28px;
        color: #000;
        margin: 0;
    }
    h2 {
        font-size: 20px;
        margin-top: 0;
        padding-bottom: 5px;
        margin-bottom: 15px;
    }
    .team-1 h2, .team-2 h2, .team-3 h2 {
        color: #000;
    }
    /* Re-added flex to make sections side-by-side */
    .input-section, .output-section {
        display: flex;
        gap: 20px;
        margin-bottom: 20px;
    }
    .input-card, .output-card {
        flex: 1;
        border: 1px solid #ccc;
        padding: 15px;
        border-radius: 8px;
    }
    label {
        display: block;
        margin-bottom: 5px;
        font-weight: bold;
        font-size: 14px;
    }

```

```

input[type="text"], input[type="number"], select {
    width: 100%;
    padding: 8px;
    margin-bottom: 10px;
    border-radius: 4px;
    border: 1px solid #ccc;
    box-sizing: border-box;
}
input[type="range"] { width: 100%; }
.action-button-container { text-align: center; margin: 30px 0; }

#calculate-btn {
    padding: 5px 10px;
}

.output-card {
    opacity: 0; /* Hidden for animation */
}

.winner-glow {
    box-shadow: 0 0 20px 5px rgba(0, 0, 0, 0.4);
    border-color: #000;
}

@keyframes fadeInUp {
    from { opacity: 0; transform: translateY(20px); }
    to { opacity: 1; transform: translateY(0); }
}
.animate-card { animation: fadeInUp 0.6s ease-out forwards; }
</style>
</head>
<body>

<div class="container">
    <header>
        <h1>Campus Club Score</h1>
        <p>Annual Inter-Department Club Competition</p>
    </header>

    <main>
        <div class="input-section">
            <!-- Team 1 Input -->
            <div class="input-card team-1">
                <h2>Team 1</h2>
                <div>
                    <label for="teamName1">Team Name</label>
                    <input type="text" id="teamName1" placeholder="e.g.,
The Innovators">

```

```

        </div>
        <div>
            <label for="teamId1">Team ID (PRN)</label>
            <input type="number" id="teamId1" placeholder="e.g.,
22010101">

        </div>
        <div>
            <label for="round1Score1">Round 1 Score: <span
id="r1s1_value">50</span></label>
            <input type="range" id="round1Score1" min="0"
max="100" value="50">
        </div>
        <div>
            <label for="round2Score1">Round 2 Score</label>
            <input type="number" id="round2Score1" min="0"
max="100" placeholder="0-100">
        </div>
        <div>
            <label for="round3Category1">Round 3 Category</label>
            <select id="round3Category1"
class="round3-category"></select>
        </div>
    </div>
    <!-- Team 2 Input -->
    <div class="input-card team-2">
        <h2>Team 2</h2>
        <div>
            <label for="teamName2">Team Name</label>
            <input type="text" id="teamName2" placeholder="e.g.,
Creative Coders">
        </div>
        <div>
            <label for="teamId2">Team ID (PRN)</label>
            <input type="number" id="teamId2" placeholder="e.g.,
22010102">

        </div>
        <div>
            <label for="round1Score2">Round 1 Score: <span
id="r1s2_value">50</span></label>
            <input type="range" id="round1Score2" min="0"
max="100" value="50">
        </div>
        <div>
            <label for="round2Score2">Round 2 Score</label>
            <input type="number" id="round2Score2" min="0"
max="100" placeholder="0-100">
        </div>
        <div>

```

```

        <label for="round3Category2">Round 3 Category</label>
        <select id="round3Category2"
class="round3-category"></select>
    </div>
</div>
<!-- Team 3 Input -->
<div class="input-card team-3">
    <h2>Team 3</h2>
    <div>
        <label for="teamName3">Team Name</label>
        <input type="text" id="teamName3" placeholder="e.g.,
Data Dynamos">
    </div>
    <div>
        <label for="teamId3">Team ID (PRN)</label>
        <input type="number" id="teamId3" placeholder="e.g.,
22010103">
    </div>
    <div>
        <label for="round1Score3">Round 1 Score: <span
id="r1s3_value">50</span></label>
        <input type="range" id="round1Score3" min="0"
max="100" value="50">
    </div>
    <div>
        <label for="round2Score3">Round 2 Score</label>
        <input type="number" id="round2Score3" min="0"
max="100" placeholder="0-100">
    </div>
    <div>
        <label for="round3Category3">Round 3 Category</label>
        <select id="round3Category3"
class="round3-category"></select>
    </div>
</div>
</div>

<div class="action-button-container">
    <button id="calculate-btn">Track Performance</button>
</div>

<div class="output-section">
    <!-- Basic Output Card 1 -->
    <div id="card1" class="output-card">
        <h3 id="out-teamName1">Team 1 Results</h3>
        <p id="out-teamId1">ID: -</p>
        <hr>
        <p><b>Grade:</b> <span id="out-grade1">?</span></p>

```

```

        <p><b>Remark:</b> <span
id="out-remark1">Pending</span></p>
        <p><b>Total:</b> <span id="out-total1">0.00</span></p>
    </div>
    <!-- Basic Output Card 2 -->
    <div id="card2" class="output-card">
        <h3 id="out-teamName2">Team 2 Results</h3>
        <p id="out-teamId2">ID: -</p>
        <hr>
        <p><b>Grade:</b> <span id="out-grade2">?</span></p>
        <p><b>Remark:</b> <span
id="out-remark2">Pending</span></p>
        <p><b>Total:</b> <span id="out-total2">0.00</span></p>
    </div>
    <!-- Basic Output Card 3 -->
    <div id="card3" class="output-card">
        <h3 id="out-teamName3">Team 3 Results</h3>
        <p id="out-teamId3">ID: -</p>
        <hr>
        <p><b>Grade:</b> <span id="out-grade3">?</span></p>
        <p><b>Remark:</b> <span
id="out-remark3">Pending</span></p>
        <p><b>Total:</b> <span id="out-total3">0.00</span></p>
    </div>
</div>
</main>
</div>

<script>
    document.addEventListener('DOMContentLoaded', () => {
        // --- DEMONSTRATION of Console Methods ---
        console.log("Welcome! The Campus Club Tracker is ready.");

        // --- DEMONSTRATION of 'const' and 'let' ---
        const NUM_TEAMS = 3;
        const categories = ['Innovation', 'Community Impact', 'Technical
Skill', 'Presentation', 'Team Spirit'];
        const weights = { round1: 0.4, round2: 0.6 };
        const calculateBtn = document.getElementById('calculate-btn');

        // --- INITIALIZATION ---
        function shuffleArray(array) {
            for (let i = array.length - 1; i > 0; i--) {
                const j = Math.floor(Math.random() * (i + 1));
                [array[i], array[j]] = [array[j], array[i]];
            }
        }
    })

```

```

        function populateDropdowns() {
            const allDropdowns =
document.querySelectorAll('.round3-category');
            shuffleArray(categories);
            allDropdowns.forEach(dropdown => {
                dropdown.innerHTML = '';
                categories.forEach(category => {
                    const option = document.createElement('option');
                    option.value = category;
                    option.textContent = category;
                    dropdown.appendChild(option);
                });
            });
        }

        function setupSliderListeners() {
            // DEMONSTRATION: 'for' loop to iterate a known number of
times
            for (let i = 1; i <= NUM_TEAMS; i++) {
                const slider =
document.getElementById(`round1Score${i}`);
                const display = document.getElementById(`r1s${i}_value`);
                slider.addEventListener('input', () => {
                    display.textContent = slider.value;
                });
            }
        }

        populateDropdowns();
        setupSliderListeners();

        // --- MAIN EVENT LISTENER ---
        calculateBtn.addEventListener('click', () => {
            // Reset previous results and styles directly
            for (let i = 1; i <= NUM_TEAMS; i++) {
                const card = document.getElementById(`card${i}`);
                card.classList.remove('winner-glow', 'animate-card');
                document.getElementById(`out-teamName${i}`).textContent =
`Team ${i} Results`;
                document.getElementById(`out-teamId${i}`).textContent =
`ID: -`;
                document.getElementById(`out-grade${i}`).textContent =
`?`;
                document.getElementById(`out-remark${i}`).textContent =
`Pending`;
                document.getElementById(`out-total${i}`).textContent =
`0.00`;
            }
        });
    }

```

```

        let teamsData = [];
        let isValid = true;

        // 1. Get and Validate Inputs from the form
        for (let i = 1; i <= NUM_TEAMS; i++) {
            const teamName =
document.getElementById(`teamName${i}`).value.trim();
            const teamId =
document.getElementById(`teamId${i}`).value;
            const r1Score =
parseInt(document.getElementById(`round1Score${i}`).value);
            const r2Score =
parseInt(document.getElementById(`round2Score${i}`).value);
            const r3Category =
document.getElementById(`round3Category${i}`).value;

            if (!teamName || !teamId || isNaN(r2Score)) {
                console.error(`Validation failed for Team ${i}:
Missing information.`);
                alert(`Team ${i} has missing information. Please fill
all fields.`);
                isValid = false;
                break;
            } else if (r1Score < 0 || r1Score > 100 || r2Score < 0 ||
r2Score > 100) {
                console.error(`Validation failed for Team ${i}: Score
out of range.`);
                alert(`Scores for Team ${i} must be between 0 and
100.`);
                isValid = false;
                break;
            }

            teamsData.push({ index: i, name: teamName, id: teamId,
r1: r1Score, r2: r2Score, category: r3Category });
        }

        if (!isValid) return; // Stop if there was a validation error

        // 2. Process Data
        let results = [];
        for (const team of teamsData) {
            const { index, name, id, r1, r2, category } = team;

            let total = (r1 * weights.round1) + (r2 *
weights.round2);

```

```

        if (r2 > 80) total += 5;
        if (category === 'Innovation') total += 3;

        total = Math.min(total, 108);

        let grade = '';
        if (total >= 90) {
            grade = 'A';
        } else if (total >= 75) {
            grade = 'B';
        } else if (total >= 60) {
            grade = 'C';
        } else {
            grade = 'F';
        }

        let remark = '';
        switch (grade) {
            case 'A': remark = 'Outstanding'; break;
            case 'B': remark = 'Strong'; break;
            case 'C': remark = 'Average'; break;
            case 'F': remark = 'Needs Improvement'; break;
            default: remark = 'N/A';
        }

        results.push({ index, name, id, total, grade, remark });
    }

    console.log("--- Calculated Results ---");
    console.table(results);

    // 3. Find Winner with Tie-Breaker
    let winner = results[0];
    for (let i = 1; i < results.length; i++) {
        if (results[i].total > winner.total) {
            winner = results[i];
        } else if (results[i].total === winner.total) {
            if (results[i].name.toLowerCase() <
winner.name.toLowerCase()) {
                winner = results[i];
            }
        }
    }

    // 4. Display Output
    displayResults(results, winner);
});

```

```

// --- HELPER FUNCTION ---
function displayResults(results, winner) {
    console.trace("displayResults function was called.");

    results.forEach((result, index) => {
        const i = result.index;
        setTimeout(() => {

document.getElementById(`out-teamName${i}`).textContent = result.name;
            document.getElementById(`out-teamId${i}`).textContent
= `ID: ${result.id}`;
            document.getElementById(`out-grade${i}`).textContent
= result.grade;
            document.getElementById(`out-remark${i}`).textContent
= result.remark;
            document.getElementById(`out-total${i}`).textContent
= result.total.toFixed(2);

            const card = document.getElementById(`card${i}`);
            card.classList.add('animate-card');

            if (winner && winner.index === i) {
                card.classList.add('winner-glow');
            }
        }, index * 150);
    });
}

</script>
</body>
</html>

```