





```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Web Storage Example</title>
</head>
<body>
  <h2>Web Storage Demo</h2>

  <input type="text" id="username" placeholder="Enter your name">
  <button onclick="saveData()">Save</button>
  <button onclick="loadData()">Load</button>
  <button onclick="clearData()">Clear</button>
  <p id="output"></p>
  <script>
    function saveData() {
      let name =
document.getElementById("username").value;
localStorage.setItem("userName", name);
sessionStorage.setItem("sessionName", name);      alert("Data saved!");
    }

    function loadData() {
      let localName =
localStorage.getItem("userName");      let sessionName =
sessionStorage.getItem("sessionName");
document.getElementById("output").innerHTML =
      `LocalStorage: ${localName} <br> SessionStorage: ${sessionName}`;
    }

    function clearData() {
      localStorage.clear();
sessionStorage.clear();      document.getElementById("output").innerHTML
= "Storage cleared!";
    }
  </script>
</body>
```


```
</html>
```



Web Storage Demo

LocalStorage: Sushmit

SessionStorage: Sushmit



Theme Switcher with localStorage

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <title>Theme Switcher</title>
  <style>
    body {
      font-family: Arial;
      text-align: center;
```

```
        transition: background-color 0.5s, color 0.5s;
    }


    .dark {
        background-color: #121212;
        color: white;
    }

    .light {
        background-color: #ffffff;
        color: black;
    }

    button {
        margin: 10px;
        padding: 10px 20px;
        border: none;
        cursor: pointer;
        border-radius: 5px;
    }
</style>
</head>

<body>
    <h1>Theme Switcher with localStorage</h1>
    <button id="toggleTheme">Toggle Theme</button>
<script>
    const body = document.body;
    const btn = document.getElementById("toggleTheme");
    // 1. Load theme from localStorage on page load
    const savedTheme = localStorage.getItem("theme") || "light";
    body.classList.add(savedTheme);
    // 2. Update button text
    btn.textContent = savedTheme === "dark" ? "Switch to Light Mode" :
"Switch to Dark Mode";
    // 3. Toggle theme and save to localStorage
    btn.addEventListener("click", () => {
        const newTheme = body.classList.contains("dark") ? "light" :
"dark";
        body.className = newTheme; // switch theme
    });
</script>
</body>
</html>
```


```
        localStorage.setItem("theme", newTheme);  
        btn.textContent = newTheme === "dark" ? "Switch to Light Mode" :  
"Switch to Dark Mode";  
    });  
</script>  
</body>  
  
</html>
```



Session Visit Counter

You have refreshed this tab 11 times.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Session Counter</title>
</head>
<body>
  <h2>Session Visit Counter</h2>
  <p id="counter"></p>
  <script>    if (sessionStorage.getItem("visits")) {      let count =
Number(sessionStorage.getItem("visits")) + 1;
sessionStorage.setItem("visits", count);
    } else {      sessionStorage.setItem("visits", 1);
    }
    document.getElementById("counter").textContent =
      `You have refreshed this tab ${sessionStorage.getItem("visits")}
times.`;
  </script>
</body>
</html>
```




LocalStorage & SessionStorage Demo

Loaded from localStorage: ssss

```
<!DOCTYPE html>
<html>
```

```
<head>
  <title>LocalStorage vs sessionStorage Demo</title>
</head>
<body>
  <h2>LocalStorage & sessionStorage Demo</h2>
  <input type="text" id="nameInput" placeholder="Enter your name">
  <button onclick="saveData()">Save</button>
  <button onclick="loadData()">Load</button>
  <button onclick="saveSession()">Save Session</button>
  <button onclick="loadSession()">Load Session</button>
  <div id="output"></div>
  <script>
    function saveData() {
      let name = document.getElementById('nameInput').value;
      localStorage.setItem('username', name);
      document.getElementById('output').innerText = "Saved to
localStorage: " + name;
    }
    function loadData() {
      let name = localStorage.getItem('username');
      document.getElementById('output').innerText = "Loaded from
localStorage: " + name;
    }
    function saveSession() {
      let name = document.getElementById('nameInput').value;
      sessionStorage.setItem('sessionUser', name);
      document.getElementById('output').innerText = "Saved to
sessionStorage: " + name;
    }
    function loadSession() {
      let name = sessionStorage.getItem('sessionUser');
      document.getElementById('output').innerText = "Loaded from
sessionStorage: " + name;
    }
  </script>
</body>
</html>
```



```

    </style>
</head>

<body>
  <h1>Theme Switcher with localStorage</h1>
  <button id="toggleTheme">Toggle Theme</button>
  <select id="fontSizeSelect">
    <option value="small">Small Font</option>
    <option value="medium">Medium Font</option>
    <option value="large">Large Font</option>
  </select>
<script>
  const body = document.body;
  const btn = document.getElementById("toggleTheme");
  const fontSizeSelect = document.getElementById("fontSizeSelect");

  // Font size map
  const fontSizes = {
    small: "14px",
    medium: "18px",
    large: "24px"
  };

  // Load theme from localStorage on page load
  const savedTheme = localStorage.getItem("theme") || "light";
  body.classList.add(savedTheme);

  // Load font size from localStorage on page load
  const savedFontSize = localStorage.getItem("fontSize") || "medium";
  body.style.fontSize = fontSizes[savedFontSize];
  fontSizeSelect.value = savedFontSize;

  // Update button text
  btn.textContent = savedTheme === "dark" ? "Switch to Light Mode" :
  "Switch to Dark Mode";

  // Toggle theme and save to localStorage
  btn.addEventListener("click", () => {
    const newTheme = body.classList.contains("dark") ? "light" :
    "dark";

```





```

        body.className = newTheme;
        localStorage.setItem("theme", newTheme);
        btn.textContent = newTheme === "dark" ? "Switch to Light Mode" :
"Switch to Dark Mode";
        // Keep font size class
        body.style.fontSize = fontSizes[fontSizeSelect.value];
    });

    // Change font size and save to localStorage
    fontSizeSelect.addEventListener("change", () => {
        const selectedSize = fontSizeSelect.value;
        body.style.fontSize = fontSizes[selectedSize];
        localStorage.setItem("fontSize", selectedSize);
    });
</script>
</body>

</html>

```



```
<!DOCTYPE html>
<html>
<head>
  <title>SessionStorage Form Autosave</title>
  <style>
    form {
      max-width: 400px;
      margin: 30px auto;
      padding: 20px;
      border: 1px solid #ccc;
      border-radius: 8px;
    }
    input, textarea {
      width: 100%;
      margin-bottom: 12px;
      padding: 8px;
      box-sizing: border-box;
    }
  </style>
</head>
<body>
  <form id="contactForm">
    <h2>Contact Form</h2>
    <input type="text" id="name" placeholder="Name"
autocomplete="off">
    <input type="email" id="email" placeholder="Email"
autocomplete="off">
    <textarea id="message" placeholder="Message"></textarea>
    <button type="submit">Submit</button>
  </form>
  <script>
    const nameInput = document.getElementById('name');
    const emailInput = document.getElementById('email');
    const messageInput = document.getElementById('message');

    // Restore values from sessionStorage on page load
    window.addEventListener('DOMContentLoaded', () => {
      nameInput.value = sessionStorage.getItem('form_name') || '';
      emailInput.value = sessionStorage.getItem('form_email') || '';
    });
  </script>
</body>
</html>
```

```
        messageInput.value = sessionStorage.getItem('form_message') ||  
        '';  
    });  
  
    // Save to sessionStorage as user types  
    nameInput.addEventListener('input', () => {  
        sessionStorage.setItem('form_name', nameInput.value);  
    });  
    emailInput.addEventListener('input', () => {  
        sessionStorage.setItem('form_email', emailInput.value);  
    });  
    messageInput.addEventListener('input', () => {  
        sessionStorage.setItem('form_message', messageInput.value);  
    });  
  
    // Optional: Clear sessionStorage on submit  
    document.getElementById('contactForm').addEventListener('submit',  
function(e) {  
        e.preventDefault();  
        sessionStorage.removeItem('form_name');  
        sessionStorage.removeItem('form_email');  
        sessionStorage.removeItem('form_message');  
        this.reset();  
        alert('Form submitted!');  
    });  
    </script>  
</body>  
</html>
```