



```
Practical 4 > task1.html > html > body > script
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Document</title>
7  </head>
8  <body>
9    <h1>Task1 Write a function declaration that takes two numbers and returns the greater
10   number.</h1>
11  <script>
12    function greater(a,b) {
13      if (a>b){
14        return a;
15      }
16      else{
17        return b;
18      }
19    }
20    console.log(greater(4,5))
21  </script>
22  </body>
23  </html>
```



```
<> task1.html U      <> task2.html U X
Practical 4 > <> task2.html > html > body > script
1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5    <meta charset="UTF-8">
6    <meta name="viewport" content="width=device-width, initial-scale=1.0">
7    <title>Document</title>
8  </head>
9
10 <body>
11   <h1>Write a function expression that calculates the factorial of a number.</h1>
12   <script>
13     const factorial = function factorial(a){
14       return a <= 1 ? 1 : a * factorial(a-1);
15     }
16     console.log(factorial(5));
17   </script>
18 </body>
19
20 </html>
```

```
task3.html U X
Practical 4 > task3.html > html > body > script
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>Write an arrow function that checks if a given string contains the word
10   &quot;JavaScript&quot;.</h1>
11   <script>
12     const isjs = (a) => {
13       if (a.includes("JavaScript")) {
14         console.log("True");
15       } else {
16         console.log("False");
17       }
18     };
19     isjs("hey");
20     isjs("I love JavaScript!");
21   </script>
22
23 </body>
24 </html>
```



```
task4.html U X
Practical 4 > task4.html > html > script
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8 </head>
9
10 <h1>Create a closure that stores a secret message and returns it only when a password matches.</h1>
11 <script>
12   function secretMessageClosure(secret, password) {
13     return function(pass) {
14       if (pass === password) {
15         return secret;
16       } else {
17         return "Incorrect password!";
18       }
19     }
20   }
21
22
23   const getSecret = secretMessageClosure("This is a secret message.", "1234");
24
25
26
27   console.log(getSecret("1234"));
28 </script>
29 </body>
30
31 </html>
```

