

HANDOFF · IMPLEMENTATION BRIEF · FACTS ONLY

JFTSE Atlantis V2 handoff — green tiles, wave redirection, lessons (2026-08-19)

Author: ThewindMom / JFTSE. Written just after midnight, 19 August 2026, Europe/Berlin (PT). Audience: a new agent session that must implement the new Atlantis boss on ThewindMom/JFTSE. This PDF + the sibling markdown are the only context that session should need. Do not invent branches, hashes, or fight numbers. Do not commit or push from this note.

What you are building (Thewind, 19 Aug 2026 00:14 PT)
"implement the new atlantis boss script with the green tiles as safe zones perhaps and the wave redirection" — Thewind, 18 Aug 23:38 PT, had just asked to check branches and conversations for green tiles, the new Atlantis boss script, and wave redirection. There is no V2 fight branch. The 18 Aug concept is a chat-only, untested draft.

Preferred path — keep the old fight
Write V2 under game-server/src/main/resources/scripts/guardian-phase/10-v2/. Do not delete or silently overwrite guardian-phase/10/ (1_echoes_of_the_deep.js, 2_maelstrom_unleashed.js, 3_leviathans_will.js, 4_abyssal_reckoning.js). A 10-v2 folder will not load until you wire the loader — groupPath of 10-v2 is "10-v2", and loadAdvancedBossGuardianMode only accepts groupPath == map.getMap() == "10". Flag or Thewind-confirm before swapping live map 10.

Status at write time. GitHub is source of truth. ClickUp may be stale. Box gh has no login. ThewindMom credentials are on the home PC. Do not clone onto a machine unless Thewind asks — Cloud agent or existing worktrees. Do **not** commit the dirty battlemon checkout at /workspace/jftse-work/JFTSE.

1. Repo and required workflow

Item	Fact
Fork	ThewindMom/JFTSE
Upstream	sstokic-tgm/JFTSE
Work branch base	development — take over upstream onto the fork (no merge)
Fork development tip	568fc3ec93294f2844940d371b50b530d45d49ea 17 Aug 12:12 PT
Upstream development tip	568fc3ec (same, local upstream/development)
GitHub	Source of truth for code, issues, PRs
ClickUp	May be stale — do not treat as current
Box gh	No login
Home PC gh	Logged in as ThewindMom
Clone policy	Do not clone unless Thewind asks
GM test account	test / test, character Testmon
Dirty checkout	/workspace/jftse-work/JFTSE on battlemon — do not commit

Take-over rule (Thewind, agent profile): go to ThewindMom/JFTSE, update development from <https://github.com/sstokic-tgm/JFTSE> development — no merge, take it over. Then branch from that, implement, validate live, commit, push the feature branch. Do not force-push.

2. What exists — branches, PRs, hashes

2.1 Open PRs — these are not the fight

PR	Title	Branch / tip	What it is
#1	Fix messenger Invite so the existing Yes/No modal works	fix/invite-people-development-20260815 c92e093a	Invite packets. Unrelated.
#3	docs: SeaWave LTR first working cave (2026-08-18)	docs/seawave-ltr-first-cave b38430e0	Docs only. No game-code.
#4	docs: SeaWave four-direction recipes (2026-08-18)	docs/seawave-four-directions 22c21dca	Docs only. No game-code.

Do not confuse these with the fight. None implement Atlantis V2. Verified via GitHub API open pulls, 19 Aug ~00:15 PT.

2.2 Green tiles — feature/guardian-shield-pads-20260817

Item	Fact
GitHub tip	5d984d5123694296cd2a5c234294dd4f92fcd92
Date / subject	18 Aug 2026 07:34 PT — Listen for MP_MATCH_START/END...
Ahead of development 568fc3ec	10 commits. No PR.

Item	Fact
Local worktree	JFTSE-shield-pads at 79980f93 (unpushed extra). GitHub tip is 5d984d51.
Tutorial-pad branch	feature/twinkle-town-green-tutorial-pad-20260817 f162d75e — NEVER pushed. Visual research only.

10 GitHub commits (568fc3ec..5d984d51): 4f2fce62 pads 10s after start; adcccd58 docs + damage applier + court-position message; c3c7ca9c Rabbit consumer / relay publish / config; 40803815 GuardianShieldPads state machine; 0eab13fd unit tests; 2a3ebd8c relay test dep; 82a8367c / f84ca6b2 honor BattleState.shieldActive; 332a84fe MP_MATCH_START after onStart; 5d984d51 START/END listeners.

Key files: GuardianShieldPadService.java, GuardianShieldPads.java, PlayerDamageApplier.java, relay PlayerAnimationHandler (publish after forward), MatchCourtPositionMessage.java, docs/guardian-shield-pads-20260817.md.

2.3 Wave redirection — test/wave-origin-directions

Item	Fact
GitHub tip	3b11ffc30bdd2cdb2151723847b128698a9a1dfc
Date / subject	18 Aug 2026 12:41 PT — Ignore SeaWave hits on guardians so herding only damages players.
Ahead of development	4 commits. No PR.
Local worktree	JFTSE-wavetest at e450c447 + dirty wavetest.js. GitHub tip is 3b11ffc3.
Cave	On the CLIENT EXE, not in git. See §5.

4 GitHub commits: 2722908e -wavetest; b1e88862 origin findings md; 38b4a1e0 findings PDF; 3b11ffc3 guardian SeaWave ignore. Files: command/wavetest.js, event/3_wavetest_autopad.js, SpellHitsTargetHandler.java, docs/seawave-origin-findings-2026-08-18.md.

Other local worktrees — do not mix in: JFTSE (battlemon, dirty); JFTSE-revive (fix/guardian-revive-ghost-ball 1d721fd3); JFTSE-green-pad (never-pushed tutorial RE).

3. Current Atlantis — do not silently overwrite

Live on development map **10**, scenario **BOSS_BATTLE_V2**, folder guardian-phase/10/. Present in every worktree checked and on upstream development.

File	Phase	What it actually does
1_echoes_of_the_deep.js	Echoes of the Deep	Boss immune until both adds die. Adds: Silence 57 (40%) / Polymorph 7 every 10s, stagger +3750 ms. Last add aggro 5s + Homing 6.
2_maelstrom_unleashed.js	Maelstrom Unleashed	Boss damageable. BigMeteo 3/20s+DoT; SeaWave 28/14s target 4 xyz 0,0,0; Chaos 25/16s all. One add rebirth 30%. Ends 120s or boss <50%.
3_leviathans_will.js	Leviathan's Will	MeteoBall 37/20s, Inferno 35/15s, MegaFireBall 26/18s all, Blizzard 13/25s. Silence at 90s. Player heal ×0.35. Ends 120s or boss <25%.
4_abyssal_reckoning.js	Abyssal Reckoning	Adds revived once at 100% HP (3s). Earth 32, Pillar 61, Storm 62/50s, Laser 65, Homing 6. Boss full heal at 30s. Ends when all three dead.

Every phase: g.getSkills().clear() and getGuardianAttackLoopTime() = -1 — no default AI. Loader: ScriptManagerV2 type GUARDIAN-PHASE, groupPath == map.getMap() == "10", filename sort, 5s chat countdown between phases (PhaseManager.defaultPhaseCallback, from 18 Aug brief). Bindings: gameManager, serviceManager, threadManager, eventHandler, scriptContextHelper, geb, log, game.

S_Maps (18 Aug brief, wiki): id 11 name Atlantis, playTime=8, triggerBossTime=4, isBossStage=1. Stage 1 GUARDIAN; boss+2 adds positions 10 / 11 / 12.

4. V2 concept — Thewind, 18 Aug 2026 01:53 PT — UNTESTED DRAFT

Source: transcript b6352f6f-e679-43e5-aca3-e41ddf5fe74a, first real user design message. Also in agent memory 2026-08.md. An image was attached at 02:16 PT (“and also this”); image bytes are not in the JSONL dump. Spec = the written draft.

“also ich schreib mal so ein basic konzept zusammen das noch verfeinert werden muss da ja noch nichts davon getestet wurde”

Follow-up 02:16 PT: “wie gesagt ist nur ein erster entwurf ... könnte sein dass es viel zu leicht ist mit den 5 oder auch 10 waves, muss man halt testen”

Do not implement the agent’s three-act rewrite

A later agent review in the same transcript suggested cutting to three acts and changing some timings (e.g. inferno 8–10s). Thewind did not adopt that as the spec. Implement Thewind’s draft. 5 and 10 are starting counts, tunable.

4.1 Thewind’s beats (close paraphrase of the 01:53 PT message)

- **Open:** Atlantis boss + 2 adds. Match starts ordinary — “normale spells von den guardians”.
- **+30s:** all guardian spells deactivated.
- **+35s:** player shields + teamshields + defensive buff + heals + teamheals deactivated (5s gap so an in-flight blizz/meteor can finish).
- **“Phase 1” volley: 5 waves** in a row. Prefer the script that works without a guardian (dummy attacker 4). If spawn position can be changed, randomize. *Later fact: xyz is drop only; LTR heading needs the client cave. See \$5.*
- **+5s: 10 waves** in a row.
- Re-enable shields and co. Guardians return to normal spell rotation.
- When **both adds are dead** (boss **immune until both adds down**): boss casts **only normal blizzards**; player shields+co disabled again.
- **5 waves** again, with blizzard as extra navigation difficulty. Then boss **only waves**.
- Tell players the adds revive in **2 minutes**. Spam **crabs** (SpiderMine DB 12 / packet 11) on the opponent court so adds die immediately after revive.
- **2 min later:** adds revived at **full HP**. Player heal re-enabled but **only 20% effective** (“nicht 100% sondern nur 20% effektiv”). Adds also only waves. When both adds down again, wave phase stops. “man muss in der praxis testen wie schwierig das tatsächlich wird.”
- Player heal back to **100%. Shields stay disabled**.
- **Big blizzards:** stay in safe zones left and right of the court; boss only big blizz; do not play the ball. Every **5s** an **inferno on all players from the script (not guardian)** to stop corner camping. **30s** then ends.
- Boss **charges ~50s**. Thewind: charge animation “ich weiß nicht ob das möglich ist, wäre aber cool”. Boss does not play the ball; still takes damage. **Charge animation = UNKNOWN**.
- Then **megawave** — “evtl auch einfach 20 direkt hintereinander”. One player tanks; others stand behind to stop knockback. No shield. **No megawave skill exists** (18 Aug brief). Closest: 20× SeaWave packet 27, or Storm 62.
- Recovery: everything re-enabled including shield. Boss **stunlocked 5s**. Adds revived again (good players can crab during the 50s charge — not told).
- Boss **enrages** after adds die: only waves + blizzard, no player shields/heals, **faster**. Kill the boss.

4.2 Numbers at a glance — all DRAFT

Beat	Number	Status / conflict
Strip guardian spells	+30s	draft
Strip player shields/heals/def	+35s	draft
First / second volley	5 then 10, 5s gap	draft; Thewind: may be too easy; tunable
Boss immune	until both adds dead	also true of current phase 1
Crab window	2 min	draft
Add revive HP	100%	draft
Player heal after that revive	20%	draft. Current live phase 3 uses 35% — different fight.
Big-blizz dwell + inferno	30s / every 5s all players	draft. Agent review said 8–10s inferno — not adopted.
Charge / megawave / stun	~50s / ~20 waves / 5s	draft. Charge anim UNKNOWN. No megawave skill.
Enrage	waves + blizzard, faster, no shields/heals	draft

Skill IDs you will actually fire (live scripts / FieldItem / 18 Aug brief — do not invent new ones): SeaWave DB 28 / packet **27**; Blizzard 13; Storm (“big blizzard”) 62; Inferno 35; SpiderMine/crab 12 / packet 11; Shield VFX index 9. Dummy-caster wave: new `S2CMatchplayUseSkill(4, 4, 27, seed, x, z, y)`. Current phase 2 uses (bossPos, 4, 27, seed, 0, 0, 0) — boss may still play a cast.

5. Green tiles — branch vs V2 safe zone

5.1 What 5d984d51 already does

- **10 seconds after Guardian onStart / stage start**, not the skip-click. GameAnimationSkipTriggeredPacketHandler sets room Running, 8s later onStart, then MP_MATCH_START. GuardianShieldPadService listens and schedules via ThreadManager / game.scheduledFutures.
- Two pads: **(-40, -40)** and **(40, -40)**, radius **15**. Court X / Z. Script Y = client Z. **Player half is negative Z**. Not on the spawn points (spawn constants Point(20,-75) / Point(-20,-75)).
- One-shot **BattleState.shieldActive**: absorbs the next incoming player HP damage, then clears. Healing does not consume it. **One grant per player per match**. The other pad cannot grant a second shield.
- Positions via Rabbit **MATCH_COURT_POSITION** (MatchCourtPositionMessage, routing game.stats.match.court, queue court-position-queue). Relay PlayerAnimationHandler publishes after forwarding CMSG_PlayerAnimation 0x32C9. Requires jftse.rabbitmq.enabled=true on relay and game-server (default).
- Visual: optional jftse.guardian.shield-pads.zone-file → hooked client polls stroke-quads.zone. Server writes pad -40 -40 / pad 40 -40, then clear. **Unhooked official clients do not see green**. Server still grants if they walk the invisible zone.
- Zone-file is single-room. Do not hardcode a /workspace/... path. Point it at the hooked client's cwd.

Config (game-server application.properties): enabled=true, delay-seconds=10, left-x/z -40/-40, right-x/z 40/-40, radius 15, zone-file empty, visual-skill-index 9.

Wanted look (tutorial-pad visual RE, never pushed): official **Movement-size stand pads** (primitive 0x512460 size-15) or custom 0x5105E0 boxes via the zone file. **Not** Stroke half-court tints (0x548F70), shoeprints (A_TU_footmark_A), or crystals.

5.2 NEW work — stand on green = ignore SeaWave while in the circle

The current shield is ONE hit then gone. That is not a safe zone.

A SeaWave volley (5, then 10, later 20) will melt someone who only has one absorb. Morning vanilla-axis hits popped 9708 / 9042 on a padded Testmon. Solo Testmon otherwise dies in about 15 s. Implementing “stand on green = ignore SeaWave while in the circle” is NEW work. It is not on feature/guardian-shield-pads-20260817. Reuse pad positions and visuals. Extend the hit filter.

Filter shape: the wavetest branch already drops SeaWave when targetPosition > 9 (guardian slots: boss 10, adds 11/12). That is **not** a pad check. Pads need a **position check**: if the player's last court X/Z is inside a visible pad circle, drop that SeaWave hit the same way. Last court pos already lives in GuardianShieldPads.lastPosByPlayerId via Rabbit. Reuse it. Do not consume the one-shot shield for this — standing on green must survive the whole volley.

Official clients without the green hook play Atlantis **blind**. Fight logic must still work (ignore by position, not by whether the quad drew).

6. Wave redirection

S2CMatchplayUseSkill writes attacker, target, skillId, seed, xTarget, zTarget, yTarget and **stops**. **No heading**. Travel = client first-frame dir, then normalize, then integrate. Planted xyz is the drop. ShotRot=0 ⇒ dest does not steer. A FieldItem clone cannot go sideways — the 11-crest first-frame build is hardcoded to packet skillId 27.

Packet	Client	Script	Screen (player at bottom)
xTarget	client X	step.x	left -X / right +X
zTarget	client Y height	step.z	height; 0 for confirmed/recipe spawns
yTarget	client Z depth	step.y	toward opponent = +Y = +client Z

Sidelines ~±55. Baselines ~±115. (0,0,0) is net-center. **Left-right is step.x**. step.y is along the court. x=-200 is already off the left edge; x=-500 looks the same (saturation), not a swapped axis.

Direction	Status	Lever
LTR left → right	CONFIRMED 18 Aug 2026 17:43 PT by Thewind	cave 8B CA + dir.x = +1.0
RTL right → left	RECIPE, not taped	same cave, BA 00 00 80 BF (-1.0)
UTD far baseline → player	VANILLA AXIS	forced dir.z = ±1.0 recipe, sign UNCONFIRMED
DTU player → far baseline	VANILLA AXIS, opposite	opposite dir.z, sign UNCONFIRMED

6.1 Confirmed LTR cave — use this if the fight uses LTR waves

Item	Value
Live exe sha256	cf551df8bd42f32676f8b01e54496a1b74473c90ddfa1354288f6545dea92f7c
Cave	mov ecx, edx / 8B CA. dir.z = old X-spread. dir.x = +1.0
Do NOT	xor ecx, ecx / 31 C9 (Z-zero). Thewind rejected that look.
Z-zero sha (wrong)	967cc05871330521c9c7dc0ade4f9f5989fce5797d81362174c10c985ff71f3f
Confirmed spawn	5 waves, 5 s apart, attacker=4, xyz=(-200, 0, 0)
Rejected spawns	x=+200, x=-60
LAA-only backup (no cave)	eebd71a1b19eca60101a195c49999d29600e6cdd6302c4a6001fb98043f91162
Official (no LAA, no cave)	5477f0827acae66976403aecd2e9ebffeb4fa28da1fedae5f9541ec25e336c31

Cave site file 0x0EA115 jmp to 0x2E5C58. Keys on cmp [ebp+8], 0x1B (skillId 27). Exe change = client restart. Servers do not restart. Launch helper scripts/apply-ft-client-patches.py currently only reapplies LAA and must not wipe the cave (current stub does not write the cave region). apply_ltr_patch.py / bytes.txt still encode 31 C9 — do not “fix” the live exe with that script. RTL/UTD/DTU need a new cave + client restart. Do not invent those hashes.

6.2 Hits and the players-only filter

SeaWaves hit anyone in the foam band. Facing and spawn-behind do not matter (WAVE 1 from behind Testmon 9708; WAVE 4 on the near baseline 9042). Atlantis herding will hurt anyone in the lane, including Testmon on a pad, unless you add a safe-zone filter.

```
if (game instanceof MatchplayGuardianGame
    && spellHitsTargetExt.getTargetPosition() > 9
    && isSeaWaveHit(skill, skillId)) {
    return; // 3b11ffc3 – guardians only. Pads need a position check.
}
```

Players-only SeaWave filter needs a game-server rebuild to be live. The branch has it; running jars may be older.

6.3 -wavetest / scripts

- command/wavetest.js + event/3_wavetest_autopad.js must stay in sync.
- Waiting room: -wavetest writes /tmp/jftse-wavetest.arm (“Armed...”). In-match: fires at once. Guardian only.
- After every script edit: **-reloadScripts**. Events stay stale otherwise. Wait for “Scripts reloaded”.
- HP pad **30000**. Client HP is a short; 99999 overflows. Iterate ConcurrentLinkedDeque, not .get(i).
- **Live copies may still be at x=-500** (confirmed this session: wavetest worktree src is five × x:-500; JFTSE target/dist is a mixed experimental volley). Restore **-200** for the confirmed LTR look.
- These two scripts do not replace guardian-phase/10.
- Morning origin-findings line “Left-to-right travel is not possible” is superseded by the LTR cave.

7. Combine green pads + redirected SeaWaves

This is the V2 hook Thewind asked for on 19 Aug. None of it is implemented as a fight.




Diagram is schematic, not a live screenshot. Pad coordinates and LTR spawn are the verified numbers. Foam band width is illustrative.

- Bring in shield-pad code from feature/guardian-shield-pads-20260817 **5d984d51** onto the new branch. Taken-over development (568fc3ec) does not have it.
- Keep the two pads at $(-40, -40)$ / $(40, -40)$, $r=15$, Movement-size / zone-file boxes. Not Stroke tints.
- Add SeaWave-on-pad ignore: last court pos inside a **visible** pad circle → drop the SeaWave hit. Do not consume a one-shot shield. Standing on green during a volley must keep working for the whole volley.
- Herd with redirected SeaWave. LTR confirmed: dummy 4, packet 27, xyz= $(-200,0,0)$, live exe cf551df8... / 8B CA. Anyone not in a pad in the foam lane takes the hit — including Testmon.
- Thewind's draft also used "safe zones left and right" for big blizzard. Same pads can serve both jobs if you decide they should; that decision is untested. Do not invent extra pad coordinates unless Thewind asks.
- Unhooked clients: no green. Logic must still be consistent (ignore by position, not by whether the quad drew).

8. Lessons learned — do not repeat these

Live-session facts, 17–18 Aug 2026. Dedicated section as required.

8.1 Record / video

- Record FIRST, confirm the file is growing, THEN -wavetest. 90s+ takes.
- Compress ~960p crf 28 +faststart or chat will not play. Files >~8–19 MB fail (a 19 MB take would not play).
- Do not start the recorder after the foam. Prior clips started late or after the waves.

8.2 Scripts / client

- **-reloadScripts after every script edit.** Events stay stale.
- Exe / cave change = restart the client. Script change = reload only. Servers do not restart for the cave.
- Launch helper must not wipe the cave. Confirm live exe sha256 after launch.

8.3 Room / UI (DISPLAY :10, 1280×800 — session-specific clicks)

- START stays grey until 3 empty slots are locked.
- Click the TOP of START (~821, 655). The Linux dock covers the bottom. A low click opens the host browser.
- Skip intro ~(959, 62).
- Never Guardian shortcut. Path: Match Play → CREATE ROOM → Guardian Battle.
- Account test / Testmon.

8.4 Boot / display

- Splash stuck on Initializing = leftover Wine or no AC TCP.
- Real AC is TCP 3724. Healthy: AC channelActive within ~15 s, register result:0, heartbeats every ~10 s.
- Check client + AC + auth logs on every boot.
- computerUse / screenshots are DISPLAY :10 only.

8.5 Wave mistakes already made

- Do not trust a video-model “no foam / still vanilla”. Thewind already corrected LTR (17:43 PT).
- Do not flip spawn to +X because “player is on the right” if they meant “the first take was right”. Confirmed take is x=-200.
- Do not zero Z-spread (31 C9). The fan is the confirmed LTR look. Foam can show at both baselines.
- Do not treat x=-200 vs x=-500 looking the same as an axis swap.
- Origin-findings “LTR is not possible” is stale.
- Players-only SeaWave filter is on the branch; running jars may be older — rebuild to see it.
- Official clients without the green hook play Atlantis blind — fight logic must still work.

9. Ops (short)

Service	Value
Auth / game / relay / chat	TCP 5894 / 5895 / 5896 / 5897
AC	TCP 3724 (docker-compose maps 3724:3724)
MySQL	3306, user/pass jftse/jftse, db fantasytennis
RabbitMQ	5672
Client	Proton GE 11-1, /workspace/jftse-work/client/FantaTennis.exe
ServerInfo.ini	127.0.0.1:5894

Check client + AC + auth logs on every boot.

10. What NOT to touch

- Do not overwrite guardian-phase/10/ {1,2,3,4}_*.js until Thewind merges.
- Do not commit the dirty battlemon checkout. Do not force-push.
- Do not clone onto a new machine unless Thewind asks.
- Do not treat PRs #1 / #3 / #4 as the fight.
- Do not install the Z-zero cave (31 C9) or run stale apply_ltr_patch.py / bytes.txt.
- Do not invent RTL/UTD/DTU hashes or claim those looks live.
- Do not clone FieldItem / new skill id and expect LTR — cave keys on packet 27.
- Do not treat one-shot shield as a SeaWave safe zone.
- Do not implement the agent's three-act rewrite as if it were Thewind's spec.
- Do not hardcode /workspace/... as zone-file. Do not skip -reloadScripts. Do not trust ClickUp over GitHub.

11. Sources actually read for this handoff

- docs/seawave-four-directions-2026-08-18.md and docs/seawave-ltr-first-cave-2026-08-18.md
- JFTSE-wavetest/docs/seawave-origin-findings-2026-08-18.md
- JFTSE-shield-pads/docs/guardian-shield-pads-20260817.md
- evidence/seawave-ltr/README.md
- Map 10 scripts in JFTSE/game-server/src/main/resources/scripts/guardian-phase/10/
- Transcript b6352f6f-e679-43e5-aca3-e41ddf5fe74a (Thewind 01:53 PT draft + 02:16 / 07:15 / 07:27 / 23:38 / 00:14 follow-ups)
- Agent memory .../b6352f6f-.../memory/log/2026-08.md
- GitHub API open PRs + git ls-remote / fetch of ThewindMom/JFTSE
- SpellHitsTargetHandler diff on 3b11ffc3; MatchplayGuardianGame.loadAdvancedBossGuardianMode; ScriptManagerFactory groupPath
- Live wavetest.js copies (src -500; dist mixed)

12. Implementation checklist (do these in order)

Numbered, concrete. This is the last section the next agent should walk.

- **1. Take over** upstream sstokic-tgm/JFTSE development onto ThewindMom/JFTSE development. **No merge.** Take it over. Both were 568fc3ec when this was written; re-read remotes first.
- **2. Branch** e.g. feat/atlantis-v2-green-wave from that taken-over development.
- **3. Bring in** (cherry-pick or reimplement) shield-pad code from feature/guardian-shield-pads-20260817 **5d984d51** if it is not already on the new development. Do not use unpushed local 79980f93 as the GitHub tip.
- **4. Confirm the live exe** is the first LTR cave (sha256 = cf551df8bd42f32676f8b01e54496a1b74473c90ddfa1354288f6545dea92f7c, cave+6 = 8B CA) if the fight uses LTR waves. RTL/UTD need a new cave + client restart. Launch helper must not wipe the cave.
- **5. Add SeaWave-on-pad ignore (safe zone).** If the player's last court pos is inside a visible pad circle, drop SeaWave hits. The existing targetPosition > 9 filter is the guardian one; pads need a position check. This is new work. Rebuild game-server so the filter is actually live. One-shot shieldActive is not enough for a volley.
- **6. Write new phase scripts under guardian-phase/10-v2/.** Do not delete old guardian-phase/10/. Filename-sort still decides phase order inside the folder.
- **7. Wire map 10 / BOSS_BATTLE_V2 to load v2** only after Thewind confirms, or behind a flag. Today the loader only accepts groupPath == "10". 10-v2 will be ignored until you change that.
- **8. -wavetest for direction proofs** (restore scripts to five × xyz=(-200,0,0) + -reloadScripts). Then scripted volleys in the fight (5, then 10, tunable). Dummy attacker 4, packet skillId 27.
- **9. Validate live with Testmon.** Record first (file growing), then fire. HP pad 30000 for wavetest; do not melt the player in 5 seconds in the real fight. Lock 3 empty slots, START top edge, skip intro, never Guardian shortcut.
- **10. Commit and push the feature branch** to ThewindMom/JFTSE. Do not force-push. Do not commit battlemon dirt. Box gh has no login — push from the home PC or a Cloud agent that already has GitHub. Do not clone onto a new machine unless Thewind asks. Do not merge to development unless asked.

12.1 Quick copy block

fork	ThewindMom/JFTSE
upstream	sstokic-tgm/JFTSE
development	568fc3ec (both, 17 Aug 12:12 PT) TAKE OVER, do not merge
shield pads	feature/guardian-shield-pads-20260817 5d984d51 +10 NO PR
tutorial pads	feature/twinkle-town-green-tutorial-pad-20260817 NEVER PUSHED
wavetest	test/wave-origin-directions 3b11ffc3 +4 NO PR
	SeaWave ignore guardians: targetPosition > 9
PRs	#1 invite #3 LTR docs #4 four-dir docs (not the fight)
old fight	guardian-phase/10/ four files KEEP
new fight	guardian-phase/10-v2/ WRITE HERE
V2	UNTESTED DRAFT 18 Aug 01:53 PT Thewind
green	pads (-40,-40)/(40,-40) r=15 CURRENT: one-shot V2 SAFE ZONE = NEW FILTER
LTR	sha cf551df8... cave 8B CA spawn (-200,0,0) attacker=4 skill 27
	NOT 31 C9. NOT x=+200. Live scripts may still say x=-500.
account	test / test / Testmon
do not	commit battlemon, force-push, clone unasked, overwrite 10/

Sibling markdown: /workspace/jftse-work/docs/atlantis-v2-handoff-2026-08-19.md. Copy of this PDF: /workspace/jftse-work/evidence/seawave-ltr/atlantis-v2-handoff-2026-08-19.pdf.