



P-ANULAR — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-JUS-BS — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-JUS-CKGL — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-JUS-CKP — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-MON-CKGL — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-MON-CKP — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-MON-SDV-P — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-PDG — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




P-TPT — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




PT-P — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [0, 1000] bar
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




T-JUS-CKP — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [-50, 250] °C
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing




T-MON-CKP — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [-50, 250] °C
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing



T-PDG — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [-50, 250] °C
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing



T-TPT — raw readings per real well vs simulated and hand-drawn instances

box: quartiles · line: median · whiskers: 1st and 99th percentile of the readings inside the plausible band [-50, 250] °C
right margin: instances, readings, share exactly 0 (frozen sensor — kept by the default masking), share outside the band (what the default masking removes), share missing

