

Final-model robustness checks

Table 1: Sensitivity analyses using the final mixed beta model for the Reaction Homogeneity Index. Except for the stated modification, each model retains the fixed- and random-effects specification in the final model. Continuous predictors are standardized within each fitted sample. Coefficients are on the logit scale and intervals are two-sided 95% Wald confidence intervals.

Specification	β_{Δ_b}	95% CI	β_{Tox}	95% CI	N
Final model	-0.173	[-0.211, -0.135]	-0.149	[-0.196, -0.102]	4,584
CRP omitted	-0.178	[-0.219, -0.138]	-0.133	[-0.180, -0.086]	4,584
Pages with ≥ 2 bias-scored links	-0.201	[-0.241, -0.160]	-0.162	[-0.211, -0.113]	4,213
Pages with ≥ 5 bias-scored links	-0.219	[-0.264, -0.175]	-0.170	[-0.226, -0.113]	3,405
Twitter-window posts only	-0.173	[-0.214, -0.132]	-0.144	[-0.192, -0.096]	4,099
Leave-link-out page bias	-0.192	[-0.234, -0.150]	-0.165	[-0.214, -0.116]	4,213
Minimum 25 reactions	-0.171	[-0.206, -0.135]	-0.133	[-0.179, -0.088]	5,774
Minimum 100 reactions	-0.167	[-0.209, -0.126]	-0.177	[-0.229, -0.126]	3,558