Accelerated Bayesian inference of multimessenger astronomy with JAX and machine learning

Thibeau Wouters, Peter T. H. Pang, Chris Van Den Broeck

t.r.i.wouters@uu.nl

23 – 27 September 2024

Utrecht University

Nikhef

Bayesian inference

Bayesian inference: get posterior of parameters θ from data d

$$p(\theta|d) = \frac{p(d|\theta)p(\theta)}{p(d)}$$

Problem: Computationally expensive for multimessenger data + EOS



Nuclear Multi-Messenger Astrophysics

- NMMA: Nuclear Multi-Messenger Astrophysics (Peter T.H. Pang)

- A Pythonic library for probing nuclear physics and cosmology with multimessenger analysis

Nuclear Multi-Messenger Astrophysics

- `NMMA`: Nuclear Multi-Messenger Astrophysics (Peter T.H. Pang)

- A Pythonic library for probing nuclear physics and cosmology with multimessenger analysis

- Used for overview of EOS constraints, with "precomputed" EOS set (arXiv:2402.04172)
  - Metamodel
  - Speed-of-sound extension scheme
  - 100 000 EOS

Nuclear Multi-Messenger Astrophysics

- `NMMA`: Nuclear Multi-Messenger Astrophysics (Peter T.H. Pang)
- A Pythonic library for probing nuclear physics and cosmology with multimessenger analysis
- Used for overview of EOS constraints, with "precomputed" EOS set (arXiv:2402.04172)
  - Metamodel
  - Speed-of-sound extension scheme
  - 100 000 EOS

Next step: Infer EOS parameters directly from multimessenger data, upgrade software for future detectors

JAX

JAX = NUMPY + composable transformations:

1. Automatic differentiation
2. Just-in-time (JIT) compilation
3. GPU acceleration
4. Parallelization

Potential for accelerating science, without resorting to machine learning!

Normalizing flows

- Generative machine learning model
- Learn mapping between latent and parameter space
- Enable approximate sampling from complicated distributions



Accelerating Bayesian inference for MMA: progress

- Gravitational waves (arXiv:2404.11397)
  - Waveforms: $\mathcal{O}(10^3)$ faster
  - Analyze binary neutron stars in 15 – 30 minutes rather than $\mathcal{O}(\mathrm{hours})$

Accelerating Bayesian inference for MMA: progress

- Gravitational waves (arXiv:2404.11397)
  - Waveforms: $\mathcal{O}(10^3)$ faster
  - Analyze binary neutron stars in 15 – 30 minutes rather than $\mathcal{O}(\text{hours})$
- TOV solver (EOS $\rightarrow$ NS):
  - $10 - 100\times$ faster

Accelerating Bayesian inference for MMA: progress

- Gravitational waves (arXiv:2404.11397)
  - Waveforms: $\mathcal{O}(10^3)$ faster
  - Analyze binary neutron stars in 15 – 30 minutes rather than $\mathcal{O}(\text{hours})$
- TOV solver (EOS $\rightarrow$ NS):
  - $10 - 100\times$ faster
- Kilonovae, GRBs: `ThibeauWouters/fiesta`

Accelerating Bayesian inference for MMA: progress

- Gravitational waves (arXiv:2404.11397)
  - Waveforms: $\mathcal{O}(10^3)$ faster
  - Analyze binary neutron stars in 15 – 30 minutes rather than $\mathcal{O}(\text{hours})$
- TOV solver (EOS $\rightarrow$ NS):
  - $10 - 100\times$ faster
- Kilonovae, GRBs: `ThibeauWouters/fiesta`
- Future work:
  - Next-generation gravitational wave detectors
  - Combine into one multimessenger analysis pipeline

Thanks for listening!

Our JAX ecosystem:

- Normalizing flow-enhanced MCMC sampler: `kazewong/flowMC`
- Gravitational waveforms: `tedwards2412/ripple`
- Gravitational waves inference toolkit: `kazewong/jim`
- EOS code and TOV solver: `tsunhopang/jose` (*work in progress*)
- Kilonovae and GRB: `ThibeauWouters/fiesta` (*work in progress*)