ASP.NET Core appsettings.json File

ASP.NET Core appsettings.json File

ASP.NET Core uses **appsettings.json** file to store **JSON** configuration data. The **appsettings.json** file is added in the root of the project by the ASP.NET Core template in Visual Studio.

The **ASP.NET Core Configuration Source Includes** in the **ASP.NET Core Web Application**.

appsettings.json is a flat file text format configuration provider. It stores configuration in name-value pairs in a JSON format. The **appsettings.json** file is added by default when you create an ASP.NET Core project in Visual Studio.

ASP.NET Core, as it runs cross-platform, therefore, the configuration settings are stored in platform-independent files. The **appsettings.json** file is added by default in the project root folder. The **appsettings.json** file contains the following configuration settings:

- **appsettings.**[environment].**json** file contains environment specific configuration settings. For example, appsettings.Development.json file stores development environment specific configuration settings.
- **Environment Variables**: Value stored in the environment in which the application is running. Environment variables override the configuration value for the current environment. Environment variables are set in the launchSettings.json file by default.
- **Command-line arguments**: Provide configuration to the application when it starts. Command-line arguments override configuration settings from all other configuration sources.

Configuration Sources are read in the order specified in the startup code. The last source specified overrides the previous sources if they have the same key.

What is the ASP.NET Core appsettings.json File?

The **appsettings.json** file is a JSON file that stores configuration settings in name-value pairs. The **appsettings.json** file supports following types of values:

- Object (nested values)
- Array
- Boolean values
- Numbers
- Strings
- Null

Introducing the Structure of appsettings.json

Open the ASP.NET Core application file. Its will add the following code in it. Which shows the default **appsettings.json** file.

```
{
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft": "Warning",
      "Microsoft.Hosting.Lifetime": "Information"
    }
  }
}
```

The file contains brackets for defining the scope, and uses two name-value pairs. The name-value pair consists of a name and a value. The name is followed by a colon (:) and the value. The **Logging** and **LogLevel** are the name, and **Information**, **Warning**, **Information** are the values.

The file contains brackets for defining the scope, and uses two name-value pairs. The name-value pair consists of a name and a value. The name is followed by a colon (:) and the value. The **Logging** and **LogLevel** are the name, and **Information**, **Warning**, **Information** are the values.

Nested Values

The **appsettings.json** file supports nested values. The **Logging** and **LogLevel** are the name, and **Information**, **Warning**, **Information** are the values. The **Logging** and **LogLevel** are the name, and **Information**, **Warning**, **Information** are the values.

How to Read the Values from the Configuration Sources in ASP.NET Core?

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Using the Indexer Method

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

```
var myConnectionString = Configuration["ConnectionStrings:MyConnection"];
```

Using GetConnectionString()

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

```
var myConnectionString = Configuration.GetConnectionString("MyConnection");
```

Using GetSection()

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

```
var myConnectionString = Configuration.GetSection("ConnectionStrings:MyConnection");
```

Using Options Pattern

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Using Configuration Sources

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Using Environment Variables

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Using Command-line Arguments

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Using Configuration Sources

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Using Options Pattern

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Conclusion

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Keywords: The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

What are the Default Sources Added by the Configuration Sources in ASP.NET Core?

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Conclusion

The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Keywords: The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Related Articles: The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings. The **Configuration** property provides access to the configuration settings.

Dot Net Tutorials
Learn Dot Net Tutorials
Step by Step Tutorials, Tips and Tricks!
Dot Net Tutorials Facebook Page
Dot Net Tutorials Twitter Page
Dot Net Tutorials Google Plus Page
Dot Net Tutorials Pinterest Page
Dot Net Tutorials Linkedin Page
Dot Net Tutorials Tumblr Page
Dot Net Tutorials Reddit Page
Dot Net Tutorials Stackoverflow Page
Dot Net Tutorials Quora Page
Dot Net Tutorials Blogspot Page
Dot Net Tutorials Wordpress Page
Dot Net Tutorials Medium Page
Dot Net Tutorials Google Plus Community
Dot Net Tutorials Youtube Channel
Dot Net Tutorials Google Play Store
Dot Net Tutorials Amazon Store
Dot Net Tutorials Twitter Hashtag
Dot Net Tutorials Linkedin Group
Dot Net Tutorials Facebook Group