

# TS\_KaiKo\_PA5a

## Execution Environment

|                 |                          |
|-----------------|--------------------------|
| Host name       | nguyengiabao - localhost |
| Local OS        | Mac OS X 64bit           |
| Katalon version | 11.3.0.0                 |
| Browser         | Chrome 149.0.7827.198    |
| Device name     |                          |

## Summary

|             |                           |            |                     |
|-------------|---------------------------|------------|---------------------|
| ID          | Test Suites/TS_KaiKo_PA5a |            |                     |
| Description |                           |            |                     |
| Total       | 4                         |            |                     |
| Passed      | 4                         | Failed     | 0                   |
| Error       | 0                         | Incomplete | 0                   |
| Skipped     | 0                         |            |                     |
| Start       | 04-07-2026 00:50:43       | End        | 04-07-2026 00:51:32 |
| Elapsed     | 48,646s                   |            |                     |

| # | ID                                    | Description | Status |
|---|---------------------------------------|-------------|--------|
| 1 | Test Cases/TC_UC01_01_LoginValid      |             | PASSED |
| 2 | Test Cases/TC_UC01_02_LoginInvalid    |             | PASSED |
| 3 | Test Cases/TC_UC08_01_ViewHistory     |             | PASSED |
| 4 | Test Cases/TC_UC08_02_ViewLeaderboard |             | PASSED |

# TC\_UC01\_01\_LoginValid

## Information

|             |                                  |     |                     |
|-------------|----------------------------------|-----|---------------------|
| ID          | Test Cases/TC_UC01_01_LoginValid |     |                     |
| Description |                                  |     |                     |
| Tag         |                                  |     |                     |
| Start       | 04-07-2026 00:50:43              | End | 04-07-2026 00:50:56 |
| Elapsed     | 12,748s                          |     |                     |
| Status      | PASSED                           |     |                     |

## Details

| # | Description                                                                   | Elapsed | Status |
|---|-------------------------------------------------------------------------------|---------|--------|
| 1 | URL = "https://kai-ko.vercel.app/"                                            | 0,002s  | PASSED |
| 2 | PLAY_BTN = "//button[contains(@class,'btn-play-shine')][1]"                   | 0,002s  | PASSED |
| 3 | IN_USER = "//input[@placeholder='Tên ng nhp']"                                | 0,001s  | PASSED |
| 4 | IN_PASS = "//input[@placeholder='Mt khu']"                                    | 0,003s  | PASSED |
| 5 | BTN_SUBMIT = "//button[@type='submit']"                                       | 0,003s  | PASSED |
| 6 | DASH_DOCK = "//div[contains(@class,'mac-dock')]"                              | 0,001s  | PASSED |
| 7 | DOCK_HIST = "//div[contains(@class,'mac-dock-item') and ./img[@alt='Lch s']]" | 0,001s  | PASSED |
| 8 | DOCK_BXH = "//div[contains(@class,'mac-dock-item') and ./img[@alt='BXH']]"    | 0,001s  | PASSED |

## TC\_UC01\_01\_LoginValid

| #  | Description                                                                           | Elapsed | Status |
|----|---------------------------------------------------------------------------------------|---------|--------|
| 9  | USERNAME = "kaiko_test"                                                               | 0,000s  | PASSED |
| 10 | PASSWORD = "Test@123"                                                                 | 0,002s  | PASSED |
| 11 | openBrowser("")<br>Browser is opened with url: "                                      | 4,395s  | PASSED |
| 12 | maximizeWindow()<br>Current window maximized                                          | 0,332s  | PASSED |
| 13 | navigateToUrl(URL)<br>Navigate to 'https://kai-ko.vercel.app/' successfully           | 1,218s  | PASSED |
| 14 | waitForElementClickable(xp(PLAY_BTN), 20)                                             | 0,005s  | PASSED |
| 15 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                            | 0,028s  | PASSED |
| 16 | to.addProperty("xpath", EQUALS, xpath)                                                | 0,007s  | PASSED |
| 17 | return to<br>Object '//*[@button[contains(@class,'btn-play-shine')]][1]' is clickable | 0,525s  | PASSED |
| 18 | click(xp(PLAY_BTN))                                                                   | 0,002s  | PASSED |
| 19 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                            | 0,001s  | PASSED |

## TC\_UC01\_01\_LoginValid

| #  | Description                                                                          | Elapsed | Status |
|----|--------------------------------------------------------------------------------------|---------|--------|
| 20 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,000s  | PASSED |
| 21 | return to<br>Object: '//button[contains(@class,'btn-play-shine')][1]' is clicked on  | 0,370s  | PASSED |
| 22 | waitForElementVisible(xp(IN_USER), 15)                                               | 0,002s  | PASSED |
| 23 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                           | 0,004s  | PASSED |
| 24 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,001s  | PASSED |
| 25 | return to<br>Object '//input[@placeholder='Tên ng nhp']' is visible                  | 0,755s  | PASSED |
| 26 | setText(xp(IN_USER), USERNAME)                                                       | 0,001s  | PASSED |
| 27 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                           | 0,000s  | PASSED |
| 28 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,001s  | PASSED |
| 29 | return to<br>Text 'kaiko_test' is set on object '//input[@placeholder='Tên ng nhp']' | 0,736s  | PASSED |
| 30 | setText(xp(IN_PASS), PASSWORD)                                                       | 0,006s  | PASSED |

## TC\_UC01\_01\_LoginValid

| #  | Description                                                                   | Elapsed | Status |
|----|-------------------------------------------------------------------------------|---------|--------|
| 31 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                    | 0,001s  | PASSED |
| 32 | to.addProperty("xpath", EQUALS, xpath)                                        | 0,000s  | PASSED |
| 33 | return to<br>Text 'Test@123' is set on object '//input[@placeholder='Mt khu'] | 0,590s  | PASSED |
| 34 | click(xp(BTN_SUBMIT))                                                         | 0,002s  | PASSED |
| 35 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                    | 0,000s  | PASSED |
| 36 | to.addProperty("xpath", EQUALS, xpath)                                        | 0,000s  | PASSED |
| 37 | return to<br>Object: '//button[@type='submit']' is clicked on                 | 0,344s  | PASSED |
| 38 | waitForElementVisible(xp(DASH_DOCK), 20)                                      | 0,002s  | PASSED |
| 39 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                    | 0,001s  | PASSED |
| 40 | to.addProperty("xpath", EQUALS, xpath)                                        | 0,002s  | PASSED |
| 41 | return to<br>Object '//div[contains(@class,'mac-dock')]' is visible           | 2,461s  | PASSED |

## TC\_UC01\_01\_LoginValid

---

| #  | Description                                                         | Elapsed | Status |
|----|---------------------------------------------------------------------|---------|--------|
| 42 | verifyElementVisible(xp(DASH_DOCK))                                 | 0,013s  | PASSED |
| 43 | to = new com.kms.katalon.core.testobject.TestObject(xpath)          | 0,001s  | PASSED |
| 44 | to.addProperty("xpath", EQUALS, xpath)                              | 0,015s  | PASSED |
| 45 | return to<br>Object '//div[contains(@class,'mac-dock')]' is visible | 0,510s  | PASSED |
| 46 | closeBrowser()<br>Browser is closed                                 | 0,190s  | PASSED |

# TC\_UC01\_02\_LoginInvalid

## Information

|             |                                    |     |                     |
|-------------|------------------------------------|-----|---------------------|
| ID          | Test Cases/TC_UC01_02_LoginInvalid |     |                     |
| Description |                                    |     |                     |
| Tag         |                                    |     |                     |
| Start       | 04-07-2026 00:50:56                | End | 04-07-2026 00:51:07 |
| Elapsed     | 11,092s                            |     |                     |
| Status      | PASSED                             |     |                     |

## Details

| # | Description                                                                   | Elapsed | Status |
|---|-------------------------------------------------------------------------------|---------|--------|
| 1 | URL = "https://kai-ko.vercel.app/"                                            | 0,002s  | PASSED |
| 2 | PLAY_BTN = "//button[contains(@class,'btn-play-shine')][1]"                   | 0,000s  | PASSED |
| 3 | IN_USER = "//input[@placeholder='Tên ng nhp']"                                | 0,000s  | PASSED |
| 4 | IN_PASS = "//input[@placeholder='Mt khu']"                                    | 0,001s  | PASSED |
| 5 | BTN_SUBMIT = "//button[@type='submit']"                                       | 0,000s  | PASSED |
| 6 | DASH_DOCK = "//div[contains(@class,'mac-dock')]"                              | 0,001s  | PASSED |
| 7 | DOCK_HIST = "//div[contains(@class,'mac-dock-item') and ./img[@alt='Lch s']]" | 0,000s  | PASSED |
| 8 | DOCK_BXH = "//div[contains(@class,'mac-dock-item') and ./img[@alt='BXH']]"    | 0,001s  | PASSED |

## TC\_UC01\_02\_LoginInvalid

| #  | Description                                                                       | Elapsed | Status |
|----|-----------------------------------------------------------------------------------|---------|--------|
| 9  | USERNAME = "kaiko_test"                                                           | 0,001s  | PASSED |
| 10 | WRONG_PW = "SaiMatKhau999"                                                        | 0,000s  | PASSED |
| 11 | openBrowser("")<br>Browser is opened with url: "                                  | 1,952s  | PASSED |
| 12 | maximizeWindow()<br>Current window maximized                                      | 0,374s  | PASSED |
| 13 | navigateToUrl(URL)<br>Navigate to 'https://kai-ko.vercel.app/' successfully       | 1,091s  | PASSED |
| 14 | waitForElementClickable(xp(PLAY_BTN), 20)                                         | 0,079s  | PASSED |
| 15 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                        | 0,003s  | PASSED |
| 16 | to.addProperty("xpath", EQUALS, xpath)                                            | 0,003s  | PASSED |
| 17 | return to<br>Object '//button[contains(@class,'btn-play-shine')][1]' is clickable | 0,293s  | PASSED |
| 18 | click(xp(PLAY_BTN))                                                               | 0,001s  | PASSED |
| 19 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                        | 0,001s  | PASSED |



## TC\_UC01\_02\_LoginInvalid

| #  | Description                                                                         | Elapsed | Status |
|----|-------------------------------------------------------------------------------------|---------|--------|
| 20 | to.addProperty("xpath", EQUALS, xpath)                                              | 0,000s  | PASSED |
| 21 | return to<br>Object: '//button[contains(@class,'btn-play-shine')][1]' is clicked on | 0,929s  | PASSED |
| 22 | waitForElementVisible(xp(IN_USER), 15)                                              | 0,000s  | PASSED |
| 23 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                          | 0,001s  | PASSED |
| 24 | to.addProperty("xpath", EQUALS, xpath)                                              | 0,000s  | PASSED |
| 25 | return to<br>Object '//input[@placeholder='Tên ng nhp]' is visible                  | 0,459s  | PASSED |
| 26 | setText(xp(IN_USER), USERNAME)                                                      | 0,000s  | PASSED |
| 27 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                          | 0,000s  | PASSED |
| 28 | to.addProperty("xpath", EQUALS, xpath)                                              | 0,000s  | PASSED |
| 29 | return to<br>Text 'kaiko_test' is set on object '//input[@placeholder='Tên ng nhp]' | 0,968s  | PASSED |
| 30 | setText(xp(IN_PASS), WRONG_PW)                                                      | 0,001s  | PASSED |

## TC\_UC01\_02\_LoginInvalid

| #  | Description                                                                        | Elapsed | Status |
|----|------------------------------------------------------------------------------------|---------|--------|
| 31 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                         | 0,001s  | PASSED |
| 32 | to.addProperty("xpath", EQUALS, xpath)                                             | 0,000s  | PASSED |
| 33 | return to<br>Text 'SaiMatKhau999' is set on object '//input[@placeholder='Mt khu'] | 0,579s  | PASSED |
| 34 | click(xp(BTN_SUBMIT))                                                              | 0,004s  | PASSED |
| 35 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                         | 0,000s  | PASSED |
| 36 | to.addProperty("xpath", EQUALS, xpath)                                             | 0,001s  | PASSED |
| 37 | return to<br>Object: '//button[@type='submit']' is clicked on                      | 0,389s  | PASSED |
| 38 | delay(3)<br>Delayed 3 second(s)                                                    | 3,073s  | PASSED |
| 39 | verifyElementNotPresent(xp(DASH_DOCK), 3, CONTINUE_ON_FAILURE)                     | 0,012s  | PASSED |
| 40 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                         | 0,001s  | PASSED |
| 41 | to.addProperty("xpath", EQUALS, xpath)                                             | 0,001s  | PASSED |

## TC\_UC01\_02\_LoginInvalid

| #  | Description                                                                                                                                                             | Elapsed | Status |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| 42 | return to<br><br>Web element with id: '//div[contains(@class,'mac-dock')]' located by 'By.xpath: //div[contains(@class,'mac-dock')]' is not present after '3' second(s) | 0,357s  | PASSED |
| 43 | verifyElementVisible(xp(IN_USER))                                                                                                                                       | 0,000s  | PASSED |
| 44 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                                                                                              | 0,001s  | PASSED |
| 45 | to.addProperty("xpath", EQUALS, xpath)                                                                                                                                  | 0,000s  | PASSED |
| 46 | return to<br><br>Object '//input[@placeholder="Tên ng nhp"]' is visible                                                                                                 | 0,230s  | PASSED |
| 47 | closeBrowser()<br><br>Browser is closed                                                                                                                                 | 0,186s  | PASSED |

# TC\_UC08\_01\_ViewHistory

## Information

|             |                                   |     |                     |
|-------------|-----------------------------------|-----|---------------------|
| ID          | Test Cases/TC_UC08_01_ViewHistory |     |                     |
| Description |                                   |     |                     |
| Tag         |                                   |     |                     |
| Start       | 04-07-2026 00:51:07               | End | 04-07-2026 00:51:20 |
| Elapsed     | 12,654s                           |     |                     |
| Status      | PASSED                            |     |                     |

## Details

| # | Description                                                                   | Elapsed | Status |
|---|-------------------------------------------------------------------------------|---------|--------|
| 1 | URL = "https://kai-ko.vercel.app/"                                            | 0,000s  | PASSED |
| 2 | PLAY_BTN = "//button[contains(@class,'btn-play-shine')][1]"                   | 0,001s  | PASSED |
| 3 | IN_USER = "//input[@placeholder='Tên ng nhp']"                                | 0,000s  | PASSED |
| 4 | IN_PASS = "//input[@placeholder='Mt khu']"                                    | 0,000s  | PASSED |
| 5 | BTN_SUBMIT = "//button[@type='submit']"                                       | 0,001s  | PASSED |
| 6 | DASH_DOCK = "//div[contains(@class,'mac-dock')]"                              | 0,000s  | PASSED |
| 7 | DOCK_HIST = "//div[contains(@class,'mac-dock-item') and ./img[@alt='Lch s']]" | 0,001s  | PASSED |
| 8 | DOCK_BXH = "//div[contains(@class,'mac-dock-item') and ./img[@alt='BXH']]"    | 0,001s  | PASSED |

## TC\_UC08\_01\_ViewHistory

| #  | Description                                                                       | Elapsed | Status |
|----|-----------------------------------------------------------------------------------|---------|--------|
| 9  | USERNAME = "kaiko_test"                                                           | 0,000s  | PASSED |
| 10 | PASSWORD = "Test@123"                                                             | 0,001s  | PASSED |
| 11 | openBrowser("")<br>Browser is opened with url: "                                  | 3,760s  | PASSED |
| 12 | maximizeWindow()<br>Current window maximized                                      | 0,326s  | PASSED |
| 13 | navigateToUrl(URL)<br>Navigate to 'https://kai-ko.vercel.app/' successfully       | 1,219s  | PASSED |
| 14 | waitForElementClickable(xp(PLAY_BTN), 20)                                         | 0,006s  | PASSED |
| 15 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                        | 0,008s  | PASSED |
| 16 | to.addProperty("xpath", EQUALS, xpath)                                            | 0,011s  | PASSED |
| 17 | return to<br>Object '//button[contains(@class,'btn-play-shine')][1]' is clickable | 0,295s  | PASSED |
| 18 | click(xp(PLAY_BTN))                                                               | 0,000s  | PASSED |
| 19 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                        | 0,000s  | PASSED |

## TC\_UC08\_01\_ViewHistory

| #  | Description                                                                          | Elapsed | Status |
|----|--------------------------------------------------------------------------------------|---------|--------|
| 20 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,001s  | PASSED |
| 21 | return to<br>Object: '//button[contains(@class,'btn-play-shine')][1]' is clicked on  | 0,828s  | PASSED |
| 22 | waitForElementVisible(xp(IN_USER), 15)                                               | 0,001s  | PASSED |
| 23 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                           | 0,001s  | PASSED |
| 24 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,000s  | PASSED |
| 25 | return to<br>Object '//input[@placeholder='Tên ng nhp']' is visible                  | 0,474s  | PASSED |
| 26 | setText(xp(IN_USER), USERNAME)                                                       | 0,001s  | PASSED |
| 27 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                           | 0,000s  | PASSED |
| 28 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,000s  | PASSED |
| 29 | return to<br>Text 'kaiko_test' is set on object '//input[@placeholder='Tên ng nhp']' | 0,729s  | PASSED |
| 30 | setText(xp(IN_PASS), PASSWORD)                                                       | 0,000s  | PASSED |

## TC\_UC08\_01\_ViewHistory

| #  | Description                                                                   | Elapsed | Status |
|----|-------------------------------------------------------------------------------|---------|--------|
| 31 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                    | 0,000s  | PASSED |
| 32 | to.addProperty("xpath", EQUALS, xpath)                                        | 0,000s  | PASSED |
| 33 | return to<br>Text 'Test@123' is set on object '//input[@placeholder='Mt khu'] | 0,545s  | PASSED |
| 34 | click(xp(BTN_SUBMIT))                                                         | 0,000s  | PASSED |
| 35 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                    | 0,000s  | PASSED |
| 36 | to.addProperty("xpath", EQUALS, xpath)                                        | 0,000s  | PASSED |
| 37 | return to<br>Object: '//button[@type='submit']' is clicked on                 | 0,365s  | PASSED |
| 38 | waitForElementVisible(xp(DASH_DOCK), 20)                                      | 0,001s  | PASSED |
| 39 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                    | 0,001s  | PASSED |
| 40 | to.addProperty("xpath", EQUALS, xpath)                                        | 0,000s  | PASSED |
| 41 | return to<br>Object '//div[contains(@class,'mac-dock')]' is visible           | 2,027s  | PASSED |

## TC\_UC08\_01\_ViewHistory

| #  | Description                                                                                              | Elapsed | Status |
|----|----------------------------------------------------------------------------------------------------------|---------|--------|
| 42 | click(xp(DOCK_HIST))                                                                                     | 0,001s  | PASSED |
| 43 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                               | 0,001s  | PASSED |
| 44 | to.addProperty("xpath", EQUALS, xpath)                                                                   | 0,001s  | PASSED |
| 45 | return to<br><br>Object: '//div[contains(@class,'mac-dock-item')] and ./img[@alt='Lch s']' is clicked on | 0,586s  | PASSED |
| 46 | waitForElementVisible(xp("//h2[contains(.,'Lch s trn u')]"), 15)                                         | 0,008s  | PASSED |
| 47 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                               | 0,002s  | PASSED |
| 48 | to.addProperty("xpath", EQUALS, xpath)                                                                   | 0,000s  | PASSED |
| 49 | return to<br><br>Object '//h2[contains(.,'Lch s trn u')] is visible                                      | 0,734s  | PASSED |
| 50 | verifyElementVisible(xp("//h2[contains(.,'Lch s trn u')]"))                                              | 0,002s  | PASSED |
| 51 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                               | 0,002s  | PASSED |
| 52 | to.addProperty("xpath", EQUALS, xpath)                                                                   | 0,010s  | PASSED |



## TC\_UC08\_01\_ViewHistory

---

| #  | Description                                                          | Elapsed | Status |
|----|----------------------------------------------------------------------|---------|--------|
| 53 | return to<br><br>Object '//h2[contains(.,'Lch s trn u')]' is visible | 0,305s  | PASSED |
| 54 | closeBrowser()<br><br>Browser is closed                              | 0,286s  | PASSED |

# TC\_UC08\_02\_ViewLeaderboard

## Information

|             |                                       |     |                     |
|-------------|---------------------------------------|-----|---------------------|
| ID          | Test Cases/TC_UC08_02_ViewLeaderboard |     |                     |
| Description |                                       |     |                     |
| Tag         |                                       |     |                     |
| Start       | 04-07-2026 00:51:20                   | End | 04-07-2026 00:51:32 |
| Elapsed     | 11,949s                               |     |                     |
| Status      | PASSED                                |     |                     |

## Details

| # | Description                                                                   | Elapsed | Status |
|---|-------------------------------------------------------------------------------|---------|--------|
| 1 | URL = "https://kai-ko.vercel.app/"                                            | 0,001s  | PASSED |
| 2 | PLAY_BTN = "//button[contains(@class,'btn-play-shine')][1]"                   | 0,000s  | PASSED |
| 3 | IN_USER = "//input[@placeholder='Tên ng nhp']"                                | 0,000s  | PASSED |
| 4 | IN_PASS = "//input[@placeholder='Mt khu']"                                    | 0,000s  | PASSED |
| 5 | BTN_SUBMIT = "//button[@type='submit']"                                       | 0,001s  | PASSED |
| 6 | DASH_DOCK = "//div[contains(@class,'mac-dock')]"                              | 0,001s  | PASSED |
| 7 | DOCK_HIST = "//div[contains(@class,'mac-dock-item') and ./img[@alt='Lch s']]" | 0,000s  | PASSED |
| 8 | DOCK_BXH = "//div[contains(@class,'mac-dock-item') and ./img[@alt='BXH']]"    | 0,001s  | PASSED |

## TC\_UC08\_02\_ViewLeaderboard

| #  | Description                                                                       | Elapsed | Status |
|----|-----------------------------------------------------------------------------------|---------|--------|
| 9  | USERNAME = "kaiko_test"                                                           | 0,000s  | PASSED |
| 10 | PASSWORD = "Test@123"                                                             | 0,000s  | PASSED |
| 11 | openBrowser("")<br>Browser is opened with url: "                                  | 3,037s  | PASSED |
| 12 | maximizeWindow()<br>Current window maximized                                      | 0,322s  | PASSED |
| 13 | navigateToUrl(URL)<br>Navigate to 'https://kai-ko.vercel.app/' successfully       | 0,982s  | PASSED |
| 14 | waitForElementClickable(xp(PLAY_BTN), 20)                                         | 0,002s  | PASSED |
| 15 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                        | 0,005s  | PASSED |
| 16 | to.addProperty("xpath", EQUALS, xpath)                                            | 0,005s  | PASSED |
| 17 | return to<br>Object '//button[contains(@class,'btn-play-shine')][1]' is clickable | 0,402s  | PASSED |
| 18 | click(xp(PLAY_BTN))                                                               | 0,000s  | PASSED |
| 19 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                        | 0,000s  | PASSED |

## TC\_UC08\_02\_ViewLeaderboard

| #  | Description                                                                          | Elapsed | Status |
|----|--------------------------------------------------------------------------------------|---------|--------|
| 20 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,000s  | PASSED |
| 21 | return to<br>Object: '//button[contains(@class,'btn-play-shine')][1]' is clicked on  | 0,860s  | PASSED |
| 22 | waitForElementVisible(xp(IN_USER), 15)                                               | 0,002s  | PASSED |
| 23 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                           | 0,001s  | PASSED |
| 24 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,001s  | PASSED |
| 25 | return to<br>Object '//input[@placeholder='Tên ng nhp']' is visible                  | 0,468s  | PASSED |
| 26 | setText(xp(IN_USER), USERNAME)                                                       | 0,002s  | PASSED |
| 27 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                           | 0,005s  | PASSED |
| 28 | to.addProperty("xpath", EQUALS, xpath)                                               | 0,002s  | PASSED |
| 29 | return to<br>Text 'kaiko_test' is set on object '//input[@placeholder='Tên ng nhp']' | 0,801s  | PASSED |
| 30 | setText(xp(IN_PASS), PASSWORD)                                                       | 0,001s  | PASSED |

## TC\_UC08\_02\_ViewLeaderboard

| #  | Description                                                                    | Elapsed | Status |
|----|--------------------------------------------------------------------------------|---------|--------|
| 31 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                     | 0,001s  | PASSED |
| 32 | to.addProperty("xpath", EQUALS, xpath)                                         | 0,000s  | PASSED |
| 33 | return to<br>Text 'Test@123' is set on object '//input[@placeholder='Mt khu']' | 0,570s  | PASSED |
| 34 | click(xp(BTN_SUBMIT))                                                          | 0,000s  | PASSED |
| 35 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                     | 0,001s  | PASSED |
| 36 | to.addProperty("xpath", EQUALS, xpath)                                         | 0,000s  | PASSED |
| 37 | return to<br>Object: '//button[@type='submit']' is clicked on                  | 0,377s  | PASSED |
| 38 | waitForElementVisible(xp(DASH_DOCK), 20)                                       | 0,001s  | PASSED |
| 39 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                     | 0,004s  | PASSED |
| 40 | to.addProperty("xpath", EQUALS, xpath)                                         | 0,000s  | PASSED |
| 41 | return to<br>Object '//div[contains(@class,'mac-dock')]' is visible            | 1,819s  | PASSED |

## TC\_UC08\_02\_ViewLeaderboard

| #  | Description                                                                                            | Elapsed | Status |
|----|--------------------------------------------------------------------------------------------------------|---------|--------|
| 42 | click(xp(DOCK_BXH))                                                                                    | 0,005s  | PASSED |
| 43 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                             | 0,002s  | PASSED |
| 44 | to.addProperty("xpath", EQUALS, xpath)                                                                 | 0,024s  | PASSED |
| 45 | return to<br><br>Object: '//div[contains(@class,'mac-dock-item')] and ./img[@alt='BXH']' is clicked on | 0,580s  | PASSED |
| 46 | waitForElementVisible(xp("//h2[contains(.,'Bng xp hng ELO')]"), 15)                                    | 0,001s  | PASSED |
| 47 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                             | 0,001s  | PASSED |
| 48 | to.addProperty("xpath", EQUALS, xpath)                                                                 | 0,001s  | PASSED |
| 49 | return to<br><br>Object '//h2[contains(.,'Bng xp hng ELO')]' is visible                                | 0,764s  | PASSED |
| 50 | verifyElementVisible(xp("//h2[contains(.,'Bng xp hng ELO')]"))                                         | 0,001s  | PASSED |
| 51 | to = new com.kms.katalon.core.testobject.TestObject(xpath)                                             | 0,001s  | PASSED |
| 52 | to.addProperty("xpath", EQUALS, xpath)                                                                 | 0,000s  | PASSED |

## TC\_UC08\_02\_ViewLeaderboard

---

| #  | Description                                                             | Elapsed | Status |
|----|-------------------------------------------------------------------------|---------|--------|
| 53 | return to<br><br>Object '//h2[contains(.,'Bng xp hng ELO')]' is visible | 0,393s  | PASSED |
| 54 | closeBrowser()<br><br>Browser is closed                                 | 0,380s  | PASSED |