

With Gratitude



A huge **thank you** to our gold sponsors! Your generous support makes this community conference a reality—empowering us to connect, innovate, and inspire. We deeply appreciate your commitment to our shared mission.





Agentforce DevOps: State of the Art

Advanced Deep Dive | 40 minutes
Thursday, March 19, 2026 | 1:50 PM



Nathan Abondance
CTO,
Think2

Who am I ?

🏢 CTO & Co-founder at Think2 - Salesforce & AI consulting

🤖 **Agentforce fan** since day 1

🚀 Trailhead-Banner guy

🎤 Dreamforce, French Touch Dreamin', Viva Tech, Dev Groups... and now **Irish Dreamin'**

🔗 **@nabondance** - LinkedIn, Trailhead, GitHub

TO MAJ



Nathan Abondance
CTO,
Think2

Agenda

DevOps basics for Salesforce

Agentforce CI/CD pipeline : theory

Pipeline - Agentforce Classic

Pipeline - Agentforce Script

Agentforce Classic vs Script : what changed

Demo time

Watch-outs & Takeaways


DevOps basics for Salesforce

Why CI/CD?

- Automate tests and deployments between environments
- Stop breaking things in prod

How?

- Manually 🙌
- Salesforce DevOps Center
- 3rd party tools (Copado, Gearset, Flosun)
- Open source (CumulusCI, sfdx-hardis, FLXBL...)



Agentforce CI/CD pipeline : theory

STYLING

Retrieve

👉 Manually

🏠 By a dev/admin

🏠 From dev org

Validate

🔄 Automatically

🤖 By CI on PR

🏢 On an integration org

Deploy

🔄 Automatically

🤖 By CD on merge

🏰 To prod

⚠️ Never test in prod ⚠️

Pipeline Agentforce Classic

Agentforce Classic: Retrieve

What you retrieve:

-  Agent config, Topics, Actions
-  Dependencies: Prompts, Apex, Flows, etc.
-  You retrieve EVERYTHING: no partial retrieve

How:

 `sf project retrieve start`

The catch:

-  Source tracking broken in Classic Agentforce (API 63.0 and before)
-  Workaround: `sf project retrieve start --manifest manifest.xml`
-  Fix on Salesforce side planned for Summer '25

Callout box:

-  Always use `--manifest` in Classic Agentforce — don't trust source tracking

```
force-app/  
└─ main/  
    └─ default/  
        └─ bots/  
            └─ botBlocks/  
                └─ botTemplates/  
                    └─ genAiPlannerBundles/  
                        └─ genAiFunctions/  
                            └─ genAiPlugins/  
                                └─ anyDependency/
```


Agentforce Classic: Validate

Deploy first:

🔧 `sf project deploy start --manifest=manifestAgent.xml`

📦 Deploy agent metadata to integration org

🔧 Deploy test definitions separately

Then test:

🔧 `sf agent test run --api-name=MyTest`

👤 Manual test management

1 2
3 4 Manual parallelization

📊 Manual coverage validation

The catch:

⚠️ No auto test discovery

⚠️ Never test in prod



agentforce-validate.yml

Agentforce Classic: Deploy

Deploy everything to prod:

🔧 `sf project deploy start --manifest=manifestAgent.xml`

📦 Same as validation: agent + dependencies

Watch out for active versions:

⚠️ If agent is active, deployment will fail

↺ Deactivate before deploying: `sf agent deactivate --api-name=MyAgent`

✓ Reactivate after: `sf agent activate --api-name=MyAgent`

That's it, no test run here:

🚀 Tests already passed in CI, just ship it

⚡ Fast deployment, no waiting



agentforce-release.yml

Pipeline Agentforce Script

Agentforce Script: Retrieve

TODO

What you retrieve:

 [PLACEHOLDER — metadata types, expected to be simpler]

 Dependencies: Prompts, Apex, Flows, etc.

```
force-app/  
└─ main/  
    └─ default/  
        ├── TODO/  
        └─ anyDependency/
```

How:

 `sf project retrieve start [PLACEHOLDER — with or without --manifest?]`

Source tracking:

[PLACEHOLDER — fixed? still broken?]

Agentforce Script: Validate

TODO

Before testing, deploy everything:

- 📦 [PLACEHOLDER — same deploy approach or different?]
- 🧪 [PLACEHOLDER — test definitions still separate?]

Then run the tests:

- 🔍 [PLACEHOLDER — auto test discovery still works?]
- ⚡ [PLACEHOLDER — parallel execution still via matrix?]
- 📊 [PLACEHOLDER — same 75% threshold approach?]

Testing Center:

- 💻 [PLACEHOLDER — new UI, what changed?]
- [PLACEHOLDER — does metadata change for test definitions?]



agentforce-script-validate.yml

Agentforce Script: Deploy

TODO

Deploy everything to prod:

- 🔧 sf project deploy start [PLACEHOLDER — same manifest or different?]
- 📦 [PLACEHOLDER — same metadata or cleaner?]

Active agent versions:

- ⚠️ [PLACEHOLDER — still an issue?]
- ↺ [PLACEHOLDER — still need deactivate/activate?]
- ✅ [PLACEHOLDER — handled in workflow this time?]



agentforce-script-release.yml

Agentforce Classic vs Script : what changed

Agentforce Classic

 Metadata: 6+ types (Bot, BotBlock, BotTemplate, GenAiPlannerBundle, GenAiFunction, GenAiPlugin)

 Source tracking: broken — use --manifest

 Retrieve: --manifest workaround needed

 Testing: manual management + parallelization

 Active versions: manual deactivate/activate

Agentforce S

TODO

 Metadata: [PLACEHOLDER — list metadata types]

 Source tracking: [PLACEHOLDER — broken? fixed?]

 Retrieve: [PLACEHOLDER — cleaner?]

 Testing: manual management

 Active versions: [PLACEHOLDER]

Demo time



Watch-outs

Metadata evolved between Agentforce versions

🤔 What about future versions?

Active agent versions

🔄 Create a new version before deploying

⚠️ Deactivate/Activate with sf agent deactivate / sf agent activate

Data 360

⚙️ If used in an agent or dependency — adds complexity

Testing

👋 Still mostly manual — no auto coverage validation


⚠️ Never test in prod

[PLACEHOLDER — anything new discovered during demo build]

Takeaways

TO MAJ

- ✓ CI/CD for Agentforce is possible today with SF CLI + Agent CLI
- ⚠ Maturity is still limited — metadata, tests, versioning
- 🚀 Automation is doable via GitHub Actions or 3rd party tools
- 💬 The ecosystem is evolving fast — community + Salesforce
-  Agentforce Scripts is the way forward



repo & slides

Session Feedback



With Gratitude



A huge **thank you** to our gold sponsors! Your generous support makes this community conference a reality—empowering us to connect, innovate, and inspire. We deeply appreciate your commitment to our shared mission.



Thank You



Slide Deck Brand Guidelines

Brand Typography

- All titles, headings, and subheadings use **Nunito Bold** to ensure clarity and hierarchy in your presentation.
- All body text, captions, and supporting information use **Avenir** to maintain a consistent and clean look.

Image Guidelines

- Ensure all visuals are crisp and of high quality to prevent pixelation or loss of detail during projection. Only include images if they have a minimum resolution of 720 pixels to ensure clarity on high-resolution 4K projectors and large screens (2+ meters).

Brand Color Palette

- Pantone 3435c, CMYK (92 / 0 / 97 / 71), RGB: 6 / 73 / 2, Hex: #064902
- Pantone 327c, CMYK (100 / 2 / 60 / 14), RGB: 0 / 134 / 117, Hex: #008675
- Pantone 3561c, CMYK (50 / 0 / 98 / 0), RGB: 121 / 192 / 0, Hex: #79C000