

With Gratitude



A huge **thank you** to our gold sponsors! Your generous support makes this community conference a reality—empowering us to connect, innovate, and inspire. We deeply appreciate your commitment to our shared mission.





Agentforce DevOps: State of the Art

Advanced Deep Dive | 40 minutes
Thursday, March 19, 2026 | 1:50 PM



Nathan Abondance
CTO,
Think2

Who am I ?

🏢 CTO & Co-founder at Think2 - Salesforce & AI consulting

🤖 **Agentforce** fan since day 1

🚩 Trailhead-Banner guy

🎤 Dreamforce, French Touch Dreamin', Viva Tech, Dev Groups... and now **Irish Dreamin'**

🔗 **@nabondance** - LinkedIn, Trailhead, GitHub

TO MAJ



Nathan Abondance
CTO,
Think2

Agenda

DevOps basics for Salesforce

Agentforce CI/CD pipeline : theory

Pipeline - Agentforce Classic

Pipeline - Agentforce Script

Agentforce Classic vs Script : what changed

Demo time

Watch-outs & Takeaways

DevOps basics for Salesforce

Why CI/CD?



Automate tests and deployments between environments



Stop breaking things in prod

How?



Manually




Salesforce DevOps Center



3rd party tools



Open source



Agentforce CI/CD pipeline : theory

STYLING

Retrieve

👉 Manually

🏠 By a dev/admin

🏠 From dev org

Validate

🔄 Automatically

🤖 By CI on PR

🏢 On an integration org

Deploy

🔄 Automatically

🤖 By CD on merge

🏰 To prod

⚠️ Never test in prod ⚠️

Pipeline Agentforce Classic

Agentforce Classic: Retrieve

What you retrieve:


- 📦 Agent config, Topics, Actions, Tests
- 🔗 Dependencies: Prompts, Apex, Flows, etc.
- 🔧 Tests: `aiEvaluationDefinition`
- ⚠️ You retrieve EVERYTHING: no partial retrieve

How:

🔧 `sf project retrieve start`

The catch:

- 🐛 Source tracking broken in Agentforce Classic (`GenAiPlannerBundle`)
- 🔧 Workaround: `sf project retrieve start --manifest manifest.xml`
- 🔧 Fix on Salesforce side planned for Summer '25



Agentforce Classic: Validate

Deploy first:

- 🔧 `sf project deploy start --manifest=manifest.xml`
- 📦 Deploy agent metadata to integration org
- 🔬 Deploy test definitions separately

Then test:

- 🔧 `sf agent test run --api-name=MyTest`
- 👤 Manual test management
- 📄 Manual parallelization
- 📊 Manual coverage validation

The catch:

- ⚠️ No auto test discovery



agentforce-validate.yml

Agentforce Classic: Deploy

Deploy everything to prod:

✂️ `sf project deploy start --manifest=manifest.xml`

📦 Same as validation: agent + dependencies

Watch out for active versions:

⚠️ If agent is active, deployment will fail

↶ Deactivate before deploying: `sf agent deactivate --api-name=MyAgent`

✓ Reactivate after: `sf agent activate --api-name=MyAgent`

That's it, no test run here:

🚀 Tests already passed in CI, just ship it

⚡ Fast deployment, no waiting



agentforce-release.yml

Pipeline Agentforce Script

notes

TO REMOVE

No longer just deploy metadata, we publish agent but need all dependencies before
sf agent publish authoring-bundle -n Joker -o so-dev2 --skip-retrieve
genAiPlannerBundles & bots metadata exist but are useless

Update sf agent cli if needed

Retrieve: aiAuthoringBundle classically

Test:

New Testing center impossible to retrieve ???

Have to still use previous one AiEvaluationDefinition

Warning subjectVersion dans le AiEvaluationDefinition doit matcher la version du bot: un script pour mettre la dernière version dans l'org avant de deployer ?

Agentforce Script: Retrieve

What you retrieve:

- 📦 Agent Script itself (`aiAuthoringBundle`)
- 🔗 Dependencies: Prompts, Apex, Flows, etc.
- 🧪 Tests: Still the old `aiEvaluationDefinition`
- ⚠️ We no longer care of all the noisy metadata (Bot, GenAi*, etc.)

How:

👉 `sf project retrieve start`

Agentforce Script: Validate

Before testing, deploy dependencies and publish agent:

- 🔗 Deploy dependencies first
- ✍️ Publish the agent: `sf agent publish authoring-bundle --api-name=MyAgent`
- 🔧 Deploy test definitions separately

Then test:

- ✍️ `sf agent test run --api-name=MyTest`
- 👉 Manual test management
- 📄 Manual parallelization
- 📊 Manual coverage validation

The catch:

- ⚠️ Make sure to have an aligned `subjectVersion` in test definition
- ⚠️ The new Agentforce Studio Testing Center is not manageable with cli yet



agentforce-script-validate.yml

Agentforce Script: Deploy

Deploy dependencies and publish agent to prod:

🔗 Deploy dependencies first

👉 Publish the agent: `sf agent publish authoring-bundle --api-name=MyAgent`

About active versions:

💧 No need to deactivate the agent

⬆ When publishing it creates a new inactive version of the agent

✅ Activate after: `sf agent activate --api-name=MyAgent`

That's it, no test run here:

🚀 Tests already passed in CI, just ship it

⚡ Fast deployment, no waiting



agentforce-script-release.yml

Agentforce Classic vs Script : what changed

Agentforce Classic

- 📦 Metadata: 6+ types
- 🐛 Source tracking: GenAiPlanner broken
- 🔧 Retrieve: --manifest workaround
- 🧪 Testing: manual management + parallelization
- ⚠️ Active versions: manual deactivation and activation

Agentforce S

- 📦 Metadata: 1 type
- ✅ Source tracking: aiAuthoringBundle
- 🔧 Retrieve: however you prefer
- 🧪 Testing: manual management + parallelization
- ⚠️ Active versions: publish creates new version, activate after

STYLING

Demo time



Watch-outs

Metadata evolved between Agentforce versions
🤔 What about future versions?

Active agent versions

- ⬆ Publishing creates a new version each time
- ⚠ Need to activate with sf agent activate

Testing

- 👋 Still mostly manual
- 😭 Not possible to manage the new Testing Center
- ⚠ Never test in prod

Takeaways

✓ CI/CD for Agentforce is possible today with SF CLI + Agent CLI


⚠ Maturity is improving but still limited: cli listing, testing center, versioning

1 2
3 4 Deploy order is critical

🚀 Automation is doable via GitHub Actions or 3rd party tools

💬 The ecosystem is evolving fast: Script is a huge improvement

NEW Agentforce Scripts is the way forward



repo & slides

Session Feedback



2020
DEVOPS

With Gratitude



A huge **thank you** to our gold sponsors! Your generous support makes this community conference a reality—empowering us to connect, innovate, and inspire. We deeply appreciate your commitment to our shared mission.



Thank You



Slide Deck Brand Guidelines

Brand Typography

- All titles, headings, and subheadings use **Nunito Bold** to ensure clarity and hierarchy in your presentation.
- All body text, captions, and supporting information use **Avenir** to maintain a consistent and clean look.

Image Guidelines

- Ensure all visuals are crisp and of high quality to prevent pixelation or loss of detail during projection. Only include images if they have a minimum resolution of 720 pixels to ensure clarity on high-resolution 4K projectors and large screens (2+ meters).

Brand Color Palette

- Pantone 3435c, CMYK (92 / 0 / 97 / 71), RGB: 6 / 73 / 2, Hex: #064902
- Pantone 327c, CMYK (100 / 2 / 60 / 14), RGB: 0 / 134 / 117, Hex: #008675
- Pantone 3561c, CMYK (50 / 0 / 98 / 0), RGB: 121 / 192 / 0, Hex: #79C000