

GetUsersCustomPermissions Class

Apex Code

```
public with sharing class GetUsersCustomPermissions {
    public class Input {
        @InvocableVariable(description='Optional list of user names')
        public List<String> userNames;
        @InvocableVariable(description='Optional list of user IDs')
        public List<Id> userIds;
    }

    public class UserPermissionsWrapper {
        @InvocableVariable(description='User Name')
        public String userName;
        @InvocableVariable(description='Salesforce User ID')
        public Id userId;
        @InvocableVariable(description='List of Custom Permissions')
        public List<String> customPermissions;

        public UserPermissionsWrapper(String userName, Id userId, List<String>
customPermissions) {
            this.userName = userName;
            this.userId = userId;
            this.customPermissions = customPermissions;
        }
    }

    public class Output {
        @InvocableVariable(description='Result message')
        public String message;
        @InvocableVariable(description='List of User Permissions Info')
        public List<UserPermissionsWrapper> userPermissionsList;

        public Output(String message, List<UserPermissionsWrapper> userPermissionsList)
{
            this.message = message;
            this.userPermissionsList = userPermissionsList;
        }
    }

    @InvocableMethod(
        label='Get Users Custom Permissions'
        description='Retrieve a list of users and their custom permissions based on
optional filters: userNames or userIds'
    )
    public static List<Output> getUsersCustomPermissions(List<Input> inputList) {
        List<Output> results = new List<Output>();
        if (inputList == null || inputList.isEmpty()) {
            results.add(new Output('No input provided', new List<UserPermissionsWrapper>
```

```

    ));
    return results;
}

Input input = inputList[0];
Map<Id, List<String>> userPermissionsMap =
UserHelper.getCustomPermissionsForUsers(input.userIds, input.userNames);

// Pre-fetch user data for all user IDs in the map
Map<Id, User> userMap = new Map<Id, User>([SELECT Id, Name FROM User WHERE Id IN
:userPermissionsMap.keySet()]);

List<UserPermissionsWrapper> userPermissionsList = new
List<UserPermissionsWrapper>();
for (Id userId : userPermissionsMap.keySet()) {
    User user = userMap.get(userId);
    if (user != null) {
        userPermissionsList.add(new UserPermissionsWrapper(user.Name, user.Id,
userPermissionsMap.get(userId)));
    }
}

if (userPermissionsList.isEmpty()) {
    results.add(new Output('No users or permissions found', userPermissionsList));
} else {
    results.add(new Output('Users and permissions retrieved successfully',
userPermissionsList));
}

return results;
}
}

```

Methods

getUsersCustomPermissions(inputList)

INVOCABLEMETHOD

Signature

```
public static List<Output> getUsersCustomPermissions(List<Input> inputList)
```

Parameters

Name	Type	Description
inputList	List<Input>	

Return Type

List<Output>

Classes

Input Class

Fields

userNames
INVOCABLEVARIABLE

SIGNATURE

```
public userNames
```

TYPE

List<String>

userIds
INVOCABLEVARIABLE

SIGNATURE

```
public userIds
```

TYPE

List<Id>

UserPermissionsWrapper Class

Fields

userName
INVOCABLEVARIABLE

SIGNATURE

```
public userName
```

TYPE

String

userId
INVOCABLEVARIABLE

SIGNATURE

```
public userId
```

TYPE

Id

customPermissions

INVOCABLEVARIABLE

SIGNATURE

```
public customPermissions
```

TYPE

List<String>

Constructors

UserPermissionsWrapper(userName, userId, customPermissions)

SIGNATURE

```
public UserPermissionsWrapper(String userName, Id userId, List<String>
customPermissions)
```

PARAMETERS

Name	Type	Description
userName	String	
userId	Id	
customPermissions	List<String>	

Output Class

Fields

message

INVOCABLEVARIABLE

SIGNATURE

```
public message
```

TYPE

String

userPermissionsList

INVOCABLEVARIABLE

SIGNATURE

```
public userPermissionsList
```

TYPE

List<UserPermissionsWrapper>

Constructors

Output(message, userPermissionsList)

SIGNATURE

```
public Output(String message, List<UserPermissionsWrapper> userPermissionsList)
```

PARAMETERS

Name	Type	Description
message	String	
userPermissionsList	List<UserPermissionsWrapper>	