

# GetUsersFromTextList Class

## Apex Code

```
public with sharing class GetUsersFromTextList {
    public class Input {
        @InvocableVariable(
            required=true
            description='Input string containing user names or roles in the format "
[Name1, Name2, Name3]"'
        )
        public String inputText;
    }

    public class Output {
        @InvocableVariable(description='Result message')
        public String message;
        @InvocableVariable(description='List of User IDs found')
        public List<Id> userIds;
        @InvocableVariable(description='List of User sObjects found')
        public List<User> users;

        public Output(String message, List<Id> userIds, List<User> users) {
            this.message = message;
            this.userIds = userIds;
            this.users = users;
        }
    }

    @InvocableMethod(
        label='Get Users from Text List'
        description='Extract user names or roles from input text, query users, and
return their IDs and sObjects'
    )
    public static List<Output> getUsersFromTextList(List<Input> inputList) {
        List<Output> results = new List<Output>();
        if (inputList == null || inputList.isEmpty()) {
            results.add(new Output('No input provided', new List<Id>(), new List<User>
()));
            return results;
        }

        Input input = inputList[0];
        List<String> identifiers =
UserHelper.extractIdentifiersFromText(input.inputText);
        if (identifiers.isEmpty()) {
            results.add(new Output('No identifiers found in input text', new List<Id>(),
new List<User>()));
            return results;
        }
    }
}
```

```

    List<User> users = UserHelper.queryUsersByIdentifiers(identifiers);
    if (users.isEmpty()) {
        results.add(new Output('No users found for the given identifiers', new
List<Id>(), new List<User>()));
    } else {
        List<Id> userIds = new List<Id>();
        for (User user : users) {
            userIds.add(user.Id);
        }
        results.add(new Output('Users retrieved successfully', userIds, users));
    }

    return results;
}
}
```

Methods

getUsersFromTextList(inputList)

INVOCABLEMETHOD

Signature

```
public static List<Output> getUsersFromTextList(List<Input> inputList)
```

Parameters

| Name      | Type        | Description |
|-----------|-------------|-------------|
| inputList | List<Input> |             |

Return Type

List<Output>

Classes

Input Class

Fields

inputText

INVOCABLEVARIABLE

SIGNATURE

```
public inputText
```

TYPE

String

Output Class

Fields

message  
INVOCABLEVARIABLE

SIGNATURE

```
public message
```

TYPE

String

userIds  
INVOCABLEVARIABLE

SIGNATURE

```
public userIds
```

TYPE

List<Id>

users  
INVOCABLEVARIABLE

SIGNATURE

```
public users
```

TYPE

List<User>

Constructors

Output(message, userIds, users)  
SIGNATURE

```
public Output(String message, List<Id> userIds, List<User> users)
```

PARAMETERS

| Name    | Type       | Description |
|---------|------------|-------------|
| message | String     |             |
| userIds | List<Id>   |             |
| users   | List<User> |             |