

GetUsersInfoSlack Class

Apex Code

```
public with sharing class GetUsersInfoSlack {
    public class Input {
        @InvocableVariable(description='Optional list of Salesforce User IDs to filter')
        public List<Id> userSalesforceIds;

        @InvocableVariable(description='Optional list of Slack User IDs to filter')
        public List<Id> userSlackIds;
    }

    public class UserInfoWrapper {
        @InvocableVariable(description='User Name')
        public String name;
        @InvocableVariable(description='Salesforce User ID')
        public String salesforceId;
        @InvocableVariable(description='Slack User ID')
        public String slackId;

        public UserInfoWrapper(String name, String salesforceId, String slackId) {
            this.name = name;
            this.salesforceId = salesforceId;
            this.slackId = slackId;
        }
    }

    public class Output {
        @InvocableVariable(description='Result message')
        public String message;
        @InvocableVariable(description='List of User Info')
        public List<UserInfoWrapper> userInfoList;
        @InvocableVariable(description='Stringified List of User Info')
        public List<String> userInfoListString;

        public Output(String message, List<UserInfoWrapper> userInfoList, List<String>
userInfoListString) {
            this.message = message;
            this.userInfoList = userInfoList;
            this.userInfoListString = userInfoListString;
        }
    }

    @InvocableMethod(
        label='Get Users Info for Slack'
        description='Retrieve a list of User Info including Name, Salesforce ID, and
Slack ID, the optional userIds filter can be used to limit the results'
    )
    public static List<Output> getUsersInfoSlack(List<Input> inputList) {
```

```

List<Output> results = new List<Output>();
if (inputList == null || inputList.isEmpty()) {
    results.add(new Output('No input provided', new List<UserInfoWrapper>(), new
List<String>()));
    return results;
}

Input input = inputList[0];
List<Id> userSalesforceIds = input.userSalesforceIds != null ?
input.userSalesforceIds : new List<Id>();
List<String> userSlackIds = input.userSlackIds != null ? input.userSlackIds :
new List<String>();

List<UserInfoWrapper> userInfoList = SlackHelper.getUsersInfo(userSalesforceIds,
userSlackIds);
List<String> userInfoListString = new List<String>();

for (UserInfoWrapper userInfo : userInfoList) {
    userInfoListString.add(
        'Name=' + userInfo.name + ', Salesforce ID=' + userInfo.salesforceId + ',
Slack ID=' + userInfo.slackId
    );
}

if (userInfoList.isEmpty()) {
    results.add(new Output('No users found', userInfoList, userInfoListString));
} else {
    results.add(new Output('Users retrieved successfully', userInfoList,
userInfoListString));
}

return results;
}
}

```

Methods

getUsersInfoSlack(inputList)

INVOCABLEMETHOD

Signature

```
public static List<Output> getUsersInfoSlack(List<Input> inputList)
```

Parameters

Name	Type	Description
inputList	List<Input>	

Return Type

List<Output>

Classes

Input Class

Fields

userSalesforceIds
INVOCABLEVARIABLE

SIGNATURE

```
public userSalesforceIds
```

TYPE

List<Id>

userSlackIds
INVOCABLEVARIABLE

SIGNATURE

```
public userSlackIds
```

TYPE

List<Id>

UserInfoWrapper Class

Fields

name
INVOCABLEVARIABLE

SIGNATURE

```
public name
```

TYPE

String

salesforceId
INVOCABLEVARIABLE

SIGNATURE

```
public salesforceId
```

TYPE

String

slackId

INVOCABLEVARIABLE

SIGNATURE

```
public slackId
```

TYPE

String

Constructors

UserInfoWrapper(name, salesforceId, slackId)

SIGNATURE

```
public UserInfoWrapper(String name, String salesforceId, String slackId)
```

PARAMETERS

Name	Type	Description
name	String	
salesforceId	String	
slackId	String	

Output Class

Fields

message

INVOCABLEVARIABLE

SIGNATURE

```
public message
```

TYPE

String

userInfoList

INVOCABLEVARIABLE

SIGNATURE

```
public userInfoList
```

TYPE

List<UserInfoWrapper>

userInfoListString

INVOCABLEVARIABLE

SIGNATURE

```
public userInfoListString
```

TYPE

List<String>

Constructors

Output(message, userInfoList, userInfoListString)

SIGNATURE

```
public Output(String message, List<UserInfoWrapper> userInfoList, List<String>
userInfoListString)
```

PARAMETERS

Name	Type	Description
message	String	
userInfoList	List<UserInfoWrapper>	
userInfoListString	List<String>	