

OpportunityHelper Class

Apex Code

```
public with sharing class OpportunityHelper {
    public static List<Opportunity> queryOpportunities(
        String name,
        String owner,
        String ownerId,
        Date closeDate,
        Date closeDateStart,
        Date closeDateEnd,
        String type,
        String stage,
        Boolean isClosed,
        Boolean isWon
    ) {
        String query = 'SELECT Id, Name, Owner.Name, OwnerId, Amount, Type, CloseDate,
StageName, Difficulty__c, Description FROM Opportunity';
        List<String> conditions = new List<String>();

        // Build query conditions based on input
        if (name != null) {
            String likeName = '%' + name + '%';
            conditions.add('Name LIKE :likeName');
        }
        if (owner != null) {
            String likeOwner = '%' + owner + '%';
            conditions.add('Owner.Name LIKE :likeOwner');
        }
        if (ownerId != null) {
            conditions.add('OwnerId = :ownerId');
        }
        if (closeDate != null) {
            conditions.add('CloseDate = :closeDate');
        }
        else {
            if (closeDateStart != null) {
                conditions.add('CloseDate >= :closeDateStart');
            }
            if (closeDateEnd != null) {
                conditions.add('CloseDate <= :closeDateEnd');
            }
        }
        if (type != null) {
            conditions.add('Type = :type');
        }
        if (stage != null) {
            conditions.add('StageName = :stage');
        }
    }
}
```

```

    if (isClosed != null) {
        conditions.add('IsClosed = :isClosed');
    }

    if (isWon != null) {
        conditions.add('IsWon = :isWon');
    }

    // If no conditions, return empty results
    if (!conditions.isEmpty()) {
        query += ' WHERE ' + String.join(conditions, ' AND ');
    }

    // Execute query and return results
    return Database.query(query);
}
}

```

Methods

queryOpportunities(name, owner, ownerId, closeDate, closeDateStart, closeDateEnd, type, stage, isClosed, isWon)

Signature

```

public static List<Opportunity> queryOpportunities(String name, String owner, String
ownerId, Date closeDate, Date closeDateStart, Date closeDateEnd, String type, String
stage, Boolean isClosed, Boolean isWon)

```

Parameters

Name	Type	Description
name	String	
owner	String	
ownerId	String	
closeDate	Date	
closeDateStart	Date	
closeDateEnd	Date	
type	String	
stage	String	
isClosed	Boolean	
isWon	Boolean	

Return Type

List<Opportunity>