

checkChannelExist Class

Apex Code

```
public with sharing class checkChannelExist {
    private static final String SLACK_API_URL =
'https://slack.com/api/conversations.list?
type=public_channel,private_channel&exclude_archived=true&limit=1000';

    public class Input {
        @InvocableVariable(label='Channel Name' description='The name of the channel to
check')
        public String channelName;

        @InvocableVariable(label='Channel ID' description='The ID of the channel to
check')
        public String channelId;

        @InvocableVariable(
            label='Agent Name'
            description='The name of the agent (used to fetch the bot token in the custom
metadata type)'
        )
        public String agentName;

        @InvocableVariable(label='Slack Bot Token' description='Optional bot token
(xoxb-...)' )
        public String userSlackBotToken;
    }

    public class Output {
        @InvocableVariable(description='Whether the channel exists')
        public Boolean channelExists;

        @InvocableVariable(description='Identifier of the channel')
        public String returned_channelId;

        @InvocableVariable(description='Result message from the check')
        public String message;
    }

    private class SlackResponse {
        public Boolean ok;
        public List<SlackChannel> channels;
    }

    private class SlackChannel {
        public String id;
        public String name;
    }
}
```

```

@InvocableMethod(
    label='Check if Slack channel exists'
    description='Checks if a given Slack channel exists by name or ID'
)
public static List<Output> checkChannel(List<Input> inputs) {
    List<Output> outputs = new List<Output>();

    for (Input input : inputs) {
        Output output = new Output();
        output.channelExists = false;
        output.returned_channelId = null;

        if (String.isBlank(input.channelName) && String.isBlank(input.channelId)) {
            output.message = 'Error: Either Channel Name or Channel ID must be
provided';
            outputs.add(output);
            continue;
        }

        // Get the bot token
        SlackHelper.ReturnToken returnedToken =
SlackHelper.getBotToken(input.agentName, input.userSlackBotToken);

        if (String.isBlank(returnedToken.token)) {
            output.message = 'Error: ' + returnedToken.message;
            outputs.add(output);
            continue;
        }

        // Call Slack API
        SlackHelper.ReturnSlackCallout slackCallout = SlackHelper.SlackApiCallout(
            SLACK_API_URL,
            'GET',
            returnedToken.token,
            null
        );

        if (slackCallout.status == 'success') {
            SlackResponse slackRes = (SlackResponse)
JSON.deserialize(slackCallout.res.getBody(), SlackResponse.class);

            if (slackRes.ok && slackRes.channels != null) {
                for (SlackChannel channel : slackRes.channels) {
                    if (
                        (String.isNotBlank(input.channelName) && channel.name ==
input.channelName) ||
                        (String.isNotBlank(input.channelId) && channel.id == input.channelId)
                    ) {
                        output.channelExists = true;
                        output.returned_channelId = channel.id;
                        output.message = 'Channel found with ID: ' + channel.id;

```

```

        break;
    }
}

if (!output.channelExists) {
    output.message = 'Channel not found';
}
} else {
    output.message = 'Failed to fetch channels: Invalid response';
}
} else {
    output.message = 'API call failed: ' + slackCallout.message;
}

outputs.add(output);
}

return outputs;
}
}

```

Fields

SLACK_API_URL

Signature

```
private static final SLACK_API_URL
```

Type

String

Methods

checkChannel(inputs)

INVOCABLEMETHOD

Signature

```
public static List<Output> checkChannel(List<Input> inputs)
```

Parameters

Name	Type	Description
inputs	List<Input>	

Return Type

List<Output>

Classes

Input Class

Fields

channelName
INVOCABLEVARIABLE

SIGNATURE

```
public channelName
```

TYPE

String

channelId
INVOCABLEVARIABLE

SIGNATURE

```
public channelId
```

TYPE

String

agentName
OTHER

SIGNATURE

```
public agentName
```

TYPE

String

userSlackBotToken
OTHER

SIGNATURE

```
public userSlackBotToken
```

TYPE

String

Output Class

Fields

channelExists

INVOCABLEVARIABLE

SIGNATURE

```
public channelExists
```

TYPE

Boolean

returned_channelId

INVOCABLEVARIABLE

SIGNATURE

```
public returned_channelId
```

TYPE

String

message

INVOCABLEVARIABLE

SIGNATURE

```
public message
```

TYPE

String

SlackResponse Class

Fields

ok

SIGNATURE

```
public ok
```

TYPE

Boolean

channels

SIGNATURE

```
public channels
```

TYPE

List<SlackChannel>

SlackChannel Class

Fields

id

SIGNATURE

public id

TYPE

String

name

SIGNATURE

public name

TYPE

String