

getTasks Class

Apex Code

```
public with sharing class getTasks {  
    public class Input {  
        @InvocableVariable(description='Task Subject')  
        public String subject;  
  
        @InvocableVariable(description='Task Owner')  
        public String owner;  
  
        @InvocableVariable(description='Task Status')  
        public String status;  
  
        @InvocableVariable(description='Task Priority')  
        public String priority;  
  
        @InvocableVariable(description='Task Due Date')  
        public Date dueDate;  
  
        @InvocableVariable(description='Start Date for Due Date Range')  
        public Date dueDateStart;  
  
        @InvocableVariable(description='End Date for Due Date Range')  
        public Date dueDateEnd;  
  
        @InvocableVariable(description='Related To ID (WhatId)')  
        public String whatId;  
  
        @InvocableVariable(description='Name ID (WhoId)')  
        public String whoId;  
  
        @InvocableVariable(description='Task Subtype')  
        public String taskSubtype;  
    }  
  
    public class Output {  
        @InvocableVariable(description='List of Task Objects')  
        public List<Task> tasks;  
  
        @InvocableVariable(description='Result message')  
        public String message;  
  
        public Output(List<Task> tasks, String message) {  
            this.tasks = tasks;  
            this.message = message;  
        }  
    }  
}
```

```

    @InvocableMethod(label='Get Tasks' description='Query tasks based on various
criteria')
    public static List<Output> getTasks(List<Input> inputList) {
        List<Output> results = new List<Output>();

        if (inputList == null || inputList.isEmpty()) {
            results.add(new Output(new List<Task>(), 'No input provided'));
            return results;
        }

        Input queryInput = inputList[0];
        List<Task> tasks = TaskHelper.queryTasks(
            queryInput.subject,
            queryInput.owner,
            queryInput.status,
            queryInput.priority,
            queryInput.dueDate,
            queryInput.dueDateStart,
            queryInput.dueDateEnd,
            queryInput.whatId,
            queryInput.whoId,
            queryInput.taskSubtype
        );

        if (tasks.isEmpty()) {
            results.add(new Output(tasks, 'No tasks found'));
        } else {
            results.add(new Output(tasks, 'Tasks retrieved successfully'));
        }

        return results;
    }
}

```

Methods

getTasks(inputList)

INVOCABLEMETHOD

Signature

```
public static List<Output> getTasks(List<Input> inputList)
```

Parameters

Name	Type	Description
inputList	List<Input>	

Return Type

List<Output>

Classes

Input Class

Fields

subject

INVOCABLEVARIABLE

SIGNATURE

```
public subject
```

TYPE

String

owner

INVOCABLEVARIABLE

SIGNATURE

```
public owner
```

TYPE

String

status

INVOCABLEVARIABLE

SIGNATURE

```
public status
```

TYPE

String

priority

INVOCABLEVARIABLE

SIGNATURE

```
public priority
```

TYPE

String

dueDate

INVOCABLEVARIABLE

SIGNATURE

```
public dueDate
```

TYPE

Date

dueDateStart

INVOCABLEVARIABLE

SIGNATURE

```
public dueDateStart
```

TYPE

Date

dueDateEnd

INVOCABLEVARIABLE

SIGNATURE

```
public dueDateEnd
```

TYPE

Date

whatId

OTHER

SIGNATURE

```
public whatId
```

TYPE

String

whoId

OTHER

SIGNATURE

```
public whoId
```

TYPE

String

taskSubtype

INVOCABLEVARIABLE

SIGNATURE

```
public taskSubtype
```

TYPE

String

Output Class

Fields

tasks

INVOCABLEVARIABLE

SIGNATURE

```
public tasks
```

TYPE

List<Task>

message

INVOCABLEVARIABLE

SIGNATURE

```
public message
```

TYPE

String

Constructors

Output(tasks, message)

SIGNATURE

```
public Output(List<Task> tasks, String message)
```

PARAMETERS

Name	Type	Description
tasks	List<Task>	
message	String	