


Invite User In Slack Channel

Flow Diagram



General Information

Process Type	Auto Launched Flow
Label	Invite User In Slack Channel
Status	Active
Description	Flow to invite use to a slack channel
Environments	Default

Interview Label	Invite User In Slack Channel {!\$Flow.CurrentDateTime}
Run In Mode	Default Mode
Builder Type (PM)	LightningFlowBuilder
Canvas Mode (PM)	AUTO_LAYOUT_CANVAS
Origin Builder Type (PM)	LightningFlowBuilder
Connector	Clean_Collection
Next Node	Clean_Collection

Variables

Name	Data Type	Is Collection	Is Input	Is Output	Object Type	Description
channelID	String	☐	☒	☐		ID of the channel to invite user to
CleanCollectionMessage	String	☐	☐	☐		
message	String	☐	☐	☒		Output message
userID	String	☒	☒	☐		Salesforce ID collection of users to invite in the channel
UserToInvite	String	☒	☐	☐		

Formulas

Name	Data Type	Expression	Description
CurrentItemFromLoopChannelMemberSalesforceID	String	MID({!RemoveExistingMember}, FIND("Salesforce ID=", {!RemoveExistingMember}) + LEN("Salesforce ID="), 18)	

Flow Nodes Details

CheckChannelExist

Type	Action Call

Label	CheckChannelExist
Action Type	Apex
Action Name	checkChannelExist
Flow Transaction Model	CurrentTransaction
Name Segment	checkChannelExist
Offset	0
Store Output Automatically	☒
Agent Name (input)	AgentMotivator
Channel Id (input)	channelID
Channel Name (input)	
Connector	ifChannelExist

Clean_Collection

Type	Action Call
Label	Clean Collection
Action Type	Apex
Action Name	clean_collections
Flow Transaction Model	CurrentTransaction
Name Segment	clean_collections
Offset	0
Output Parameters	- assignToReference: UserToInvite name: cleanedCollection - assignToReference: CleanCollectionMessage name: message
String Collection (input)	userID
Connector	CheckChannelExist

Copy_1_of_Send_Slack_Message_Action_1

Type	Action Call
Label	Send Slack Message no user
Action Type	Slack Post Message

Action Name	slackPostMessage
Flow Transaction Model	CurrentTransaction
Name Segment	slackPostMessage
Offset	0
Store Output Automatically	☒
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Conversation Id (input)	C08MEA2DEJK
Slack Message (input)	message

Get_Users_Info_for_Slack

Type	Action Call
Label	Get Users Info for Slack
Action Type	Apex
Action Name	GetUsersInfoSlack
Fault Connector	Add Output to Message Get user info
Flow Transaction Model	CurrentTransaction
Name Segment	GetUsersInfoSlack
Offset	0
Store Output Automatically	☒
User Slack Ids (input)	GetMemberOfSlackChannel.slackUserIds
Connector	RemoveExistingMember

GetMemberOfSlackChannel

Type	Action Call
Label	GetMemberOfSlackChannel
Action Type	Apex
Action Name	GetMembersOfSlackChannel
Flow Transaction Model	CurrentTransaction
Name Segment	GetMembersOfSlackChannel

Offset	0
Store Output Automatically	☒
Agent Name (input)	agentMotivator
Channel Id (input)	channelID
Connector	Remove Salesforce for slack

InviteUserAction

Type	Action Call
Label	InviteUserAction
Action Type	Slack Invite Users To Channel
Action Name	slackInviteUsersToChannel
Description	Action that invite user to a channek
Fault Connector	Add Output to Message Fault Invite
Flow Transaction Model	CurrentTransaction
Name Segment	slackInviteUsersToChannel
Offset	0
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Channel Id (input)	channelID
Slack Workspace Id For Channel (input)	T08LMTRBD2B
User Ids To Invite (input)	UserToInvite
Connector	Add Output to Message

JoinChannel

Type	Action Call
Label	JoinChannel
Action Type	Slack Join Channel
Action Name	slackJoinChannel
Fault Connector	Add Output to Message Fault Join
Flow Transaction Model	CurrentTransaction

Name Segment	slackJoinChannel
Offset	0
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Conversation Id (input)	channelID
Connector	InviteUserAction

Send_Slack_Message_Action_1

Type	Action Call
Label	Send Slack Message Action 1
Action Type	Slack Post Message
Action Name	slackPostMessage
Flow Transaction Model	CurrentTransaction
Name Segment	slackPostMessage
Offset	0
Store Output Automatically	☒
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Conversation Id (input)	C08MEA2DEJK
Slack Message (input)	message

Send_Slack_Message_Action_Fault_Join

Type	Action Call
Label	Send Slack Message Action Fault Join
Action Type	Slack Post Message
Action Name	slackPostMessage
Flow Transaction Model	CurrentTransaction
Name Segment	slackPostMessage
Offset	0
Store Output Automatically	☒

Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Conversation Id (input)	C08MEA2DEJK
Slack Message (input)	message

Send_Slack_Message_get_user_info

Type	Action Call
Label	Send Slack Message get user info
Action Type	Slack Post Message
Action Name	slackPostMessage
Flow Transaction Model	CurrentTransaction
Name Segment	slackPostMessage
Offset	0
Store Output Automatically	☒
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Conversation Id (input)	C08MEA2DEJK
Slack Message (input)	message

SendSlackMessageActionFaultInvite

Type	Action Call
Label	Send Slack Message Action Fault Invite
Action Type	Slack Post Message
Action Name	slackPostMessage
Flow Transaction Model	CurrentTransaction
Name Segment	slackPostMessage
Offset	0
Store Output Automatically	☒
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B

Slack Conversation Id (input)	C08MEA2DEJK
Slack Message (input)	\$Flow.FaultMessage

SendSlackMessageActionFaultJoin

Type	Action Call
Label	Send Slack Message Action Fault Join
Action Type	Slack Post Message
Action Name	slackPostMessage
Flow Transaction Model	CurrentTransaction
Name Segment	slackPostMessage
Offset	0
Store Output Automatically	☒
Slack App Id For Token (input)	A03269G3DNE
Slack Workspace Id For Token (input)	T08LMTRBD2B
Slack Conversation Id (input)	C08MEA2DEJK
Slack Message (input)	\$Flow.FaultMessage

Add_Output_to_Message

Type	Assignment
Label	Add Output to Message
Connector	Send Slack Message Action 1

Assignments

Assign To Reference	Operator	Value
message	Assign	Invite User In Slack Channel : {!CleanCollectionMessage} Invited in Slack channel: {!channelID}

Add_Output_to_Message_all_user_already_in_chan

Type	Assignment
Label	Add Output to Message: all user already in chan
Connector	Copy 1 of Send Slack Message Action 1

Assignments

Assign To Reference	Operator	Value
message	Assign	Invite User In Slack Channel : All user {!CleanCollectionMessage} already in channel {!channelID}

Add_Output_to_Message_Fault_Invite

Type	Assignment
Label	Add Output to Message Fault Invite
Connector	SendSlackMessageActionFaultInvite

Assignments

Assign To Reference	Operator	Value
message	Assign	Invite User In Slack Channel : Failed to Invite {!CleanCollectionMessage} in Slack channel {!channelID}

Add_Output_to_Message_Fault_Join

Type	Assignment
Label	Add Output to Message Fault Join
Connector	SendSlackMessageActionFaultJoin

Assignments

Assign To Reference	Operator	Value
message	Assign	Invite User In Slack Channel : Can't join {!channelID}

Add_Output_to_Message_Get_user_info

Type	Assignment
Label	Add Output to Message: Get user info
Connector	Send Slack Message get user info

Assignments

Assign To Reference	Operator	Value
---------------------	----------	-------

message	Assign	Get user slack info: Error to get the info {!Get_Users_Info_for_Slack.message} - {!channelID}
---------	--------	--

AddOutputChannelNotFound

Type	Assignment
Label	Add Output Channel not Found
Connector	Send_Slack_Message_Action_Fault_Join

Assignments

Assign To Reference	Operator	Value
message	Assign	Invite User In Slack Channel : Channel doesn't exist

Remove_Salesforce_for_slack

Type	Assignment
Label	Remove Salesforce for slack
Description	Salesforce for slack breaks the next method
Connector	Is_There_Slack_Channel_Member

Assignments

Assign To Reference	Operator	Value
GetMemberOfSlackChannel.slackUserIds	Remove All	U08M9MGDAR5

RemoveExistingChannelMemberFromUsersToInvite

Type	Assignment
Label	RemoveExistingChannelMemberFromUsersToInvite
Connector	RemoveExistingMember

Assignments

Assign To Reference	Operator	Value
UserToInvite	Remove All	CurrentItemFromLoopChannelMemberSalesforceID

ifChannelExist

Type	Decision
------	----------

Label	ifChannelExist
Default Connector	AddOutputChannelNotFound
Default Connector Label	channelNotFound

Rule channelExist (channelExist)

Connector	GetMemberOfSlackChannel
Condition Logic	and

Condition Id	Left Value Reference	Operator	Right Value
1	CheckChannelExist.channelExists	Equal To	✓

Is_There_Slack_Channel_Member

Type	Decision
Label	Is There Slack Channel Member ?
Default Connector	IsThereUserToAdd
Default Connector Label	No

Rule Yes (Yes)

Connector	Get Users Info for Slack
Condition Logic	and

Condition Id	Left Value Reference	Operator	Right Value
1	GetMemberOfSlackChannel.slackUserIds	Is Empty	■

IsThereUserToAdd

Type	Decision
Label	IsThereUserToAdd ?
Default Connector	Add Output to Message all user already in chan
Default Connector Label	No User

Rule UserToAdd (UserToAdd)

Connector	JoinChannel
-----------	-----------------------------

Condition Logic	and
-----------------	-----

Condition Id	Left Value Reference	Operator	Right Value
1	UserToInvite	Is Empty	☐

RemoveExistingMember

Type	Loop
Label	RemoveExistingMember
Collection Reference	Get_Users_Info_for_Slack.userInfoListString
Iteration Order	Asc
Next Value Connector	RemoveExistingChannelMemberFromUsersToInvite
No More Values Connector	IsThereUserToAdd

Documentation generated from branch documentation by [sfdx-hardis](#), featuring [salesforce-flow-visualiser](#)

Dependencies

- [ChallengeAfterUpdateChallengeLaunch](#)
- [ChallengeAfterUpdateSlackChanCreation](#)