




RIBS QUIET. BODY STRONG.

A very simple rib-control plan for Maks

8 minutes a day. No magic. No forcing your ribs flat.

START HERE


Do pages 4 to 7 for 14 days. Use page 13 as your daily cheat sheet.

What are we actually changing?

Think of your body like two bowls stacked on top of each other.

RIB BOWL

PELVIS BOWL



When the top bowl tips up and the bottom bowl tips forward, your lower ribs can look louder.

1

BODY SHAPE

Rib and chest-wall shape.
Mostly fixed.

2

CONTROL

How well ribs, abs and
pelvis move together.
Trainable.

3

HABIT

Your automatic 'chest up'
posture. Trainable.

THE HONEST GOAL

Make relaxed breathing, standing and overhead movement look and feel more controlled.

This can improve presentation. It cannot promise to reshape adult ribs or cartilage.

Your first 14 days

Do the same tiny routine six days each week. Clean beats hard.

1 **Feet-on-wall breathing**
2 x 4 breaths

2 min

2 **Side-towel breathing**
4 each side

2 min

3 **Dead-bug heel taps**
2 x 5 each side

2 min

4 **Forearm wall slides**
2 x 8

2 min

IF YOU ARE RUSHED

Do wall breathing + dead bugs. Four useful minutes beats skipping.

TICK THE BOX. DO NOT OVERTHINK IT.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

RULE: no sharp pain, no straining, no heroics.

1. Feet-on-wall breathing

This is the main reset. It teaches ribs and pelvis to stack without a hard crunch.



- 1 Feet flat on the wall. Knees and hips make a square.
- 2 Reach hands up. Slowly breathe OUT for 6 seconds until the front ribs soften.
- 3 Pause 2 seconds. Breathe IN through your nose for 4 seconds into your sides and back.

GOOD

Quiet neck. Gentle abs. Normal lower-back curve.

AVOID

Smashing your back flat or pushing as hard as possible.

DOSE 2 rounds x 4 slow breaths

2. Side-towel breathing

The towel is feedback. You are breathing into it, not trying to crush your ribs.



- 1 Use a soft rolled hand towel. Put it under the fleshy middle side ribs, not the sharp lowest edge.
- 2 Breathe OUT gently for 6 seconds. Keep only light belly tension.
- 3 Breathe IN for 4 seconds and feel the side ribs widen into the towel.

GOOD

Soft pressure. Both sides get the same work for now.

AVOID

Painful pressure or doing extra breaths only on the sore side.

DOSE 4 breaths each side

3. Dead-bug heel taps

Now keep the same quiet ribs while one leg moves.



- 1 Start with hands up and both knees over your hips.
- 2 Breathe OUT as one heel slowly taps the floor.
- 3 Bring it back. Switch legs. Stop the leg before your ribs pop up.

GOOD

Small, slow range. You should still be able to breathe.


AVOID

Reaching farther by arching your back or holding your breath.

DOSE 2 sets x 5 taps each side

4. Forearm wall slides

Carry your rib control into an overhead motion.



- 1 Put both forearms on the wall. Stand tall with soft knees.
- 2 Gently push the wall away, then slide your arms upward.
- 3 Stop the slide when your shoulders shrug or your low back starts to arch.

GOOD

Upper back tall. Ribs over hips. Easy neck.

AVOID

Leaning back, lifting the chest, or chasing maximum height.

DOSE 2 sets x 8 slow slides

Optional: prone towel breathing

This copies the useful part of the video. It is optional, not magic.



- 1 Use a thin folded towel under the soft upper belly, just above the belly button.
- 2 Rest on your forearms and gently push the floor away so your upper back feels broad.
- 3 Take 4 slow breaths toward the back ribs. Skip it if the pressure feels wrong.

GOOD

Thin towel. Easy pressure. Back ribs gently widen.

AVOID

Towel under the sternum, sharp rib edge or hip bones.

OPTIONAL 1 round x 4 breaths, only if comfortable

Keep lifting. Change the pattern.

You do not need to become a full-time breathing monk.

ONE CUE

**UPPER BACK TALL.
RIBS OVER HIPS.**

Retire the automatic 'chest up' cue. It often turns into a low-back arch.

OVERHEAD

Use landmine or high-incline pressing first. Stop before your back takes over.

PULLING

Do not turn the last part of pull-ups or pulldowns into a backbend.

BENCH

A normal moderate arch is fine. Skip the giant sternum launch.

HEAVY LIFTS

Brace 360 degrees and breathe normally for the load. Never long-exhale under a heavy bar.

THREE EASY GYM ADD-ONS

PUSH

Half-kneeling landmine press

3 x 8-12 / side

PULL

One-arm cable pulldown

3 x 8-12 / side

LOWER

Suitcase carry

3 x 30-45 sec / side

Progress only while the ribs stay quiet. Keep 2 clean reps in reserve.

How the 12 weeks work

Do not judge the mirror every morning. Judge the pattern every two weeks.

WEEKS 1-2

LEARN

Daily routine. Slightly reduce any press that makes your ribs jump.

WEEKS 3-6

BUILD

Add reps slowly. Make 'ribs over hips' automatic in normal training.

WEEKS 7-10

TEST

Try light single-arm dumbbell pressing. End the set when rib lift begins.

WEEKS 11-12

RETEST

Compare relaxed photos and overhead control. Decide what changed.

YOUR THREE SCORES

**RELAXED**

Ribs look a little quieter after an ordinary exhale.

**OVERHEAD**

Arms go up with less shrugging and less low-back arch.


**CONTROL**

Less difference between your relaxed posture and your forced 'stacked' pose.

A hard crunch looking flatter is posing. Relaxed carryover is progress.

Take clean check-in photos

No flexing, no posing. The same setup every two weeks makes changes easier to judge.



SET UP THE CAMERA ONCE

- Front, side and back. Arms hanging. No flexing.
- Camera at lower-chest height, about 2 metres away.
- Same light and time. Take it after an ordinary exhale.
- Repeat every 2 weeks and record body weight.

WHAT COUNTS

A quieter relaxed shape and cleaner overhead motion count. A hard exhale or crunch only counts as posing.

What this plan can and cannot do

The boring truth is the useful truth.

CAN HELP

- Breathing control
- Rib-pelvis coordination
- Overhead mechanics
- Posture and presentation

CANNOT PROMISE

- ✗ Permanent adult cartilage remodeling
- ✗ A diagnosis from photos
- ✗ Perfect left-right symmetry
- ✗ A cure from pressing on fascia

STOP AND GET HELP IF

- You get sharp or persistent rib, chest or abdominal pain.
- You develop new shortness of breath, dizziness, tingling or weakness.
- The asymmetry changes quickly or a new lump/bulge appears.
- An exercise keeps hurting after you reduce pressure and range.

SCOLIOSIS RULE

Train both sides equally. Do not add extra work to the side that feels sore unless your curve pattern is actually assessed.

Screenshot this page

This is the entire daily plan.

1

WALL BREATHE

2 x 4 breaths

Out 6 sec / pause 2 / in 4

2

SIDE TOWEL

4 each side

Soft pressure, breathe into towel

3

DEAD BUG

2 x 5 each

Heel taps, stop before ribs pop

4

WALL SLIDE

2 x 8

Push wall, stop before back arches

GYM CUE

Upper back tall. Ribs over hips.

EVIDENCE / SOURCES

1. Dunning et al. Pectus care guidelines. Eur J Cardiothorac Surg. 2024. DOI: 10.1093/ejcts/ezae166
2. Kandemir et al. Schroth exercise + vacuum bell, 35 adolescents. 2026. PMID: 42169217
3. Porto et al. Exercise and postural alignment systematic review. 2024. PMID: 39593708
4. Ferreira et al. Self-myofascial release umbrella review. 2022. PMID: 35991349
5. Video audited from 3:00: youtube.com/watch?v=G68MYzIXtXM&t=180s

Exercise images are AI-generated teaching aids. Follow the written setup cues. This guide is educational, not a medical diagnosis.