$$e^{a+b\cdot x^2}sin(c+d\cdot x^2)$$
, a=1.7 b=0.6 ,c=2.3 d=0.3

function-2

$$e^{a+b\cdot x^2}cos(c+d\cdot x^2)$$
 , a=1.0 b=0.9 ,c=2.2 d=0.1

function-3

$$ln(a + b \cdot x^2)sin(c + d \cdot x^2)$$
 ,a=1.4 b=0.3 ,c=2.5 d=0.2

function-4

$$ln(a+b\cdot x^2)cos(c+d\cdot x^2)$$
 ,a=2.0 b=0.8 ,c=2.1 d=0.4

function-5

$$arctan(a + b \cdot x^2)sin(c + d \cdot x^2)$$
 ,a=1.3 b=0.5 ,c=2.5 d=0.5

function-6

$$arctan(a+b\cdot x^2)cos(c+d\cdot x^2)$$
 ,a=1.4 b=0.9 ,c=2.3 d=0.4

function-7

$$b^{(x-a)^2} sin(c+d\cdot x^2)$$
 ,a=1.7 b=0.6 ,c=2.7 d=0.4

$$b^{(x-a)^2}cos(c+d\cdot x^2)$$
 ,a=1.2 b=0.3 ,c=3.0 d=0.2

$$e^{a+b\cdot x^2}sin(c+d\cdot x^2)$$
 ,a=1.0 b=0.6 ,c=2.9 d=0.4

function-10

$$e^{a+b\cdot x^2}cos(c+d\cdot x^2)$$
 ,a=1.2 b=0.5 ,c=2.5 d=0.5

function-11

$$ln(a-b\cdot x^2)sin(c+d\cdot x^2)$$
 ,a=12 b=0.8 ,c=2.6 d=0.3

function-12

$$ln(a - b \cdot x^2) cos(c + d \cdot x^2)$$
 ,a=13 b=0.5 ,c=2.5 d=0.1

function-13

$$arctan(-a+(x-b)^2)$$
 $sin(c+d\cdot x^2)$,a=1.6 b=0.4 ,c=2.4 d=0.3

function-14

$$arctan(-a+(x-b)^2)$$
 $cos(c+d\cdot x^2)$,a=1.3 b=0.4 ,c=2.6 d=0.2

function-15

$$3^{(a-b\cdot x)^2} \sin(c+d\cdot x^2)$$
 ,a=1.8 b=0.9 ,c=2.7 d=0.2

$$3^{(a-b\cdot x)^2}cos(c+d\cdot x^2)$$
 ,a=1.6 b=0.3 ,c=2.9 d=0.5

$$e^{a+b\cdot x}sin(c+d\cdot x^2)$$
 ,a=1.8 b=0.4 ,c=2.6 d=0.1

function-18

$$e^{a+b\cdot x}cos(c+d\cdot x^2)$$
 ,a=1.4 b=0.4 ,c=2.2 d=0.2

function-19

$$arctan(a + b \cdot x) sin(c + d \cdot x^{2})$$
 ,a=1.4 b=0.3 ,c=2.6 d=0.3

function-20

$$arctan(a+b\cdot x) cos(c+d\cdot x^2)$$
 ,a=1.7 b=0.7 ,c=2.6 d=0.1

function-21

$$e^{a+b\cdot x^2}sin(c+d\cdot x)$$
 , a=1.6, b=0.5 , c=2.5 , d=0.4

function-22

$$e^{a+b\cdot x^2}cos(c+d\cdot x)$$
 , a=1.8, b=0.4 , c=2.7 , d=0.3

function-23

$$ln(a+b\cdot x^2)$$
 $sin(c+d\cdot x)$, a=1.8, b=0.8 , c=2.3 , d=0.3

$$ln(a+b\cdot x^2)$$
 $cos(c+d\cdot x)$, a=1.6, b=0.6 , c=2.9 , d=0.2

$$arctan(a+b\cdot x^2) sin(c+d\cdot x)$$
 , a=1.3, b=0.3 , c=2.9 , d=0.4

function-26

$$arctan(a+b\cdot x^2) \ cos(c+d\cdot x)$$
 , a=1.5, b=0.6 , c=2.5 , d=0.4

function-27

$$b^{(x-a)^2}sin(c+d\cdot x)$$
 , a=1.5, b=0.7 , c=2.5 , d=0.5

function-28

$$b^{(x-a)^2}cos(c+d\cdot x)$$
 , a=1.2, b=0.3 , c=2.1 , d=0.1

function-29

$$e^{a-b\cdot x^2} \sin(c+d\cdot x)$$
 , a=1.4, b=0.5 , c=2.4 , d=0.4

function-30

$$e^{a-b\cdot x^2} \ cos(c+d\cdot x)$$
 , a=1.6, b=0.7 , c=2.9 , d=0.5

function-31

$$ln(a-b\cdot x^2)sin(c+d\cdot x)$$
 , a=14, b=0.3 , c=2.7 , d=0.1

$$ln(a-b\cdot x^2)cos(c+d\cdot x)$$
 , a=15, b=0.6 , c=2.9 , d=0.3

$$arctan(-a + (x - b)^2)sin(c + d \cdot x)$$
, a=1.4, b=0.7, c=2.7, d=0.3

function-34

$$arctan(-a + (x - b)^2) cos(c + d \cdot x)$$
 , a=1.3, b=0.3 , c=2.6 , d=0.2

function-35

$$3^{(a-b\cdot x)^2} \sin(c+d\cdot x)$$
 , a=1.0, b=0.7 , c=2.2 , d=0.3

function-36

$$3^{(a-b\cdot x)^2}cos(c+d\cdot x)$$
 , a=1.7, b=0.5 , c=2.7 , d=0.3

function-37

$$e^{a+b\cdot x} \sin(c+d\cdot x)$$
 , a=1.7, b=0.7 , c=2.4 , d=0.1

function-38

$$e^{a+b\cdot x} \cos(c+d\cdot x)$$
 , a=1.3, b=0.5 , c=2.3 , d=0.2

function-39

$$arctan(a+b\cdot x)sin(c+d\cdot x)$$
 , a=1.8, b=0.5 , c=2.9 , d=0.3

$$arctan(a+b\cdot x)cos(c+d\cdot x)$$
 , a=1.8, b=0.5 , c=2.8 , d=0.4

$$e^{a+b\cdot x^2}sin(d\cdot (x-c)^2)$$
 , a=1.4, b=0.4 , c=2.8 , d=0.5

function-42

$$e^{a+b\cdot x^2} \cos(d\cdot (x-c)^2)$$
 , a=1.3, b=0.7 , c=2.4 , d=0.4

function-43

$$ln(a+b\cdot x^2) \; sin(d\cdot (x-c)^2)$$
 , a=1.8, b=0.3 , c=2.9 , d=0.5

function-44

$$ln(a+b\cdot x^2)$$
 $cos(d\cdot (x-c)^2)$, a=1.5, b=0.8 , c=2.6 , d=0.2

function-45

$$arctan(a + b \cdot x^2) sin(d \cdot (x - c)^2)$$
 , a=1.2, b=0.5 , c=2.7 , d=0.4

function-46

$$arctan(a+b\cdot x^2) \ cos(d\cdot (x-c)^2)$$
 , a=1.8, b=0.4 , c=2.5 , d=0.1

function-47

$$b^{(x-a)^2}sin(d\cdot(x-c)^2)$$
 , a=1.1, b=0.3 , c=2.7 , d=0.3

$$b^{(x-a)^2} \cos(d \cdot (x-c)^2)$$
 , a=1.2, b=0.5 , c=2.1 , d=0.1

$$e^{a-b\cdot x^2}sin(d\cdot (x-c)^2)$$
 , a=1.9, b=0.6 , c=2.9 , d=0.4

function-50

$$e^{a-b\cdot x^2} \cos(d\cdot (x-c)^2)$$
 , a=1.6, b=0.8 , c=2.9 , d=0.5

function-51

$$ln(a-b\cdot x^2)sin(d\cdot (x-c)^2)$$
 , a=10, b=0.8 , c=2.6 , d=0.5

function-52

$$ln(a-b\cdot x^2) \ cos(d\cdot (x-c)^2)$$
 , a=15, b=0.5 , c=2.8 , d=0.2

function-53

$$arctan(-a + (x - b)^2)sin(d \cdot (x - c)^2)$$
 , a=1.5, b=0.8 , c=2.6 , d=0.4

function-54

$$arctan(-a+(x-b)^2)cos(d\cdot(x-c)^2) \qquad \text{, a=1.7, b=0.6 , c=2.2, d=0.4}$$

function-55

$$3^{(a-b\cdot x)^2} \sin(d\cdot (x-c)^2)$$
 , a=1.1, b=0.6 , c=2.7 , d=0.4

$$3^{(a-b\cdot x)^2}\cos(d\cdot (x-c)^2)$$
 , a=1.9, b=0.9 , c=2.8 , d=0.3

$$e^{a+b\cdot x} \sin(d\cdot (x-c)^2)$$
 , a=1.9, b=0.6 , c=2.0 , d=0.1

function-58

$$e^{a+b\cdot x}\cos(d\cdot (x-c)^2)$$
 , a=1.9, b=0.5 , c=2.8 , d=0.2

function-59

$$arctan(a+b\cdot x)sin(d\cdot (x-c)^2)$$
 , a=1.6, b=0.6 , c=2.0 , d=0.3

function-60

$$arctan(a + b \cdot x)cos(d \cdot (x - c)^{2})$$
 , a=1.4, b=0.2 , c=2.5 , d=0.2

function-61

$$e^{a+b\cdot x^2}sin(\sqrt{d+c\cdot x^2})$$
 ; a=1.1, b=0.3 , c=2.1 , d=0.2

function-62

$$e^{a+b\cdot x^2} \cos(\sqrt{d+c\cdot x^2})$$
 ; a=1.0, b=0.6 , c=2.3 , d=0.3

function-63

$$ln(a+b\cdot x^2)$$
 $sinig(\sqrt{d+c\cdot x^2}ig)$; a=1.7, b=0.5 , c=2.5 , d=0.3

$$ln(a+b\cdot x^2)$$
 $cos(\sqrt{d+c\cdot x^2})$; a=1.1, b=0.5 , c=2.9 , d=0.4

$$arctan(a+b\cdot x^2)$$
 $sin(\sqrt{d+c\cdot x^2})$; a=1.3, b=0.3 , c=2.6 , d=0.4

function-66

$$arctan(a+b\cdot x^2) \ cos\left(\sqrt{d+c\cdot x^2}\right)$$
 ; a=1.4, b=0.3 , c=2.9 , d=0.1

function-67

$$b^{(x-a)^2} sin(\sqrt{d+c\cdot x^2})$$
 ; a=1.1, b=0.3 , c=2.2 , d=0.3

function-68

$$b^{(x-a)^2}cos(\sqrt{d+c\cdot x^2})$$
 ; a=1.6, b=0.2 , c=2.9 , d=0.4

function-69

$$e^{a-b\cdot x^2}sin(\sqrt{d+c\cdot x^2})$$
 ; a=1.7, b=0.2 , c=2.9 , d=0.5

function-70

$$e^{a-b\cdot x^2} \cos(\sqrt{d+c\cdot x^2})$$
 ; a=2.0, b=0.8 , c=2.8, d=0.3

function-71

$$ln(a-b\cdot x^2)sin(\sqrt{d+c\cdot x^2})$$
 ; a=12, b=0.5 , c=2.1 , d=0.1

$$ln(a-b\cdot x^2)cos(\sqrt{d+c\cdot x^2})$$
 ; a=19, b=0.4 , c=2.3 , d=0.2

$$arctan(-a + (x - b)^2)sin(\sqrt{d + c \cdot x^2})$$
 ; a=1.5, b=0.7 , c=2.0 , d=0.4

function-74

$$arctan(-a + (x - b)^2)cos(\sqrt{d + c \cdot x^2})$$
 ; a=1.6, b=0.8 , c=2.3 , d=0.3

function-75

$$3^{(a-b\cdot x)^2}sin(\sqrt{d+c\cdot x^2})$$
 ; a=1.1, b=0.3 , c=2.7 , d=0.2

function-76

$$3^{(a-b\cdot x)^2} \cos(\sqrt{d+c\cdot x^2})$$
 ; a=1.9, b=0.3 , c=3.0 , d=0.3

function-77

$$e^{a+b\cdot x}sin(\sqrt{d+c\cdot x^2})$$
 ; a=1.7, b=0.9 , c=2.3 , d=0.3

function-78

$$e^{a+b\cdot x}cos(\sqrt{d+c\cdot x^2})$$
 ; a=1.5, b=0.7 , c=2.8 , d=0.1

function-79

$$arctan(a+b\cdot x)sinig(\sqrt{d+c\cdot x^2}ig)$$
 ; a=1.2, b=0.5 , c=2.1 , d=0.3

$$arctan(a+b\cdot x)$$
 $cos(\sqrt{d+c\cdot x^2})$; a=1.3, b=0.3 , c=2.2 , d=0.5

$$2^{(a-b\cdot x)^2}sin(ln(d+c\cdot x^2))$$
 , a=1.1, b=0.6 , c=2.3 , d=0.3

function-82

$$e^{a-b\cdot x^2} \cos(\ln(d+c\cdot x^2))$$
 , a=1.3, b=0.5 , c=2.2 , d=0.3

$$ln(a-b\cdot x^2)sin(larctan(d+c\cdot x^2))$$
 , a=11.1, b=0.6 , c=2.2 , d=0.4