

Ansible installs, configures NGINX with HTTPs – Through ansible tasks after provisioning windows machine with the packer built base image

```
● tpappaia@00X2J4QC ansible % docker run -it --rm \
  -v "$(pwd)":/ansible \
  /ansible \
  withthelionline/ansible:latest \
  ansible-playbook -i hosts.ini install-nginx-windows.yml -vvv
ansible-playbook [core 2.18.3]
  config file = None
  configured module search path = ['/root/.ansible/plugins/modules', '/usr/share/ansible/plugins/modules']
  ansible python module location = /usr/lib/python3.12/site-packages/ansible
  ansible collection location = /root/.ansible/collections:usr/share/ansible/collections
  executable location = /usr/bin/ansible-playbook
  python version = 3.12.10 (main, Apr 10 2025, 15:27:01) [GCC 14.2.0] (/usr/bin/python3)
  jinja version = 3.1.6
  libyaml = True
No config file found; using defaults
host_list declined parsing /ansible/hosts.ini as it did not pass its verify_file() method
auto declined parsing /ansible/hosts.ini as it did not pass its verify_file() method
yaml declined parsing /ansible/hosts.ini as it did not pass its verify_file() method
Parsed /ansible/hosts.ini inventory source with ini plugin
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
redirecting (type: modules) ansible.builtin.win_unzip to community.windows.win_unzip
redirecting (type: modules) ansible.builtin.win_chocolatey to chocolatey.chocolatey.win_chocolatey
redirecting (type: modules) ansible.builtin.win_shell to ansible.windows.win_shell
redirecting (type: modules) ansible.builtin.win_stat to ansible.windows.win_stat
redirecting (type: modules) ansible.builtin.win_shell to ansible.windows.win_shell
redirecting (type: modules) ansible.builtin.win_template to ansible.windows.win_template
redirecting (type: action) ansible.builtin.win_template to ansible.windows.win_template
redirecting (type: modules) ansible.builtin.win_shell to ansible.windows.win_shell
redirecting (type: modules) ansible.builtin.win_shell to ansible.windows.win_shell
Skipping callback 'default', as we already have a stdout callback.
Skipping callback 'minimal', as we already have a stdout callback.
Skipping callback 'oneline', as we already have a stdout callback.

PLAYBOOK: install-nginx-windows.yml *****
1 plays in install-nginx-windows.yml
```

```
PLAY [Install and configure NGINX with HTTPs on Windows EC2 Instance] *****

TASK [Gathering Facts] *****
task path: /ansible/install-nginx-windows.yml:2
redirecting (type: modules) ansible.builtin.setup to ansible.windows.setup
Using module file /usr/lib/python3.12/site-packages/ansible_collections/ansible/windows/plugins/modules/setup.ps1
Pipelining is enabled.
<13.233.90.194> ESTABLISH WINRM CONNECTION FOR USER: Administrator on PORT 5986 TO 13.233.90.194
EXEC (via pipeline wrapper)
OK: [windows-host]

TASK [Ensure required directories exists] *****
task path: /ansible/install-nginx-windows.yml:13
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
Using module file /usr/lib/python3.12/site-packages/ansible_collections/ansible/windows/plugins/modules/win_file.ps1
Pipelining is enabled.
<13.233.90.194> ESTABLISH WINRM CONNECTION FOR USER: Administrator on PORT 5986 TO 13.233.90.194
EXEC (via pipeline wrapper)
OK: [windows-host] => (item=C:\nginx\nginx-1.24.0) => {
  "ansible_loop_var": "item",
  "changed": false,
  "item": "C:\nginx\nginx-1.24.0"
}
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
Using module file /usr/lib/python3.12/site-packages/ansible_collections/ansible/windows/plugins/modules/win_file.ps1
Pipelining is enabled.
EXEC (via pipeline wrapper)
OK: [windows-host] => (item=C:\nginx\nginx-1.24.0\conf) => {
  "ansible_loop_var": "item",
  "changed": false,
  "item": "C:\nginx\nginx-1.24.0\conf"
}
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
redirecting (type: modules) ansible.builtin.win_file to ansible.windows.win_file
Using module file /usr/lib/python3.12/site-packages/ansible_collections/ansible/windows/plugins/modules/win_file.ps1
Pipelining is enabled.
EXEC (via pipeline wrapper)
OK: [windows-host] => (item=C:\nginx\nginx-1.24.0\logs) => {
  "ansible_loop_var": "item",
  "changed": false,
  "item": "C:\nginx\nginx-1.24.0\logs"
}
```

```
TASK [Unzip nginx] *****
task path: /ansible/install-nginx-windows.yml:23
redirecting (type: modules) ansible.builtin.win_unzip to community.windows.win_unzip
redirecting (type: modules) ansible.builtin.win_unzip to community.windows.win_unzip
Using module file /usr/lib/python3.12/site-packages/ansible_collections/community/windows/plugins/modules/win_unzip.ps1
Pipelining is enabled.
<13.233.90.194> ESTABLISH WINRM CONNECTION FOR USER: Administrator on PORT 5986 TO 13.233.90.194
EXEC (via pipeline wrapper)
skipping: [windows-host] => {
  "changed": false,
  "dest": "C:\\nginx",
  "msg": "The file or directory 'C:\\nginx\\nginx-1.24.0\\nginx.exe' already exists.",
  "removed": false,
  "src": "/ansible/files/nginx-1.24.0.zip"
}
```


