







ScreenShots:-



The screenshot shows a web browser window with the address bar displaying `localhost/OnlineBiddingSystem/login.php`. The page has a sidebar on the left with a search icon and a list of categories: Jewellery, Camera, and a User Log In button. The main content area is titled "User Log In" and contains two options: "Log in as a User" and "Register as a User". The "Register as a User" option is selected, showing a registration form with the following fields: Lastname, Firstname, Gender (a dropdown menu currently showing "Male"), Address, City (a dropdown menu), Contact, Birthdate (a date picker), and Year (a dropdown menu). A "next step" button is located at the bottom of the form.

The screenshot shows a web browser window with the address bar displaying `localhost/OnlineBiddingSystem/myaccount.php`. The page has a sidebar on the left with a search icon and a list of categories: Laptop Computers, Cellphones, Computer Accessories, Desktop Computers, Jewellery, and Camera. The main content area is titled "USER PROFILE" and contains a user profile card for "babloo". The card displays the following information: Name: murugan thiru, Contact no: 99562378, Address: Silay my home, Gender: Male, and Email Address: athiru@gmail.com. Below the profile card are three links: "Edit Personal Info", "Change Password and Account PK", and "View Personal Info".





Welcome Administrator

ADD NEW PRODUCT

Product Name:

Starting Bid:

Regular Price:

Category:

Product Description:

Product Image: No file selected.

Data viflygins Pranas Viki i think she will
www.viflygins.com

22:42
06-11-2020

31 BIDDING LOG

Bidder	Date of Bid Placed	Amount
thiru, murugan	2020-11-06 21:39:53	P3000
thiru, murugan	2020-11-06 22:39:29	P3500

showing 1 - 2 of 2

Show per page: [5](#) | [12](#) | [15](#) | [50](#) | ALL

Most of the functionalities have been implemented.

CODES:-

LOGIN.PHP

```
1. <?php
2.     session_start();
3.     require ("db.php");
4.     require("htmls.php");
5.     require("functions.php");
6.     headhtml();
7.
8.     if (isset($_POST['next2'])) {
9.
10.         $_SESSION['userid']=$_POST['loginid'];
11.         $_SESSION['email'] = $_POST['email1'];
12.         $_SESSION['password'] =$_POST['pass1'];
13.         $_SESSION['secques']
            =$_POST['secques'];
14.         $_SESSION['secans'] =$_POST['secans'];
15.
16.         $fname = $_SESSION['firstname'];
17.         $lname = $_SESSION['lastname'];
18.         $gender = $_SESSION['gender'];
19.         $caddress =
            $_SESSION['caddress'];
20.         $address = $_SESSION['address'];
21.         $cusaddress = "$caddress"."
            ".$address";
22.         $contactno = $_SESSION['contactno'];
23.         $day = $_SESSION['day'];
24.         $month = $_SESSION['month'];
25.         $year = $_SESSION['year'];
26.         $birthdate = "$day"." ".$month"."
            ".$year";
27.         $email = $_SESSION['email'];
28.         $userid =$_SESSION['userid'];
29.         $password =$_SESSION['password'];
30.         $secques =$_SESSION['secques'];
31.         $secanswer =$_SESSION['secans'];
32.
33.         mysqli_query($conn,"INSERT INTO
            member(lastname,firstname,gender,userid,password,email,contactno,birthd
            ate,address,verification,memberimg) VALUES
            ('$lname','$fname','$gender','$userid','$password','$email','$contactno
            ','$birthdate','$cusaddress','no','default.jpg')");
34.         $query = mysqli_query($conn,"SELECT *
            FROM member WHERE userid = '$userid'") or die (mysqli_error());
35.         $row =
            mysqli_fetch_array($query);
36.         $sid= $row['memberid'];
```

```
37.                                     mysqli_query($conn,"INSERT into
secretquestions(memberid,question,answer) VALUES
('$id','$secques','$secanswer')");
38.                                     $_SESSION['ID']= $id;
39.                                     $_SESSION['logged'] = "notactive";
40.                                     $_SESSION['user'] = $userid;
41.
42.                                     }
43.                                     ?>
44.
45.                                     <?php
46.                                     if(isset($_POST['login'])) {
47.                                         if(isset($_POST['user'])) {
48.                                             if(isset($_POST['pass'])) {
49.                                                 $username =
$_POST['user'];
50.                                                 $pass = $_POST['pass'];
51.                                                 $query =
mysqli_query($conn,"SELECT * FROM member WHERE userid = '$username' AND
password = '$pass'") or die (mysqli_error());
52.                                                 $user =
mysqli_fetch_array($query);
53.                                                 if($user['verification']
== 'yes'){
54.                                                     $_SESSION['ID']
= $user['memberid'];
55.                                                     $_SESSION['logged'] = $user['memberid'];
56.                                                     $_SESSION['user'] = $username;
57.
58.                                                     ?>
59.                                                     <script> location.replace("myaccount.php");
</script>
60.                                     <?php
61.                                     }
62.
elseif($user['verification'] == 'no')
63.                                     {
64.                                     $_SESSION['ID']
= $user['memberid'];
65.                                     $_SESSION['user'] = $user['fname'];
66.                                     $_SESSION['logged'] = "notactive";
67.
68.                                     ?>
69.
<script>location.replace("myaccount.php");</script>
70.
71.                                     <?php
72.                                     }
73.                                     else
74.                                     {
75.                                     echo "please check
password detail";
76.
```

```
77.                                     }
78.                                     }
79.                                     else
80.                                     {
81.                                     echo "please check your userid";
82.                                     }
83.                                     }
84.                                     }
85.                                     else
86.                                     {
87.                                     echo "please check login detail";
88.                                     }
89.                                     }
90.                                     }
91.
92.  ?>
93.  <div id="main_content">
94.    <div id="menu_tab">
95.      <div class="left_menu_corner"></div>
96.      <ul class="menu">
97.        <li><a href="home.php" class="nav2"> Home</a></li>
98.        <li class="divider"></li>
99.        <li><a href="prodcateg.php" class="nav2">Products</a></li>
100.       <li class="divider"></li>
101.     </ul>
102.     <div class="right_menu_corner"></div>
103.   </div>
104.
105.   <div class="crumb_navigation"> Navigation: <a
106.     href="home.php">Home</a> < <span class="current">Sign In</span> </div>
107.   <div class="left_content">
108.     <div class="title_box">Categories</div>
109.     <ul class="left_menu">
110.       <?php
111.         categories();
112.       ?>
113.     </ul>
114.   </div>
115.   <div class="center_content">
116.     <div class="center_title_bar">User Log In</div>
117.     <div class="prod_box_big">
118.       <div class="top_prod_box_big"></div>
119.       <div class="center_prod_box_big">
120.         <div class='logreg'>
121.           <div class="loginb">
122.             <div class="top_prod_box"></div>
123.             <div class="center_prod_box">
124.               <div
125.                 class="product_title"><a>Log in as a User</a></div>
126.               <div
127.                 class="product_img"><a></a></div>
129.             </div>
130.           </div>
131.           <div class="regb">
132.             <div class="top_prod_box"></div>
```



```
130.                <div class="center_prod_box">
131.                    <div
132.                        class="product_title"><a>Register as a User</a></div>
133.                    <div
134.                        class="product_img"><a></a></div>
136.                    </div>
137.                </div>
138.                </div>
139.                </div>
140.                <script type='text/javascript'>
141.                    jQuery(document).ready( function() {
142.                        jQuery('.contact_form').hide();
143.                        jQuery('.reg_form').hide();
144.                        jQuery('.loginb').click(
145.                            function() {
146.                                jQuery('.contact_form').toggle('slow');
147.                                jQuery('.reg_form').hide();
148.                            });
149.                        jQuery('.regb').click(
150.                            function() {
151.                                jQuery('.reg_form').toggle('slow');
152.                                jQuery('.contact_form').hide();
153.                            });
154.                    });
155.                </script>
156.                <div class="contact_form">
157.                    <div id="form_row1">
158.                        <form method = "post" action="" id="logins-form"
159.                        class="logins-form">
160.                            <span
161.                                class="blue"><strong>Username</strong></span><input type="text"
162.                                name="user">
163.                            <span
164.                                class="blue"><strong>Password</strong></span><input type="password"
165.                                name="pass">
166.                            <ul>
167.                                <li><a href="#">Forgot your password?</a></li>
168.                                <li><a href="#">Forgot your username?</a></li>
169.                            </ul>
170.                            <input type="submit" value="Login" name="login">
171.                        </form>
172.                    </div>
173.                </div>
174.                <div class="reg_form">
175.                    <div id="regstep1">
176.                        <form action="register2.php" method="post" name="contacts-
177.                        form" id="contacts-form">
178.                            <strong>Lastname:</strong>
179.                            <input type="text" name="lname"
180.                            class="required"/></br></br>
181.                            <strong>Firstname:</strong>
```

```
171.         <input type="text" name="fname"
172.         class="required"/></br></br>
173.         <strong>Gender:</strong>
174.         <select name="gender">
175.             <option>Male</option>
176.             <option>Female</option>
177.         </select></br></br>
178.         <strong>Address:</strong>
179.         <select name="city">
180.             <option>City</option>
181.             <option>Bacolod</option>
182.             <option>Silay</option>
183.         </select></br></br>
184.         <input type="text" name="address"
185.         class="required"/></br></br>
186.         <strong>Contact:</strong>
187.         <input type="text" name="contactno" class="required"
188.         onKeyPress="return isNumberKey(event)"/></br></br>
189.         <strong>Birthdate:</strong>
190.         <select name="day">
191.             <option>Date</option>
192.             <option></option>
193.             <option>1</option>
194.             <option>2</option>
195.             <option>3</option>
196.             <option>4</option>
197.             <option>5</option>
198.             <option>6</option>
199.             <option>7</option>
200.             <option>8</option>
201.             <option>9</option>
202.             <option>10</option>
203.         </select></br></br>
204.         <select name="month">
205.             <option>Month</option>
206.             <option></option>
207.             <option>January</option>
208.             <option>Febuary</option>
209.             <option>March</option>
210.             <option>April</option>
211.             <option>May</option>
212.             <option>June</option>
213.             <option>July</option>
214.             <option>August</option>
215.             <option>September</option>
216.             <option>October</option>
217.             <option>November</option>
218.             <option>December</option>
219.         </select></br></br>
220.         <select name="year">
221.             <option>Year</option>
222.             <option></option>
223.             <option>1990</option>
224.             <option>1991</option>
225.             <option>1992</option>
226.             <option>1993</option>
227.             <option>1994</option>
```

```
225.             <option>1995</option>
226.             <option>1996</option>
227.             <option>1997</option>
228.             <option>1998</option>
229.             <option>1999</option>
230.             <option>2001</option>
231.             </select></br></br>
232.             <input type="submit" name="next1" value="next step"/>
233.         </form>
234.     </div>
235. </div>
236. </div>
237.     <div class="bottom_prod_box_big"></div>
238. </div>
239. </div>
240.
241. </div>
```

LOGOUT.PHP

```
1. <?php
2.     session_start();
3.     session_destroy();
4.     session_start();
5.     $_SESSION['logged'] = 'guest';
6.     header('location:home.php');
7. ?>
```

INDEX.HTML

```
1. <?php
2.     session_start();
3.     $_SESSION['logged'] = 'guest';
4.     require("functions.php");
5.     require("htmls.php");
6.     $query = mysqli_query($conn,"SELECT * FROM products WHERE status = 0")
   or die (mysqli_error());
7.     while($row = mysqli_fetch_array($query))
8.     {
9.         $datenow = date("Y-m-d");
10.        $duedate = $row['duedate'];
11.        $prodid = $row['productid'];
12.        if($datenow >= $duedate){
13.            mysqli_query($conn,"UPDATE products SET status
   = 1 WHERE productid = '$prodid'" ) or die (mysqli_error());
14.        }
15.    }
16.    $date = date("Y-m-d");
17.    headhtml();
18. ?>
19.     <div id="main_content">
20.         <div id="menu_tab">
21.             <div class="left_menu_corner"></div>
22.             <ul class="menu">
```

```
23.         <li><a href="home.php" class="nav1">Home</a></li>
24.         <li class="divider" ></li>
25.         <li><a href="prodcateg.php" class="nav2">Products</a></li>
26.         <li class="divider"></li>
27.         <li><a href="contact.php" class="nav2">Contact Us</a></li>
28.         <li class="divider">
29.             </li>
30.             <?php account(); ?>
31.         </ul>
32.         <div class="right_menu_corner"></div>
33.     </div>
34.     <!-- end of menu tab -->
35.
36.     <div class="crumb_navigation"> Navigation: <span
class="current">Home</span> </div>
37.         <div class="left_content">
38.             <div class="title_box">Categories</div>
39.             <ul class="left_menu">
40.                 <?php
41.                     categories();
42.                 ?>
43.
44.             <div class="title_box">News & Updates</div>
45.             <div class="border_box">
46.                 <div class="product_title"><a href="#">Motorola 156 MX-
VL</a></div>
47.                 <div class="product_img"><a href="#"></a></div>
48.                 <div class="prod_price"><span class="reduce">350$</span> <span
class="price">270$</span></div>
49.             </div>
50.
51.
52.         </div>
53.         <!-- end of left content -->
54.         <div class="center_content">
55.             <div class="center_title_bar">Products On Bid</div>
56.             <?php
57.                 latest();
58.             ?>
59.
60.         </div>
```

HOME.PHP

```
1.  <?php
2.      session_start();
3.      require("functions.php");
4.      require("htmls.php");
5.      $query = mysqli_query($conn,"SELECT * FROM products WHERE status = 0")
or die (mysqli_error());
6.      while($row = mysqli_fetch_array($query))
7.      {
```

```
8.         $datenow = date("Y-m-d");
9.         $duedate = $row['duedate'];
10.        $prodid = $row['productid'];
11.        if($datenow >= $duedate){
12.            mysqli_query($conn,"UPDATE products SET status
= 1 WHERE productid = '$prodid'") or die (mysqli_error());
13.        }
14.    }
15.    headhtml();
16.    ?>
17.    <div id="main_content">
18.        <div id="menu_tab">
19.            <div class="left_menu_corner"></div>
20.            <ul class="menu">
21.                <li><a href="home.php" class="nav1">Home</a></li>
22.                <li class="divider" ></li>
23.                <li><a href="prodcateg.php" class="nav2">Products</a></li>
24.                <li class="divider"></li>
25.            </ul>
26.            <?php account(); ?>
27.            <script type='text/javascript'>
28.                jQuery(document).ready( function() {
29.                    jQuery('.nav3').hide();
30.                    jQuery('.nav4').click( function() {
31.                        jQuery('.nav3').toggle('fade');
32.                    });
33.                });
34.            </script>
35.            </ul>
36.            <div class="right_menu_corner"></div>
37.        </div>
38.
39.
40.        <div class="crumb_navigation"> Navigation: <span
class="current">Home</span> </div>
41.        <div class="left_content">
42.            <div class="title_box">Categories</div>
43.            <ul class="left_menu">
44.                <?php
45.                    categories();
46.                ?>
47.            </ul>
48.
49.
50.        </div>
51.
52.        <div class="center_content">
53.            <div class="center_title_bar">Products On Bid</div>
54.            <?php
55.                latest();
56.            ?>
57.        </div>
58.
59.    </div>
```

DB.PHP

```
1. <?php
2.
3.
4. $conn = mysqli_connect("localhost", "root", "", "biddingsystemdb");
5. if (!$conn) {
6.     die("Error connecting to database: " .
    mysqli_connect_error());
7. }
8.
9.
10. ?>
```

COMMON_FUNCTION.PHP

```
1. <?php
2. include("db.php");
3. global $conn;
4. function cats(){
5.     $query = mysqli_query($conn,"SELECT * FROM `pcategories`") or
    die (mysqli_error());
6.     echo "<select name ='category'>";
7.     echo "<option>Select Category</option>";
8.     while($row = mysqli_fetch_array($query)) {
9.
10.         echo "<option
    value='". $row['categoryid']. "'>". $row['categoryname']. "</option>";
11.     }
12.     echo "</select>";
13. }
14.
15.
16. function watsnew(){
17.     $query = mysqli_query($conn,"SELECT * FROM products
    WHERE status = 0 ORDER BY productid DESC LIMIT 0,1") or die
    (mysqli_error());
18.     while($row = mysqli_fetch_array($query)){
19.         echo
20.             '<div class="border_box">
21.                 <div class="product_title"><a
    href="details.php?id="'. $row['productid']. '">'. $row['prodname']. '</a></d
    iv>
22.                 <div class="product_img"></div>
23.                 <div class="prod_price"></div>
24.             </div>';
25.     }
26. }
27.
28.
29.
```

```
30.         function categories(){
31.             global $conn;
32.             $query = mysqli_query($conn,"SELECT * FROM `pcategories`") or
die (mysqli_error());
33.             while($row = mysqli_fetch_array($query)){
34.                 echo "<li class = 'even'><a href
='showprod.php?id=".$row['categoryid']."'>".$row['categoryname']."'</a><
/li>";
35.             }
36.             echo "</ul>";
37.         }
38.
39.
40.         function categorylist(){
41.             global $conn;
42.             $query = mysqli_query($conn,"SELECT * FROM pcategories") or
die (mysqli_error());
43.             while($row = mysqli_fetch_array($query))
44.             {
45.                 echo "<div class='prod_box'>";
46.                 echo "<div
class='top_prod_box'></div>";
47.                 echo "<div class='center_prod_box'>";
48.                 echo "<div class='product_title'><a
href='showprod.php?id=".$row['categoryid']."'>".$row['categoryname']."'<
/a></div>";
49.                 echo "<div class='product_img'><a
href='showprod.php?id=".$row['categoryid']."'><img
src='administrator/images/category/".$row['catimage']."' width='94'
height='92' alt='' border='0' /></a></div>";
50.                 echo "<div class='prod_price'><span
class='price'>".$row['categorydes']."'</span></div>";
51.                 echo "</div>";
52.                 echo "<div class='bottom_prod box'></div>";
53.                 echo "<div class='prod_details_tab'>click to
view products in category</div>";
54.                 echo "</div>";
55.             }
56.         }
57.
58.
59.
60.         function latest(){
61.             global $conn;
62.             $query = mysqli_query($conn,"SELECT * FROM products
WHERE status = 0 ORDER BY productid DESC LIMIT 0,6") or die
(mysqli_error());
63.
64.             while($row = mysqli_fetch_array($query))
65.             {
66.                 $prodid = $row['productid'];
67.                 $prodsbid = $row['startingbid'];
68.                 //for displaying highest bid and no of bidders
69.                 $query2 = mysqli_query($conn,"SELECT * FROM
bidreport WHERE productid = '$prodid'") or die (mysqli_error());
70.                 $noofbidders = mysqli_num_rows($query2);
71.                 $highbid = $prodsbid;
```

```
72.         while($highonthis =
mysqli_fetch_array($query2)){
73.             $checkthis = $highonthis['bidamount'];
74.             if($checkthis > $highbid){
75.                 $highbid = $checkthis;
76.             }
77.         }
78.         $highestbidder = mysqli_query($conn,"SELECT *
FROM bidreport WHERE bidamount = '$highbid') or die(mysqli_error());
79.         $highestbiddera =
mysqli_fetch_array($highestbidder);
80.         $hibidder = $highestbiddera['bidder'];
81.         $name = mysqli_query($conn,"SELECT * FROM
member WHERE memberid = '$hibidder') or die(mysqli_error());
82.         $namea = mysqli_fetch_array($name);
83.         $highname = $namea['userid'];
84.         echo "<div class='prod_box'>";
85.         echo "<div
class='top_prod_box'></div>";
86.         echo "<div class='center_prod_box'>";
87.         echo "<div
class='product_title'><a
href='details.php?id=" . $row['productid'] . "'>". $row['prodname'] . "</a></d
iv>";
88.         echo "<div class='product_img'><a
href='details.php?id=" . $row['productid'] . "'><img
src='administrator/images/products/" . $row['prodimage'] . "' width='94'
height='92' alt='' border='0' /></a></div>";
89.         echo "<div
class='prod_price'><span>Start Bid at: </span> <span class='price'>P
". $row['startingbid'] . "</span><br />
90.         <span>Highest Bidder: </span> <span
class='price'>". $highname . "</span>
91.         </div>";
92.         echo "</div>";
93.         echo "<div class='bottom_prod_box'></div>";
94.         echo "<div class='prod_details_tab'><a
href='details.php?id=" . $row['productid'] . "' class='prod_details'
title='header=[Click to Bid] body=[ ] fade=[on]'>Bid Now</a> </div>";
95.         echo "</div>";
96.     }
97. }
98.
99.
100. function showprod(){
101.     global $conn;
102.     $id = $_GET['id'];
103.     $query = mysqli_query($conn,"SELECT * FROM products
WHERE categoryid = '$id' AND status = 0") or die (mysqli_error());
104.     $res = mysqli_num_rows($query);
105.     if($res == 0){
106.         echo "<div class='prod_box'>";
107.         echo "<div
class='top_prod_box'></div>";
108.         echo "<div class='center_prod_box'>";
```



```
109.             echo "<div
class='product_title'>There is no available product on this
category</div>";
110.             echo "<div class='product_img'><img
src='administrator/images/products/nocateg.jpg' width='94' height='92'
alt='' border='0' /></div>";
111.             echo "<div class='prod_price'></div>";
112.             echo "</div>";
113.             echo "<div class='bottom_prod_box'></div>";
114.             echo "<div class='prod_details_tab'><a
href='details.html' class='prod_details'>details</a> </div>";
115.             echo "</div>";
116.         }else{
117.         while($row = mysqli_fetch_array($query))
118.         {
119.             $prodid = $row['productid'];
120.             $prodsbid = $row['startingbid'];
121.             //for displaying highest bid and no of bidders
122.             $query2 = mysqli_query($conn,"SELECT * FROM
bidreport WHERE productid = '$prodid'") or die (mysqli_error());
123.             $noofbidders = mysqli_num_rows($query2);
124.             $highbid = $prodsbid;
125.             while($highonthis =
mysqli_fetch_array($query2)){
126.                 $checkthis = $highonthis['bidamount'];
127.                 if($checkthis > $highbid){
128.                     $highbid = $checkthis;
129.                 }
130.             }
131.             $highestbidder = mysqli_query($conn,"SELECT *
FROM bidreport WHERE bidamount = '$highbid'") or die (mysqli_error());
132.             $highestbiddera =
mysqli_fetch_array($highestbidder);
133.             $hibidder = $highestbiddera['bidder'];
134.             $name = mysqli_query($conn,"SELECT * FROM
member WHERE memberid = '$hibidder'") or die (mysqli_error());
135.             $namea = mysqli_fetch_array($name);
136.             $highname = $namea['userid'];
137.             echo "<div class='prod_box'>";
138.             echo "<div
class='top_prod_box'></div>";
139.             echo "<div class='center_prod_box'>";
140.             echo "<div
class='product_title'><a
href='details.php?id=".$row['productid']."'>".$row['prodname']."</a></d
iv>";
141.             echo "<div class='product_img'><a
href='details.php?id=".$row['productid']."'><img
src='administrator/images/products/".$row['prodimage']."' width='94'
height='92' alt='' border='0' /></a></div>";
142.             echo "<div
class='prod_price'><span>Start Bid at: </span> <span class='price'>P
".$row['startingbid']."</span><br />
143.             <span>Highest Bidder: </span> <span
class='price'>".$highname."</span>
144.             </div>";
145.             echo "</div>";
```

```
146.             echo "<div class='bottom_prod_box'></div>";
147.             echo "<div class='prod_details_tab'><a
             href='details.php?id=".$row['productid']."' class='prod_details'
             title='header=[Click to Bid] body=[ ] fade=[on]'>Bid Now</a> </div>";
148.             echo "</div>";
149.         }
150.     }
151. }
152.
153.
154. function onwatch(){
155.     global $conn;
156.     $who_u = $_SESSION['logged'];
157.     $query1 = mysqli_query($conn,"SELECT * FROM watchlist
    WHERE memberid = '$who_u'");
158.     while($row1 = mysqli_fetch_array($query1)){
159.         $prod = $row1['productid'];
160.         $query = mysqli_query($conn,"SELECT * FROM
    products WHERE productid = '$prod'");
161.         while($row = mysqli_fetch_array($query)){
162.             echo "<div class='prod_box'>";
163.             echo "<div
    class='top_prod_box'></div>";
164.             echo "<div
    class='center_prod_box'>";
165.             echo "<div
    class='product_title'><a
    href='details.php?id=".$row['productid']."'>".$row['prodname']."'</a></d
    iv>";
166.             echo "<div
    class='product_img'><a href='details.php?id=".$row['productid']."'><img
    src='administrator/images/products/".$row['prodimage']."' width='94'
    height='92' alt='' border='0' /></a></div>";
167.             echo "<div
    class='prod_price'><span
    class='reduce'>".$row['regularprice']."'</span> <span
    class='price'>".$row['startingbid']."'</span></div>";
168.             echo "</div>";
169.             echo "<div
    class='bottom_prod_box'></div>";
170.             echo "<div class='prod_details_tab'><a
    href='details.html' class='prod_details' title='header=[Click for
    Details] body=[ ] fade=[on]'>Details</a> </div>";
171.             echo "</div>";
172.         }
173.     }
174. }
175.
176. function account(){
177.     global $conn;
178.     if ($_SESSION['logged'] != 'guest'){
179.         echo "<li><a href='logout.php'
    class='nav3'>Log-Out</a></li>
180.         <li><a href='myaccount.php' class='nav3'>View
    Account</a></li>
181.         <li><a class='nav4'>Account</a></li>";
182.     }else{
```

```
183.             echo '<li><a href="login.php" class="nav4">Log-in or
    Register</a></li>';
184.         }
185. }
186.
187. ?>
```

BID.PHP

```
1. <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2. <html xmlns="http://www.w3.org/1999/xhtml">
3. <head>
4. <meta charset="utf-8">
5. <title>Bidding Zone - Message</title>
6.
7.
8. <head>
9.
10. <link rel="stylesheet" href="jquery-
    ui/development/themes/base/jquery.ui.all.css">
11. <script src="jquery-ui/development/jquery-1.5.1.js"></script>
12. <script src="jquery-ui/development/external/jquery.bgiframe-
    2.1.2.jss"></script>
13. <script src="jquery-
    ui/development/ui/jquery.ui.core.js"></script>
14. <script src="jquery-
    ui/development/ui/jquery.ui.widget.js"></script>
15. <script src="jquery-
    ui/development/ui/jquery.ui.mouse.js"></script>
16. <script src="jquery-
    ui/development/ui/jquery.ui.draggable.js"></script>
17. <script src="jquery-
    ui/development/ui/jquery.ui.position.js"></script>
18. <script src="jquery-
    ui/development/ui/jquery.ui.resizable.js"></script>
19. <script src="jquery-
    ui/development/ui/jquery.ui.dialog.js"></script>
20. <link rel="stylesheet" href="jquery-
    ui/development/demos/demos.css">
21. <script>
22.     $(function() {
23.
24.         $( "#dialog:ui-dialog" ).dialog( "destroy" );
25.
26.         $( "#dialog-modal" ).dialog({
27.             height: 140,
28.             modal: true
29.         });
30.     });
31. </script>
32.
33.
34.
35. </head>
```

```
36. <body>
37.
38.     <div id="templatmeo_content">
39.         <div class="demo">
40.             <div id="dialog-modal" title="Message">
41.                 <center>
42.                     <p><?php
43.                         session_start();
44.                         require("functions.php");
45.
46.                         echo "This product is no longer available<br /><br /><a
                           href=home.php>Back</a>";
47.                     ?></p>
48.                 <p></a></p>
49.             </center>
50.         </div>
51.     </div>
52. </div>
53.
54.
55.
56.
57. </body>
58. </html>
```

REGISTER.PHP

```
1. <?php
2.     require("functions.php");
3.     require("htmls.php");
4.     session_start();
5.     if (isset($_POST['next1'])) {
6.         $_SESSION['firstname']=$_POST['lname'];
7.         $_SESSION['lastname']=$_POST['fname'];
8.         $_SESSION['gender']=$_POST['gender'];
9.         $_SESSION['caddress']=$_POST['city'];
10.        $_SESSION['address']=$_POST['address'];
11.        $_SESSION['contactno']=$_POST['contactno'];
12.        $_SESSION['day']=$_POST['day'];
13.        $_SESSION['month']=$_POST['month'];
14.        $_SESSION['year']=$_POST['year'];
15.    }
16.    headhtml();
17. ?>
18.
19.     <div id="main_content">
20.         <div id="menu_tab">
21.             <div class="left_menu_corner"></div>
22.             <ul class="menu">
23.                 <li><a href="home.php" class="nav2">Home</a></li>
24.                 <li class="divider" ></li>
25.                 <li><a href="prodcateg.php" class="nav2">Products</a></li>
26.                 <li class="divider"></li>
27.
28. <?php account(); ?>
```

```
29. <script type='text/javascript'>
30.     jQuery(document).ready( function() {
31.         jQuery('.nav3').hide();
32.         jQuery('.nav4').click( function() {
33.             jQuery('.nav3').toggle('fade');
34.         });
35.     });
36. </script>
37. </ul>
38. <div class="right_menu_corner"></div>
39. </div>
40.
41. <div class="crumb_navigation"> Navigation: <a
href="signin.php">Sign Up</a> < <span class="current">Register Step
1</span> </div>
42. <div class="left_content">
43.     <div class="title_box">Categories</div>
44.     <ul class="left_menu">
45.         <?php
46.             categories();
47.         ?>
48.     <div class="title_box">Announcements</div>
49.     <div class="border_box">
50.         <input type="text" name="newsletter" class="newsletter_input"
value="your email"/>
51.         <a href="http://all-free-download.com/free-website-templates/"
class="join">join</a> </div>
52.     <div class="banner_adds"> <a href="http://all-free-
download.com/free-website-templates/"></a> </div>
53. </div>
54.
55. <div class="center_content">
56.     <div class="center_title_bar">Register > Second Step</div>
57.     <div class="prod_box_big">
58.         <div class="top_prod_box_big"></div>
59.         <div class="center_prod_box_big">
60.             <div class="contact_form">
61.                 <div class="form_row1">
62.                     <label class="contacts">
63.
64.                         <br><br>
65.                         <br><br>
66.                         <br><br><br><br><br>
67.                         <br><br>
68.
69.                     </label>
70.                 </div>
71.                 <div id="form_row1">
72.                     <form action="login.php" method="post" name="contacts-
form" id="contacts-form">
73.                         <strong>Email:</strong>
74.                         <input type="text" name="email1" id="email1"
class="required_email"/><br><br>
75.                         <strong>Desired Username:</strong>
76.                         <input type="text" name="loginid" id = "loginid"
class="required"/><br><br>
```

```
77.         <strong>Desired Password:</strong>
78.         <input type="password" name="pass1" id="pass1"
    class="required" onKeyUp="checkPass(); return false;"/></br></br>
79.         <strong>Confirm Password:</strong>
80.         <input type="password" name="pass2"
    id="pass2"onkeyup="checkPass(); return false;"/><span
    id="confirmMessage" class="confirmMessage"></span></br></br>
81.         <strong>Security Question:</strong>
82.         <select name="secques">
83.             <option>Pick a Security Question</option>
84.             <option>Am I Gorgeous?</option>
85.             <option>I'm Awesome, Am I?</option>
86.             <option>Name of my Pet?</option>
87.         </select></br></br>
88.         <strong>Secret Answer:</strong>
89.         <input type="text" name="secans" value="Your Secret
    Answer:" onFocus="if(this.value=='Your Secret Answer:') this.value='';"
    onBlur="if(this.value=='') this.value='Your Secret Answer:';"
    class="required"/></br></br></br></br>
90.
91.         <input type="submit" name="next2" value="Proceed"/>
92.     </form>
93. </div>
94.
95. </div>
96. </div>
97. <div class="bottom_prod_box_big"></div>
98. </div>
99. </div>
100.
101. </div>
```

BIDCONFIRM.PHP

```
1. <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2. <html xmlns="http://www.w3.org/1999/xhtml">
3. <head>
4. <meta charset="utf-8">
5. <title>Bidding Zone - Message</title>
6.
7.
8. <head>
9.
10.     <link rel="stylesheet" href="jquery-
    ui/development/themes/base/jquery.ui.all.css">
11.     <script src="jquery-ui/development/jquery-1.5.1.js"></script>
12.     <script src="jquery-ui/development/external/jquery.bgiframe-
    2.1.2.jss"></script>
13.     <script src="jquery-
    ui/development/ui/jquery.ui.core.js"></script>
14.     <script src="jquery-
    ui/development/ui/jquery.ui.widget.js"></script>
15.     <script src="jquery-
    ui/development/ui/jquery.ui.mouse.js"></script>
```

```
16.         <script src="jquery-
17.         ui/development/ui/jquery.ui.draggable.js"></script>
18.         <script src="jquery-
19.         ui/development/ui/jquery.ui.position.js"></script>
20.         <script src="jquery-
21.         ui/development/ui/jquery.ui.resizable.js"></script>
22.         <script src="jquery-
23.         ui/development/ui/jquery.ui.dialog.js"></script>
24.         <link rel="stylesheet" href="jquery-
25.         ui/development/demos/demos.css">
26.         <script>
27.             $(function() {
28.
29.                 $( "#dialog:ui-dialog" ).dialog( "destroy" );
30.
31.                 $( "#dialog-modal" ).dialog({
32.                     height: 140,
33.                     modal: true
34.                 });
35.             });
36.         </script>
37.     </head>
38.     <body>
39.
40.         <div id="templatemo_content">
41.             <div class="demo">
42.                 <div id="dialog-modal" title="Message">
43.                     <center>
44.                         <p><?php
45.
46. session_start();
47. require("functions.php");
48. if(isset($_POST['submit'])) {
49.     $high = $_POST['high'];
50.     $id = $_SESSION['prodid'];
51.     $bidamount = $_POST['bidamount'];
52.     $query = mysqli_query($conn,"SELECT * FROM products
53. WHERE productid = '$id'") or die (mysqli_error());
54.     $prod = mysqli_fetch_array($query);
55.     $userid = $_SESSION['ID'];
56.     $query2 = mysqli_query($conn,"SELECT * FROM member
57. WHERE memberid = '$userid'") or die (mysqli_error());
58.     $user = mysqli_fetch_array($query2);
59.     $biddername = $user['memberid'];
60.     $prodname = $prod['prodname'];
61.     if($bidamount > $high) {
62.         mysqli_query($conn,"INSERT INTO
63. bidreport(productid,bidder,biddatetime,bidamount,status) VALUES
64. ('$id','$biddername',now(), '$bidamount',0)");
65.         echo "Congratulations ".$_SESSION['user']."! You are
66. the highest bidder for Item ".$prodname."<br /><br /><a
67. href='details.php?id=".$_id.'">Back</a>";
68.
69.     }elseif($bidamount <= $high){
70.         echo "Your Bid is not counted for the amount is
71. lower than the highest bid or does not exceed the starting bid<br /><br
72. /><a href=details.php?id=".$_id.">Back</a>";
73.     }
```

```

60.         }
61.     }
62.
63.     ?></p>
64.                                     <p></a></p>
65.                                     </center>
66.                                 </div>
67.                    </div>
68.            </div>
69.
70.
71.
72.
73. </body>
74. </html>

```

BIDLOG.PHP

```

1. <?php require ("db.php"); ?>
2. <!DOCTYPE html>
3. <html xmlns="http://www.w3.org/1999/xhtml">
4. <head>
5.     <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
6.     <script language="JavaScript" type="text/javascript"
7.         src="administrator/jTPS/jquery.js"></script>
8.     <script language="JavaScript" type="text/javascript"
9.         src="administrator/jTPS/jTPS.js"></script>
10.    <link rel="stylesheet" type="text/css"
11.        href="administrator/jTPS/jTPS.css">
12.
13.    <script>
14.        $(document).ready(function () {
15.            $('#demoTable').jTPS(
16.                {perPages:[5,12,15,50,'ALL'],scrollStep:1,scrollDelay:30,clickCallback:
17.                function () {
18.
19.                    var table = '#demoTable';
20.
21.                    document.cookie = 'jTPS=sortasc:' + $(table + '
22.                    .sortableHeader').index($(table + ' .sortAsc')) + ',' + 'sortdesc:' +
23.                    $(table + ' .sortableHeader').index($(table + ' .sortDesc')) + ',' +
24.                    'page:' + $(table + ' .pageSelector').index($(table + '
25.                    .hilightPageSelector')) + ';;';
26.                }
27.            });
28.
29.            var cookies = document.cookie.split(';');
30.            for (var ci = 0, cie = cookies.length; ci < cie; ci++) {
31.                var cookie = cookies[ci].split('=');
32.                if (cookie[0] == 'jTPS') {
33.                    var commands = cookie[1].split(',');
34.                    for (var cm = 0, cme = commands.length; cm <
35.                    cme; cm++) {
36.
37.                        var command = commands[cm].split(':');

```



```

27.         if (command[0] == 'sortasc' &&
    parseInt(command[1]) >= 0) {
28.         } else if (command[0] ==
    'sortdesc' && parseInt(command[1]) >= 0) {
29.             $('#demoTable
    .sortableHeader:eq(' + parseInt(command[1]) + ')').click().click();
30.         } else if (command[0] ==
    'page' && parseInt(command[1]) >= 0) {
31.             $('#demoTable
    .pageSelector:eq(' + parseInt(command[1]) + ')').click();
32.         }
33.     }
34. }
35. }
36.
37.     $('#demoTable tbody
    tr:not(.stubCell)').bind('mouseover mouseout',
38.     function (e) {
39.
40.         e.type == 'mouseover' ?
    $(this).children('td').addClass('highlightRow') :
    $(this).children('td').removeClass('highlightRow');
41.     }
42. );
43.
44. });
45.
46.
47. </script>
48. <style>
49.     body {
50.         font-family: Tahoma;
51.         font-size: 9pt;
52.     }
53.     #demoTable thead th {
54.         white-space: nowrap;
55.         overflow-x: hidden;
56.         padding: 3px;
57.     }
58.     #demoTable tbody td {
59.         padding: 3px;
60.     }
61. </style>
62.
63. <meta charset="UTF-8"></head>
64.
65. <body>
66.     <div id="container">
67.         <?php
68.             $id = $_GET['id'];
69.             $pname = mysqli_query($conn, "SELECT * FROM products
    WHERE productid='$id'") or die(mysqli_error());
70.             $pnamea = mysqli_fetch_array($pname);
71.         ?>
72.         <center><h5><?php echo
    $pnamea['prodname']; ?> Bidding Log</h5></center>
73.         <div id="bodycon">

```

```
74.         <table id="demoTable" style="border: 1px
solid #ccc;" cellpadding="0" width="700">
75.         <thead>
76.             <?php echo '<tr>';
77.             echo '<th sort="index"
align="center">Bidder</th>';
78.             echo '<th sort="date" align="center">Date of
Bid Placed</th>';
79.             echo '<th sort="description"
align="center">Amount</th>';
80.
81.             echo '</tr>'; ?>
82.         </thead>
83.         <tbody>
84.             <?php
85.                 $prodid = $_GET['id'];
86.                 $query = mysqli_query($conn, "SELECT *
FROM bidreport LEFT JOIN member ON member.memberid = bidreport.bidder
LEFT JOIN products ON products.productid = bidreport.productid WHERE
products.productid = '$prodid'" ) or die(mysqli_error());
87.                 while ($prod =
mysqli_fetch_array($query)) {
88.                     echo
89.                     "<tr>
90.                     <td align='center'>".$prod['lastname'].",
".$prod['firstname']. "</td>
91.                     <td
align='center'>".$prod['biddatetime']. "</td>
92.                     <td
align='center'>P".$prod['bidamount']. "</td>
93.                     </tr>";
94.                 }
95.             ?>
96.
97.         </tbody>
98.         <tfoot class="nav">
99.             <tr>
100.                 <td colspan=7>
101.                     <div class="pagination"></div>
102.                     <div
class="paginationTitle">Page</div>
103.                     <div class="selectPerPage"></div>
104.                     <div class="status"></div>
105.                 </td>
106.             </tr>
107.         </tfoot>
108.     </table>
109.
110.
111. </div>
112. </body>
113. </html>
```

MANAGEMEPRODUCT.PHP (ADD, MODIFY AND DELETE)

```
1. <?php
2.
3. session_start();
4. if($_SESSION['isvalid'] != "true"){
5.     header("location:index.php");
6. }
7. require ("../db.php");
8. function cats(){
9.     global $conn;
10.     $query = mysqli_query($conn,"SELECT * FROM
    `pcategories`") or die (mysqli_error());
11.     echo "<select name ='category'>";
12.     echo "<option>Select Category</option>";
13.     while($row = mysqli_fetch_array($query)){
14.
15.         echo "<option
    value='".$row['categoryid']."'>".$row['categoryname']."</option>";
16.     }
17.     echo "</select>";
18. }
19. if (isset($_POST['prodsave'])){
20.
21.     $prodname=$_POST['prodname'];
22.     $startingbid=$_POST['startingbid'];
23.     $regularprice=$_POST['regularprice'];
24.     $category=$_POST['category'];
25.     $descript=$_POST['descript'];
26.     if ($startingbid > 10000){
27.         $fdate = time() + (31 * 24 * 60 * 60);
28.         $duedate = date('Y-m-d',$fdate);
29.     }else{
30.         $fdate = time() + (14 * 24 * 60 * 60);
31.         $duedate = date('Y-m-d',$fdate);
32.     }
33.     $datenow = date("F j, Y, g:i a");
34.     $name = $_FILES["image"] ["name"];
35.     $type = $_FILES["image"] ["type"];
36.     $size = $_FILES["image"] ["size"];
37.     $temp = $_FILES["image"] ["tmp_name"];
38.     $error = $_FILES["image"] ["error"];
39.     mysqli_query($conn,"INSERT INTO
    products(prodname,categoryid,prodescription,startingbid,prodimage,regul
    arprice,dateposted,duedate,status)
40.                                     VALUES
    ('$prodname','$category','$descript','$startingbid','$name','$regularpri
    ce',NOW(),'$duedate',0)") or die(mysqli_error());
41.     echo "Product has been
    successfully added to database!!!<br>";
42.     if ($error > 0){
43.         die("Error uploading file! Code $error.");}
44.     else
45.     {
46.         if($size > 10000000) //conditions for the file
47.         {
```

```
48.         die("Format is not allowed or file size is too big!");
49.     }
50.     else
51.     {
52.         move_uploaded_file($temp,"images/products/".$$name);
53.     }
54. }
55.
56.
57. }
58.
59. ?>
60.
61. <!DOCTYPE html>
62. <html xmlns="http://www.w3.org/1999/xhtml">
63. <head>
64.     <meta http-equiv="Content-Type" content="text/html;
        charset=UTF-8" />
65.
66.     <title>Bidding Zone - Administrator</title>
67.
68.     <link type="text/css" href="./style.css" rel="stylesheet" />
69.
70.     <script type='text/javascript' src='./js/jquery-
        1.4.2.min.js'></script>
71.     <script type='text/javascript' src='./js/jquery-ui-
        1.8.5.custom.min.js'></script>
72.     <script type='text/javascript' src='./js/cufon-
        yui.js'></script>
73.     <script type='text/javascript'
        src='./js/colaboratelight_400.font.js'></script>
74.     <script type='text/javascript'
        src='./js/easytooltip.js'></script>
75.     <!--[if IE 8]>
76.         <script type='text/javascript'
        src='http://hello.amnesio.com/js/excanvas.js'></script>
77.         <link rel="stylesheet"
        href="http://hello.amnesio.com/css/IEfix.css" type="text/css"
        media="screen" />
78.     <![endif]-->
79.
80.     <!--[if IE 7]>
81.         <script type='text/javascript'
        src='http://hello.amnesio.com/js/excanvas.js'></script>
82.         <link rel="stylesheet"
        href="http://hello.amnesio.com/css/IEfix.css" type="text/css"
        media="screen" />
83.     <![endif]-->
84.
85.     <script type='text/javascript'
        src='./js/visualize.jquery.js'></script>
86.     <script type='text/javascript' src='./js/iphone-style-
        checkboxes.js'></script>
87.     <script type='text/javascript' src='./js/custom.js'></script>
88. <meta charset="UTF-8"></head>
89.
90. <body>
```

[illegible]

```

132.                <ul><input type="text" name="prodname"
    class="namewidth"/></ul>
133.                <p><input type="text"
    name="startingbid" class="namewidth"/></p>
134.                <p><input type="text"
    name="regularprice" class="namewidth"/></p>
135.                <p><?php cats(); ?></p>
136.                <p><textarea name="descript"
    class="namewidth" /></textarea></p>
137.                <p><input type="file" name="image"
    class="namewidth"/></p>
138.                <br/>
139.                <p><input type="submit"
    name="prodsave" value="Save Product"/></p>
140.                </div>
141.                </form>
142.
143.                </div>
144.                </div>
145.
146.                <div class="one_third
    last column">
147.                <h5></h5>
148.                </div>
149.                <hr />
150.                <HR>
151.                <HR/>
152.                <div
    class="clearboth"></div>
153.                </div><!-- three_fourth
    last -->
154.                </div>
155.                <div class="clearboth"
    style="padding-bottom:20px;"></div>
156.                </div> <!-- inner -->
157.                </div> <!-- primary_right -->
158.                </div> <!-- bgwrap -->
159.                </div> <!-- container -->
160. </body>
161. </html>

```