

# New Test Suite1

## Execution Environment

Host name	Hp - 20.23.0.106
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

## Summary

ID	Test Suites/New Test Suite1		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	14-06-2024 15:02:21	End	14-06-2024 15:06:03
Elapsed	3m - 41.610s		

#	ID	Description	Status
1	Test Cases/Ns College/Academics		FAILED
2	Test Cases/Ns College/IQAC		FAILED

# Academics

## Information

ID	Test Cases/Ns College/Academics		
Description			
Tag			
Start	14-06-2024 15:04:32	End	14-06-2024 15:05:16
Elapsed	43.367s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.469s	PASSED
2	navigateToUrl("https://nscollege.org.in/")  Navigate to 'https://nscollege.org.in/' successfully	8.943s	PASSED
3	click(findTestObject("Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_x"))  Object: 'Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_x' is clicked on	0.343s	PASSED


# Academics

#	Description	Elapsed	Status
4	<p>click(findTestObject("Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_Academic Calendar"))</p> <p>Unable to click on object 'Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_Academic Calendar' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_Academic Calendar'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at Academics.run(Academics:26)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1718357535186.run(TempTestSuite1718357535186.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable     (Session info: chrome=125.0.6422.142) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p>	31.585s	FAILED

# Academics

#	Description	Elapsed	Status
	<p>System info: host: 'RUSALABI16', ip: '20.23.0.106', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\Hp\AppData\Local\T...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49506}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 1a35f84138c2d28ce02a872e653bdbbf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p>		

# Academics

#	Description	Elapsed	Status
	<pre>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718354924161.run(Script1718354924161.groovy:26) ... 18 more )</pre>		
			

# IQAC

## Information

ID	Test Cases/Ns College/IQAC		
Description			
Tag			
Start	14-06-2024 15:05:50	End	14-06-2024 15:06:01
Elapsed	10.997s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.198s	PASSED
2	navigateToUrl("https://nscollege.org.in/")  Navigate to 'https://nscollege.org.in/' successfully	7.910s	PASSED
3	click(findTestObject("Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_x"))  Object: 'Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_x' is clicked on	0.313s	PASSED

# IQAC

#	Description	Elapsed	Status
4	<p>click(findTestObject("Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_IQAC"))</p> <p>Unable to click on object 'Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_IQAC' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_NADAR SARASWATHI COLLEGE OF ARTS AND SCIENCE/a_IQAC'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at IQAC.run(IQAC:26)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1718357535186.run(TempTestSuite1718357535186.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p>	0.553s	FAILED

# IQAC

#	Description	Elapsed	Status
	<p>System info: host: 'RUSALABI16', ip: '20.23.0.106', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49717}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 7d5d3c30525141370435fe3179563eb7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p>		



# IQAC

#	Description	Elapsed	Status
	<pre>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718357099199.run(Script1718357099199.groovy:26) ... 18 more )</pre>		
	