
0522_621_010_PCR_TP1_27F_D06.ab1

0522_621_010_PCR_TP1_27F C#:42 W:D6 Plate Name:26052022C KB 1.4.1.8 KB.bcp

KB_3730_POP7_BDTv3.mob

TS:35 CRL:1010 QV20+:1025



Sequence Scanner Software 2 v2.0


0522_621_010_PCR_TP1_27F_D06.ab1

0522_621_010_PCR_TP1_27F

KB 1.4.1.8 KB.bcp

KB_3730_POP7_BDTv3.mob

Electropherogram Data Page 2 of 5



10 16

Mixed Base QVs:

Signal: G:280 A:321 T:317 C:395 AvgSig: 328

0522_621_010_PCR_TP1_27F_D06.ab1 0522_621_010_PCR_TP1_27F


0700 0007 007 0

KB 1.4.1.8 KB.bcp

KB_3730_POP7_BDTv3.mob

C#:42 W:D6 Plate Name:26052022C

TS:35 CRL:1010 QV20+:1025




0522_621_010_PCR_TP1_27F_D06.ab1 0522_621_010_PCR_TP1_27F

KB_3730_POP7_BDTv3.mob

KB 1.4.1.8 KB.bcp

TS:35 CRL:1010 QV20+:1025

C#:42 W:D6 Plate Name:26052022C



Mixed Base QVs:


Signal: G:280 A:321 T:317 C:395 AvgSig: 328

0522_621_010_PCR_TP1_27F_D06.ab1 0522_621_010_PCR_TP1_27F

KB 1.4.1.8 KB.bcp

KB_3730_POP7_BDTv3.mob

C#:42 W:D6 Plate Name:26052022C TS:35 CRL:1010 QV20+:1025



Printed on: May 27,2022 16:42:13 IST