

AWS CI/CD Pipeline Lab - Cleanup Guide

Overview

This document provides the cleanup procedure for all resources created during the AWS CI/CD Pipeline Lab.

The lab used:

- GitHub
- AWS CodePipeline
- AWS CodeBuild
- Amazon S3 (Website Bucket)
- Amazon S3 (CodePipeline Artifact Bucket)
- IAM Roles

Performing cleanup ensures that no unnecessary AWS resources remain active after completing the lab.

Resources Created

During the implementation of this project, the following resources were created:

Resource Type	Example Name
CodePipeline	demo-pipeline
CodeBuild	demo-build
Website S3 Bucket	aws-devops-demo-bucket-2026
CodePipeline Artifact Bucket	codepipeline-ap-south-1-xxxxxxx
IAM Roles	AWSCodePipelineServiceRole, CodeBuild Service Role
GitHub Repository	aws-devops-demo

Cleanup Architecture

CodePipeline
↓
CodeBuild
↓
Website Bucket
↓
Artifact Bucket
↓
IAM Roles
↓
GitHub Repository

Resources should be removed in this order to avoid dependency issues.

Step 1 - Delete CodePipeline

Navigate to:

AWS Console

→ CodePipeline

Select:

demo-pipeline

Choose:

Delete Pipeline

Confirm deletion.

Step 2 - Delete CodeBuild Project

Navigate to:

AWS Console

→ CodeBuild

Select:

demo-build

Choose:

Delete Build Project

Confirm deletion.

Step 3 - Delete Website S3 Bucket Objects

Navigate to:

AWS Console

→ S3

→ aws-devops-demo-bucket-2026

Open:

Objects

Select all files:

- index.html
- buildspec.yml
- README.md

Choose:

Delete

Confirm deletion.

Step 4 - Delete Website S3 Bucket

After the bucket becomes empty:

Choose:

Delete Bucket

Enter bucket name for confirmation.

Delete the bucket.

Step 5 - Delete CodePipeline Artifact Bucket Objects

Navigate to:

AWS Console

→ S3

Locate the automatically created bucket:

codepipeline-ap-south-1-xxxxxxx

Open the bucket.

You should see:

```
demo-pipeline/  
├── SourceArti/  
└── BuildArtif/
```

Delete:

- SourceArti
- BuildArtif

Or simply choose:

Empty Bucket

and confirm deletion.

Step 6 - Delete CodePipeline Artifact Bucket

After the artifact bucket is empty:

Choose:

Delete Bucket

Enter bucket name for confirmation.

Delete the bucket.

Step 7 - Delete IAM Roles

Navigate to:

AWS Console

→ IAM

→ Roles

Locate the roles created during the lab.

Examples:

`AWSCodePipelineServiceRole-ap-south-1-demo-pipeline`
`codebuild-demo-build-service-role`

Delete only the roles created for this project.

Important:

Do not delete shared IAM roles used by other applications.

Step 8 - Delete GitHub Repository (Optional)

If the repository was created only for learning purposes:

Navigate to:

GitHub

→ Repository

→ Settings

→ Danger Zone

Choose:

Delete Repository

Confirm repository name.

Delete repository.

Verification Checklist

Verify that the following resources no longer exist:

- CodePipeline deleted
- CodeBuild project deleted
- Website S3 bucket deleted
- CodePipeline artifact bucket deleted
- IAM roles deleted
- GitHub repository deleted (optional)

Expected Result


After successful cleanup: No AWS resources from this lab remain active.

The AWS account is now clean and ready for future DevOps hands-on projects.

Key Learning

The CodePipeline Artifact Bucket is often overlooked during cleanup.

Pipeline Flow:



Understanding and removing both the Website Bucket and Artifact Bucket is an important DevOps operational practice.