Jenkins

+ New Item

Build History

Add description

Build Queue

No builds in the queue.

Build Executor Status

Built-In Node	0/2
prod-node	0/1
test-node	0/1

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration
✓	☀	6.1-push-pipeline	1 day 18 hr #13	N/A	12 sec
✓	☀	6.3-pipeline	1 day 18 hr #2	N/A	42 sec
✓	☀	Job1-build	14 min #6	N/A	2 sec
✓	☀	Job2-test	13 min #7	N/A	1.9 sec
✓	☀	Job3-prod	13 min #3	N/A	1.9 sec
✓	☀	prod	1 day 18 hr #2	N/A	10 sec
✓	⛅	push-to-prod	1 day 19 hr #3	1 day 19 hr #1	10 sec
✓	⛅	push-to-test	1 day 19 hr #3	1 day 19 hr #1	13 sec
✓	☀	test	1 day 18 hr #5	N/A	11 sec

Icon: S M L

REST API Jenkins 2.580.1

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

General

Enabled

Description

Capstone 1 - Job1 build. Triggered by a GitHub push on master or develop.

Plain text Preview

Discard old builds

GitHub project

This project is parameterized

String Parameter

Name

BRANCH_OVERRIDE

Default Value

Description

Pre-flight only: force the branch instead of reading GIT_BRANCH from the push.

Plain text Preview

Trim the string

+ Add Parameter

Throttle builds

Execute concurrent builds if necessary

Restrict where this project can be run

Label Expression

built-in

Label built-in matches 1 node. Permissions or other restrictions provided by plugins may further reduce that list.

Advanced

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

None

Git

Repositories

Repository URL

git@github.com:This1sN0tMe/abode-website.git

Credentials

- none -

+ Add

Advanced

+ Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/master

Branch Specifier (blank for 'any')

*/develop

+ Add Branch

Repository browser

(Auto)

Additional Behaviours

+ Add

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

Save Apply

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

General

Enabled

Description

Capstone 1 - Job2 test. Asserts the served bytes; invokes Job3 only on a master push.

Plain text Preview

Discard old builds ?

GitHub project

This project is parameterized ?

String Parameter ?

Name ?

BRANCH

Default Value ?

develop

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

PROD_PROMOTED

Default Value ?

no

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

IMAGE

Default Value ?

abode-website:latest

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

IMAGE_ID

Default Value ?

none

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

COMMIT

Default Value ?

none

Save Apply

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

General

Enabled

Description

Capstone 1 - Job3 prod. Deploys the exact image Job2 verified.

Plain text Preview

Discard old builds ?

GitHub project

This project is parameterized ?

String Parameter ?

Name ?

BRANCH

Default Value ?

develop

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

PROD_PROMOTED

Default Value ?

no

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

IMAGE

Default Value ?

abode-website:latest

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

IMAGE_ID

Default Value ?

none

Description ?

Plain text Preview

Trim the string ?

String Parameter ?

Name ?

COMMIT

Default Value ?

none

Save Apply

Status
Changes
Console Output
Delete build '#6'
Polling Log
Parameters
Git Build Data
Edit build information
Previous Build

Console

Download | Copy | View as plain text

```
Started by GitHub push by This1sN0tMe
Running as SYSTEM
Building on the built-in node in workspace /Users/user/dev/labs/devops/jenkins/home/workspace/Job1-build
The recommended git tool is: NONE
No credentials specified
 > git rev-parse --resolve-git-dir /Users/user/dev/labs/devops/jenkins/home/workspace/Job1-build/.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url git@github.com:This1sN0tMe/abode-website.git # timeout=10
Fetching upstream changes from git@github.com:This1sN0tMe/abode-website.git
 > git --version # timeout=10
 > git --version # 'git version 2.50.1 (Apple Git-155)'
 > git fetch --tags --force --progress -- git@github.com:This1sN0tMe/abode-website.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/develop
Seen branch in repository origin/master
Seen 2 remote branches
 > git show-ref --tags -d # timeout=10
Checking out Revision dd387fd1dc3261d64734a321a41df6dd04ecaeb2 (origin/master)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f dd387fd1dc3261d64734a321a41df6dd04ecaeb2 # timeout=10
Commit message: "release: merge develop into master for the Capstone 1 capture"
 > git rev-list --no-walk 14db960127c0ed84047d7ce4ab52b4946746210f # timeout=10
[Job1-build] $ /bin/sh -xe /var/folders/qk/fjnxz1wx4t9925nbwky4ncjw0000gn/T/jenkins7381574435931469748.sh
+ bash /Users/user/dev/labs/devops/capstones/capstone1/runners/job1-build.sh
BRANCH=master
BRANCH_SOURCE=scm
REF=origin/master
COMMIT=dd387fd
PROD_PROMOTED=yes
#0 building with "colima" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 928B done
#1 DONE 0.0s

#2 [internal] load metadata for docker.io/hshar/webapp:latest
#2 DONE 0.0s

#3 [internal] load .dockerignore
#3 transferring context: 2B done
#3 DONE 0.0s

#4 [internal] load build context
#4 transferring context: 97B done
#4 DONE 0.0s

#5 [1/3] FROM docker.io/hshar/webapp:latest@sha256:3c7cbcab1a26c01410dcc9cbc57252b50d9ed2f31a2dc24e3f066c61b88e839b
#5 resolve docker.io/hshar/webapp:latest@sha256:3c7cbcab1a26c01410dcc9cbc57252b50d9ed2f31a2dc24e3f066c61b88e839b
0.0s done
#5 DONE 0.0s

#6 [2/3] COPY index.html /var/www/html/index.html
#6 CACHED

#7 [3/3] COPY images/ /var/www/html/images/
#7 CACHED

#8 exporting to image
#8 exporting layers done
#8 exporting manifest sha256:74094eed5f672c6fe0806af1f9f439376689bcc1bfab5a3a5b9ddc9500972a3b done
#8 exporting config sha256:5f011b4519884c93d40c5cd268b93459a77d0765a985392016038c1797f4e401 done
#8 exporting attestation manifest sha256:393f75fdd3e02e56528eb6c3596481db889435e23f899bc7a0a5d5352aa62202 0.0s done
#8 exporting manifest list sha256:1c622dc0c928137270b8424178526f3e11a3535551f848745ad8940b166fb2a6
#8 exporting manifest list sha256:1c622dc0c928137270b8424178526f3e11a3535551f848745ad8940b166fb2a6 done
#8 naming to docker.io/library/abode-website:b6 done
#8 unpacking to docker.io/library/abode-website:b6 0.0s done
#8 naming to docker.io/library/abode-website:latest done
#8 unpacking to docker.io/library/abode-website:latest 0.0s done
#8 DONE 0.1s
IMAGE=abode-website:b6
IMAGE_ID=sha256:1c622dc0c928137270b8424178526f3e11a3535551f848745ad8940b166fb2a6
JOB2_TRIGGER_HTTP=201
RESULT BUILD PASS image=abode-website:b6
Finished: SUCCESS
```

Hello world!



GitHub