Homework 1 - Perl

MISLab

Installation


For Linux and OS X:

Perl is built-in.

For Windows:


See the following steps.

Download




http://www.activestate.com/activeperl/downloads

Download



http://www.activestate.com/activeperl/downloads


Next, next and next..., besides this step.



HelloWorld.pl

```
print "Hello World\n";
```

Run in cmd.exe



Movie Showtime

URL of Theaters

台南國賓影城

http://www.atmovies.com.tw/showtime/theater_t06608_a06.html

台南新光影城

http://www.atmovies.com.tw/showtime/theater_t06607_a06.html

台南威秀影城

http://www.atmovies.com.tw/showtime/theater_t06609_a06.html

Showtime Today

來自星星的傻瓜



12:10 ☆訂票

17:50 ☆訂票

21:50 ☆訂票

152分 | 152分

其他戲院(19)

分歧者2:叛亂者



11:25 ☆訂票

13:50 ☆訂票

16:15 ☆訂票

18:40 ☆訂票

21:05 ☆訂票

23:30 ☆訂票

請 片長:119分

其他戲院(53)

加班遇到鬼



12:00 ☆訂票

仙履奇緣



10:10 ☆訂票

13:15 ☆訂票

18:10 ☆訂票

21:00 ☆訂票

請 片長:96分

其他戲院(8)

一 片長: 114分

其他戲院(73)

Parse HTML Code with Regular Expression

```
</div><!--showtime_block end--><div class="showtime_block">
<div class="showtime_box"><div class="film_title"><a
href="/movie/fphi22338151/">來自星星的傻瓜</a></div><div
class="showtime_poster"><a
href="http://gallery.photowant.com/b/gallery.cfm?action=poste
r&filmid=fphi22338151" target=_blank><img
src="http://www.photowant.com/photo101/fphi22338151/pm_fphi22
338151_0002.jpg" width=100 height=140></a></br></rr></rr>338151_0002.jpg" width=100 height=140></a></br></rr>338151_showtime_satmovies.com.tw/images/cer_P.gif" hspace=0
align=absmiddle /> 片長:152分</div><div
class="showtime_table"><div class="showtime_area"><div
class="version"></div><UL> ...
```

Output Example

```
> perl showtime.pl
來自星星的傻瓜
12:10
17:50
21:50
KANO分歧者2:叛亂者
11:25
13:50
16:15
18:40
21:05
23:30
```

Deadline 2015/04/12 22:00