Measuring Layout Agreement of Imported Documents Against Their Source Rendering

Alex Rivera and Sam Okafor
Department of Computer Science, Example University

***Abstract*—We describe a method for scoring how closely an imported word-processor document matches the layout of its source. Page counts, words per page and first-divergence position are combined into a report that points at the earliest layout error.**

***Index Terms*—document import, pagination, layout fidelity, equations**

I. INTRODUCTION

Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and move later pages out of step [1].

The score of a page is a ratio $s = \frac{n}{N}$, where n is the number of matching words and N the number in the reference.[1]

$$E = mc^2 \tag{1}$$

We measure agreement page by page against the original rendering and report the first paragraph at which the two layouts diverge, because a single early shift makes every later page look wrong [2], [3].

A. Problem statement

The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing.

$$D = \sum_{i=1}^{N} \frac{1}{2} |a - b| \tag{2}$$

Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4].

Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and move later pages out of step [1]. We measure agreement page by page against the original rendering and report the first paragraph at which the two layouts diverge, because a single early shift makes every later page look wrong [2], [3].

B. Contributions

The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing. Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4].

TABLE I. Page agreement for the sample documents (full width)

Document	Pages (ref)	Pages (got)	Words ok	Layout	Edges	First divergence
Sample A	14	14	0.99	0.91	yes	none
Sample B	32	37	0.98	0.40	no	page 2
Sample C	31	31	1.00	0.88	yes	page 18

II. METHOD

We measure agreement page by page against the original rendering and report the first paragraph at which the two layouts diverge, because a single early shift makes every later page look wrong [2], [3]. The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing.

$$\sqrt{x + y} \le z \tag{3}$$

Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4]. Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and move later pages out of step [1].

TABLE II. Settings used

Setting	Value
Dpi	96
Shift	4 px

Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and

[1] Words are compared after lower-casing and removing punctuation.

move later pages out of step [1]. We measure agreement page by page against the original rendering and report the first paragraph at which the two layouts diverge, because a single early shift makes every later page look wrong [2], [3]. The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing.

III. RESULTS

The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing. Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4]. Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and move later pages out of step [1].

We measure agreement page by page against the original rendering and report the first paragraph at which the two layouts diverge, because a single early shift makes every later page look wrong [2], [3]. The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing. Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4]. Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and move later pages out of step [1].

Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4]. Reliable import of word-processor files depends on resolving every layout property the author set, not only the text. Small differences in line height accumulate over a page and move later pages out of step [1]. We measure agreement page by page against the original rendering and report the first paragraph at which the two layouts diverge, because a single early shift makes every later page look wrong [2], [3].

IV. CONCLUSION

The converter resolves styles down to inline properties, so the editor never has to know the style chain of the source document. This keeps the editor simple but makes the converter responsible for exact spacing. Section breaks carry their own margins, columns and page size. A faithful import has to honour each section, including continuous breaks that change the column count in the middle of a page [4].

REFERENCES

[1] A. Author, “Layout in word processors,” J. Docs, vol. 1, no. 1, pp. 1–10, 2020.

[2] B. Writer, “Pagination,” Proc. Conf., 2021, pp. 11–20.

[3] C. Reader, “Importing documents,” Trans. Doc., vol. 2, 2022.

[4] D. Editor, “Sections and columns,” Doc. Eng., 2023.