

Inventory, Equipment Pricing and Procurement

තොග පාලනය, උපකරණ මිලකරණය සහ
ප්‍රසම්පාදනය

Distinct agent contribution: **EquipmentPricingAgent**

Bilingual study guide: every English learning point is followed by its Sinhala explanation. Based on the 2026 Assignment 1 specification and the current repository. Verify live behaviour and use only truthful personal contribution evidence.

1. Your ownership boundary

1. ඔබගේ වගකීම් සීමාව

Convert an approved, engineer-requested proposal into a validated LKR equipment estimate, then reserve or release stock through safe, transactional and auditable operations.

Engineer request කළ approved proposal එක validated LKR equipment estimate එකක් බවට පත් කර safe, transactional සහ auditable operations මගින් stock reserve හෝ release කිරීම.

Code areas you must know

```
backend/SolarPlatform.Api/Features/Inventory
frontend-web/src/features/inventory
frontend-mobile/lib/features/inventory
agentic-ai/app/features/inventory
backend/SolarPlatform.Tests/Features/Inventory
```

What you own in the product

- **Catalog UI supports professional search, category/sort filters, low-stock state, availability and clear stock/reserved/available values.**

Catalog UI එක professional search, category/sort filters, low-stock state, availability සහ stock/reserved/available values පැහැදිලිව පෙන්වයි.

- **Pricing selection shows customer and project name plus capacity, so staff do not identify work by GUID alone.**

Pricing selection එක customer name, project name සහ capacity පෙන්වන නිසා staffට GUID එකකින් පමණක් job එක හඳුනාගැනීමට අවශ්‍ය නොවේ.

- **An engineer inventory request must exist before inventory staff prepare equipment, preserving responsibility boundaries.**

Inventory staff උපකරණ සකස් කිරීමට පෙර engineer inventory request එකක් තිබිය යුතුය; මෙය responsibility boundaries රකියි.

- **The quote presents itemized equipment, LKR total, exchange-rate date, expiry and a readable workflow timeline.**

Quote එක itemized equipment, LKR total, exchange-rate date, expiry සහ readable workflow timeline පෙන්වයි.

- **Reservation and release update stock atomically; retries are idempotent and availability is rechecked at commit time.**

Reservation සහ release stock atomic ලෙස update කරයි; retries idempotent වන අතර commit වේලාවේ availability නැවත පරීක්ෂා කරයි.

2. What the assignment will mark

2. Assignment එකෙන් ලකුණු දෙන කොටස්

The final evaluation is one 10-minute group demonstration plus a 20-minute viva. The total is 30 group marks and 70 individual marks. Every member may be asked to explain, modify, test or debug their own work.

Final evaluation එක 10-minute group demonstration එකක් සහ 20-minute viva එකක් වේ. Total ලකුණු 30 group සහ 70 individual වේ. සෑම member කෙනෙකුටම තම වැඩ explain, modify, test හෝ debug කිරීමට ඉල්ලා සිටිය හැකිය.

- **ASP.NET Core API - 10: explain REST routes, DTOs, async services, validation, status codes, authorization and exception handling; be ready to change or debug one endpoint.**

ASP.NET Core API - ලකුණු 10: REST routes, DTOs, async services, validation, status codes, authorization සහ exception handling ඇහැදිලි කර endpoint එකක් වෙනස් හෝ debug කිරීමට සූදානම් වන්න.

- **PostgreSQL - 10: explain entities, keys, relationships, constraints, indexes, migrations, audit fields and transaction boundaries.**

PostgreSQL - ලකුණු 10: entities, keys, relationships, constraints, indexes, migrations, audit fields සහ transaction boundaries ඇහැදිලි කරන්න.

- **React - 10: explain routing, hooks/state, protected navigation, API integration, reusable UI, validation and loading/empty/error/success states.**

React - ලකුණු 10: routing, hooks/state, protected navigation, API integration, reusable UI, validation සහ loading/empty/error/success states ඇහැදිලි කරන්න.

- **Flutter - 10: explain navigation, reusable widgets, API/token handling, responsive layout, validation, state and the device feature used by your component.**

Flutter - ලකුණු 10: navigation, reusable widgets, API/token handling, responsive layout, validation, state සහ ඔබගේ component එකේ device feature එක ඇහැදිලි කරන්න.

- **Individual agent - 12: prove a distinct responsibility, typed input/output, controlled tools, deterministic validation, errors, security, observability, tests and visible workflow participation.**

Individual agent - ලකුණු 12: වෙනස් responsibility එකක්, typed input/output, controlled tools, deterministic validation, errors, security, observability, tests සහ workflow participation පෙන්වන්න.

- **Integration and security - 10: trace one request across both clients, ASP.NET, PostgreSQL and Python; explain JWT, RBAC, internal key, secrets and safe failure.**

Integration සහ security - ලකුණු 10: request එකක් clients, ASP.NET, PostgreSQL සහ Python හරහා trace කර JWT, RBAC, internal key, secrets සහ safe failure ඇහැදිලි කරන්න.

- **Testing, CI and Git - 8: explain one meaningful test, a failure it prevents, the GitHub Actions steps, your issues/commits/PRs/reviews and how you diagnose CI.**

Testing, CI සහ Git - ලකුණු 8: meaningful test එකක්, එය වැළැක්වෙන failure එක, GitHub Actions steps, ඔබගේ issues/commits/PRs/reviews සහ CI diagnose කරන ආකාරය පැහැදිලි කරන්න.

During the final demonstration and viva, external AI assistants, chatbots, copilots and agentic coding tools are not allowed. The submitted application's own Agentic AI subsystem must be run.

Final demonstration සහ viva අතර external AI assistants, chatbots, copilots සහ agentic coding tools භාවිතා කළ නොහැක. Submit කළ application එකේ Agentic AI subsystem එක run කළ යුතුය.

3. Integrated architecture you must draw and explain

3. ඔබ ඇඳ පැහැදිලි කළ යුතු integrated architecture එක

- **React staff portal and Flutter operational app call only the ASP.NET Core public API.**

React staff portal එක සහ Flutter operational app එක call කරන්නේ ASP.NET Core public API එක පමණයි.

- **ASP.NET Core owns authentication, role authorization, validation, business rules, persistence, approval and audit logging.**

Authentication, role authorization, validation, business rules, persistence, approval සහ audit logging වල authoritative layer එක ASP.NET Core වේ.

- **Entity Framework Core maps the domain entities to PostgreSQL; migrations version the schema.**

Entity Framework Core මගින් domain entities PostgreSQL tables සමඟ map කරන අතර migrations මගින් schema වෙනස්කම් version කරයි.

- **ASP.NET calls the internal FastAPI agent service using X-Internal-Key. Clients never call Python directly.**

ASP.NET විසින් X-Internal-Key භාවිතා කර internal FastAPI agent service එක call කරයි. Client apps Python service එක සෘජුව call නොකරයි.

- **The system runs without a paid LLM. Planner selection and specialist calculations are deterministic and reviewable; do not claim live LLM reasoning or generative RAG.**

System එක paid LLM එකක් නැතිව ක්‍රියා කරයි. Planner selection සහ specialist calculations deterministic හා review කළ හැකි ඒවාය; live LLM reasoning හෝ generative RAG භාවිතා කරන බව නොකියන්න.

- **Durable workflow state and execution summaries are stored in PostgreSQL, so a paused workflow can resume after a service restart.**

Durable workflow state සහ execution summaries PostgreSQL තුළ save කරන නිසා service restart එකකින් පසුවත් paused workflow එක resume කළ හැකිය.

Complete business journey

1

Homeowner creates a named survey with property, usage, roof and location data.

Homeowner property, usage, roof සහ location data සමඟ named survey එකක් හදයි.

2

PlannerAgent creates the structured plan and SolarSizingAgent returns a validated preliminary design.

PlannerAgent structured plan එක හදා SolarSizingAgent validated preliminary design එක ලබාදෙයි.

3

Engineer assigns a technician; technician navigates, checks in, saves inspection evidence and submits telemetry.

Engineer technician කෙනෙකු assign කරයි; technician navigate, check-in, inspection evidence save කර telemetry submit කරයි.

4

GridComplianceAgent and deterministic checks produce compliance or a correction state.

GridComplianceAgent සහ deterministic checks compliance හෝ correction state එක ලබාදෙයි.

5

SafetyGuardrailAgent analyses proposal risk; an authorized engineer approves, rejects or requests revision.

SafetyGuardrailAgent proposal risk පරීක්ෂා කර authorized engineer approve, reject හෝ revision request කරයි.

6

Engineer requests inventory; EquipmentPricingAgent calculates a validated quote using the exchange-rate tool.

Engineer inventory request කර EquipmentPricingAgent exchange-rate tool සමඟ validated quote එක ගණනය කරයි.

7

Inventory officer reserves stock in an ASP.NET/PostgreSQL transaction and the updated status returns to users.

Inventory officer ASP.NET/PostgreSQL transaction එකක stock reserve කර updated status users වෙත යවයි.

4. Your backend and database knowledge

4. ඔබගේ backend සහ database දැනුම

Be able to trace an authenticated request through controller → DTO → service → EF Core → PostgreSQL and back. Explain where validation, authorization and business status checks occur.

Authenticated request එක controller → DTO → service → EF Core → PostgreSQL හරහා ගොස් ආපසු එන ආකාරය trace කරන්න. Validation, authorization සහ business status checks සිදුවන ස්ථාන පැහැදිලි කරන්න.

Main entities / domain records

InventoryItem

SKU, category, supplier, unit price, stock, reserved quantity, reorder point and status

EquipmentQuote

proposal, line items, exchange rate, totals, expiry and workflow trace

InventoryReservation

proposal/quote quantities, state and audit timestamps

Supplier

equipment source information

Important routes

GET/POST/PUT/DELETE /api/inventory

GET /api/inventory/low-stock

POST /api/inventory/{id}/adjust

GET/POST /api/inventory/suppliers

GET /api/inventory/proposals

POST /api/inventory/proposals/{id}/request

POST /api/inventory/proposals/{id}/price

GET /api/inventory/proposals/{id}/equipment

POST /api/inventory/reserve

POST /api/inventory/{id}/release

GET /api/inventory/reservations

- **For each route, know the HTTP method, authorized roles, request DTO, success status, validation failure and database effect.**

සෑම route එකකටම HTTP method, authorized roles, request DTO, success status, validation failure සහ database effect දැනගන්න.

- **Explain primary/foreign keys, required fields, uniqueness/check constraints, useful indexes, CreatedAt/UpdatedAt and the migration that introduced the schema.**

Primary/foreign keys, required fields, uniqueness/check constraints, useful indexes, CreatedAt/UpdatedAt සහ schema එක ගෙනා migration එක explain කරන්න.

- **Use a transaction when multiple writes must succeed or fail together; explain rollback and concurrency for your component.**

Writes කිහිපයක් එකට succeed හෝ fail විය යුතු විට transaction එකක් භාවිතා කර rollback සහ concurrency explain කරන්න.

5. React and Flutter knowledge

5. React සහ Flutter දැනුම

- **React: know the route, protected role navigation, component state/hooks, service call, form validation, responsive layout and loading/empty/error/success states in your feature folder.**

React: ඔබගේ feature folder එකේ route, protected role navigation, component state/hooks, service call, form validation, responsive layout සහ loading/empty/error/success states දැනගන්න.

- **Flutter: know screen navigation, model parsing, API call/token usage, reusable widgets, keyboard/scroll behaviour, validation and restoration after refresh/reopen.**

Flutter: screen navigation, model parsing, API call/token usage, reusable widgets, keyboard/scroll behaviour, validation සහ refresh/reopen පසු restoration දැනගන්න.

- **Explain why web and mobile have different user purposes but share identity, data and business rules through the same API.**

Web සහ mobile වල user purposes වෙනස් වුවත් එකම API හරහා identity, data සහ business rules share කරන්නේ ඇයිදැයි explain කරන්න.

- **Know one accessibility/usability decision: visible labels, 48dp touch targets, focus/error messages, confirmation for destructive actions, readable identifiers and immediate local feedback.**

Accessibility/usability decision එකක් දැනගන්න: visible labels, 48dp touch targets, focus/error messages, destructive actions සඳහා confirmation, readable identifiers සහ immediate local feedback.

6. Your distinct agent: EquipmentPricingAgent

6. ඔබගේ වෙනම agent එක: EquipmentPricingAgent

Input contract

approved capacity/equipment requirements and validated catalog candidates

Tool

allow-listed ExchangeRateTool restricted to the configured provider and USD/LKR with timeout, cache and freshness checks

Output contract

panel/inverter line items, quantities, unit prices, exchange rate and LKR totals

Validation

independent arithmetic, catalog identity, quote freshness and stock availability checks

Authority

agent calculates only; ASP.NET/PostgreSQL transaction performs actual reservation/release

Minimum assessed workflow - all members must understand

- **Objective: a domain goal enters the workflow and remains traceable.**

Objective: domain goal එක workflow එකට ඇතුළත් වී trace කළ හැකිව පවතී.

- **Plan and delegation: PlannerAgent creates typed steps with dependencies, required inputs, allowed tools and human-impact markers.**

Plan සහ delegation: PlannerAgent dependencies, required inputs, allowed tools සහ human-impact markers සහිත typed steps හදැකී.

- **Distinct agents: SolarSizingAgent, GridComplianceAgent, SafetyGuardrailAgent and EquipmentPricingAgent have different contracts and responsibilities.**

Distinct agents: SolarSizingAgent, GridComplianceAgent, SafetyGuardrailAgent සහ EquipmentPricingAgent වෙනස් contracts සහ responsibilities දරයි.

- **Controlled tools: only allow-listed tools are callable; GridCompliance uses ProjectKnowledgeTool and Pricing uses ExchangeRateTool.**

Controlled tools: allow-list කළ tools පමණක් call කළ හැකිය; GridCompliance විසින් ProjectKnowledgeTool සහ Pricing විසින් ExchangeRateTool භාවිතා කරයි.

- **Shared state: workflow ID, objective, plan, completed steps, tool/validation results, errors, approval, retry count and outcome are persisted.**

Shared state: workflow ID, objective, plan, completed steps, tool/validation results, errors, approval, retry count සහ outcome persist කරයි.

- **Validation: Pydantic/schema checks and independent deterministic business validators run before results are accepted.**

Validation: result accept කිරීමට පෙර Pydantic/schema checks සහ වෙනම deterministic business validators ක්‍රියා කරයි.

- **Human approval: engineer approval is a server-enforced pause; the AI cannot approve or reserve stock.**

Human approval: engineer approval එක server-enforced pause එකකි; AI එකට approve කිරීමට හෝ stock reserve කිරීමට නොහැක.

- **Observability and safe failure: trace/span/stage/timing, decisions, retries and errors are recorded without storing hidden chain-of-thought.**

Observability සහ safe failure: hidden chain-of-thought save නොකර trace/span/stage/timing, decisions, retries සහ errors record කරයි.

Accurate claim: this is a deterministic custom orchestration using FastAPI, typed Pydantic contracts and selected LangGraph specialist subgraphs. No paid model API is required. Its strength is controlled, testable workflow behaviour; its limitation is no live LLM reasoning or generative RAG.

නිවැරදි claim එක: මෙය FastAPI, typed Pydantic contracts සහ selected LangGraph specialist subgraphs භාවිතා කරන deterministic custom orchestration එකකි. Paid model API එකක් අවශ්‍ය නැත. එහි ශක්තිය controlled, testable workflow behaviour වන අතර සීමාව live LLM reasoning හෝ generative RAG නොමැති වීමයි.

7. Your live demonstration script

7. ඔබගේ live demonstration script එක

1

Show the catalog search/filter/low-stock view and explain stock, reserved and available quantities.

Catalog search/filter/low-stock view එක පෙන්වා stock, reserved සහ available quantities පැහැදිලි කරන්න.

2

Select an approved proposal by customer/project name and show that an engineer request is required.

Customer/project name මගින් approved proposal එක තෝරා engineer request එක අවශ්‍ය බව පෙන්වන්න.

3

Calculate price and inspect ExchangeRateTool input/output, rate date, itemized LKR arithmetic and validators.

Price calculate කර ExchangeRateTool input/output, rate date, itemized LKR arithmetic සහ validators inspect කරන්න.

4

Show one safe failure: stale rate, insufficient stock or unavailable provider.

Stale rate, insufficient stock හෝ provider unavailable වැනි safe failure එකක් පෙන්වන්න.

5

Reserve stock and prove available quantity changes in PostgreSQL; repeat the request to demonstrate idempotency.

Stock reserve කර PostgreSQL තුළ available quantity වෙනස් වන බව පෙන්වා request එක නැවත කර idempotency පෙන්වන්න.

6

Release the reservation and show both inventory restoration and workflow/audit status.

Reservation release කර inventory restoration සහ workflow/audit status දෙකම පෙන්වන්න.

Rehearse this with seeded/synthetic data and keep the same survey, job, proposal and workflow IDs visible. Prepare both a golden case and one controlled failure.

මෙය seeded/synthetic data සමඟ rehearse කර එකම survey, job, proposal සහ workflow IDs පෙනෙන ලෙස තබන්න. Golden case එකක් සහ controlled failure එකක් සෑදානම් කරන්න.

8. Likely viva questions and strong answers

8. Viva එකේ ඇසිය හැකි ප්‍රශ්න සහ හොඳ පිළිතුරු

Why is available stock not the same as stock on hand?

Available = stock on hand minus active reserved quantity. Reservations prevent the same units being promised twice.

Available stock සහ stock on hand එකම නොවන්නේ ඇයි?

Available = stock on hand - active reserved quantity. Reservations නිසා එකම units දෙවරක් promise කිරීම වැළැක්වේ.

Why recheck stock inside the transaction?

A quote is only a snapshot. Another user may reserve stock before commit, so the database transaction must recheck and update atomically.

Transaction තුළ stock නැවත check කරන්නේ ඇයි?

Quote එක snapshot එකක් පමණි. Commit කිරීමට පෙර වෙනත් user කෙනෙක් stock reserve කළ හැකි නිසා transaction එක තුළ recheck කර atomic update කළ යුතුය.

What does idempotency protect against?

Network retries or double-clicks must not create duplicate reservations or subtract stock twice.

Idempotency මගින් ආරක්ෂා කරන්නේ කුමක්ද?

Network retries හෝ double-clicks නිසා duplicate reservations හෝ stock දෙවරක් අඩු වීම වළක්වයි.

What small viva change might be requested?

Change a reorder threshold, add a filter/validation, reject an expired quote, or add a concurrent reservation test.

Viva small change එක කුමක් විය හැකිද?

Reorder threshold එකක්, filter/validation එකක් වෙනස් කිරීම, expired quote reject කිරීම හෝ concurrent reservation test එකක් එකතු කිරීම.

Why do both clients use ASP.NET instead of calling PostgreSQL or Python?

Security and consistency. ASP.NET is the single public gateway that applies identity, roles, validation and business rules before data or agents are reached.

Clients දෙකම PostgreSQL හෝ Python සෘජුව call නොකරන්නේ ඇයි?

Security සහ consistency සඳහාය. ASP.NET එකම public gateway එක ලෙස identity, roles, validation සහ business rules enforce කරයි.

Is this really Agentic AI without an LLM?

The assignment permits a justified custom orchestration approach. This implementation demonstrates objective-based planning, delegation, controlled tools, durable state, validators, pause/resume, human approval and auditability. It is deterministic; I will not mislabel it as live LLM reasoning.

LLM එකක් නැතිව මෙය ඇත්තටම Agentic AI ද?

Assignment එක justified custom orchestration approach එකකට ඉඩ දෙයි. මෙය objective-based planning, delegation, controlled tools, durable state, validators, pause/resume, human approval සහ auditability පෙන්වයි. එය deterministic වන අතර live LLM reasoning ලෙස වැරදි ලෙස හඳුන්වන්නේ නැහැ.

What is authentication versus authorization?

Authentication proves who the user is. Authorization checks whether that authenticated role may perform a specific operation.

Authentication සහ authorization අතර වෙනස කුමක්ද?

Authentication පරීශ්ලකයා කවුදැයි තහවුරු කරයි. Authorization එම authenticated role එකට නිශ්චිත ක්‍රියාව කළ හැකිදැයි පරීක්ෂා කරයි.

What should happen when the AI service is unavailable?

ASP.NET returns a controlled error or records a safe failure; it must not invent a successful result or bypass validation/approval.

AI service එක unavailable නම් කුමක් විය යුතුද?

ASP.NET controlled error එකක් return කිරීම හෝ safe failure එකක් record කිරීම කළ යුතුය; successful result එකක් හදා පෙන්වීම හෝ validation/approval bypass කිරීම නොකළ යුතුය.

What must you be able to do in the viva?

Explain, trace, test, make a small change and debug your own component without an external AI assistant.

Viva එකේ ඔබට කළ හැකි විය යුත්තේ කුමක්ද?

External AI assistant එකක් නොමැතිව ඔබගේ component එක explain, trace, test, small change සහ debug කිරීමට හැකි විය යුතුය.

9. Testing, CI, Git and debugging

9. Testing, CI, Git සහ debugging

- **Unit test pure rules and status transitions; service tests cover authorization/business behaviour; integration tests verify real API/database contracts and transactions.**

Pure rules සහ status transitions unit test කරන්න; service tests authorization/business behaviour cover කරයි; integration tests real API/database contracts සහ transactions verify කරයි.

- **For React and Flutter, test form validation, API success/failure, protected navigation, loading/empty/error states and the most important user interaction.**

React සහ Flutter සඳහා form validation, API success/failure, protected navigation, loading/empty/error states සහ වැදගත් user interaction එක test කරන්න.

- **For the agent, keep golden-case assertions for plan/agent/tool selection, structured output, validator result, approval enforcement, prompt/tool-input abuse and safe failure.**

Agent සඳහා plan/agent/tool selection, structured output, validator result, approval enforcement, prompt/tool-input abuse සහ safe failure සඳහා golden-case assertions තබන්න.

- **Explain CI in order: checkout, runtime setup, restore/install, build/analyze/lint, tests and failure logs. A green badge is evidence only when you understand the steps.**

CI order එක explain කරන්න: checkout, runtime setup, restore/install, build/analyze/lint, tests සහ failure logs. Steps තේරුම් ගත් විට පමණක් green badge එක evidence වේ.

- **Debug from evidence: reproduce → inspect browser/mobile and API error → inspect server/agent logs and correlation ID → verify database state → isolate layer → add regression test → fix → rerun focused then broader checks.**

Evidence මත debug කරන්න: reproduce → browser/mobile සහ API error බලන්න → server/agent logs සහ correlation ID බලන්න → database state verify කරන්න → layer isolate කරන්න → regression test එකක් එකතු කරන්න → fix කරන්න → focused සහ broader checks run කරන්න.

Component-specific limitations

- **Do not trust agent arithmetic, stale exchange rates or a pre-quote stock snapshot without independent checks.**

Agent arithmetic, stale exchange rates හෝ pre-quote stock snapshot එක independent checks නොමැතිව විශ්වාස නොකරන්න.

- **Secrets stay in environment variables and external failures must produce a clear safe state, not a fabricated rate.**

Secrets environment variables තුළ තබා external failures වලදී fabricated rate එකක් නොව clear safe state එකක් ලබාදිය යුතුය.

10. What to learn, understand and memorize

10. ඉගෙනගත, තේරුම්ගත සහ මතක තබාගත යුතු දේ

- **Know the business purpose, actors, happy path, status changes, validation failures and what is deliberately outside scope.**

Business purpose, actors, happy path, status changes, validation failures සහ scope එකෙන් පිටත දේවල් හොඳින් දැනගන්න.

- **Understand the request path from UI event to API controller, DTO, service, EF Core query/transaction, PostgreSQL record, Python contract and response UI.**

UI event සිට API controller, DTO, service, EF Core query/transaction, PostgreSQL record, Python contract සහ response UI දක්වා request path එක තේරුම් ගන්න.

- **Memorize names and responsibilities, but understand why each boundary exists; the examiner may change a rule and ask you to modify it.**

Names සහ responsibilities මතක තබාගන්න, නමුත් සෑම boundary එකක්ම ඇයිදැයි තේරුම් ගන්න; examiner rule එකක් වෙනස් කර code modify කිරීමට ඉල්ලා සිටිය හැකිය.

- **Keep evidence of your own issues, commits, pull requests, reviews, tests and AI-use log. The guide is not ownership evidence.**

ඔබගේ issues, commits, pull requests, reviews, tests සහ AI-use log evidence තබාගන්න. මෙම guide එක ownership evidence නොවේ.

Final readiness checklist

- **I can draw the architecture from memory and identify the trust boundary.**

Architecture එක මතකයෙන් ඇඳ trust boundary එක හඳුනාගත හැකිය.

- **I can demonstrate my happy path and one safe failure using the same survey/workflow ID.**

එකම survey/workflow ID එක භාවිතා කර happy path එක සහ safe failure එකක් demonstrate කළ හැකිය.

- **I can open one controller, service, entity/migration, React screen, Flutter screen, agent and test and explain the important lines.**

Controller, service, entity/migration, React screen, Flutter screen, agent සහ test එක බැගින් open කර වැදගත් lines explain කළ හැකිය.

- **I can explain JWT/RBAC, ownership checks, X-Internal-Key, secret storage, validation and safe failure.**

JWT/RBAC, ownership checks, X-Internal-Key, secret storage, validation සහ safe failure explain කළ හැකිය.

- **I can make a small rule/UI/test change and rerun the relevant checks without external AI.**

External AI නොමැතිව small rule/UI/test change එකක් කර relevant checks නැවත run කළ හැකිය.

- **My GitHub evidence and individual report truthfully match the work I personally understand and performed.**

මගේ GitHub evidence සහ individual report එක මම අත්පත්කළ කළ සහ තේරුම් ගත් වැඩ සමඟ සත්‍ය ලෙස ගැළපේ.

Do not memorize sentences without understanding. Practise explaining each item in your own words, then prove it by opening the code, database record, test or workflow trace.

තේරුම් නොගෙන වාක්‍ය මතක තබා නොගන්න. සෑම item එකක්ම ඔබගේම වචනවලින් explain කර පසුව code, database record, test හෝ workflow trace එකෙන් prove කිරීමට පුහුණු වන්න.

11. One-page rapid recall

11. එක් පිටුවක rapid recall

Prompt	Your answer
Owned component	Inventory, Equipment Pricing and Procurement
Distinct agent	EquipmentPricingAgent
Public gateway	ASP.NET Core Web API
Database / ORM	PostgreSQL / Entity Framework Core
Clients	React staff web + Flutter homeowner/field mobile
Agent service	Internal FastAPI; X-Internal-Key; typed contracts; deterministic orchestration
Human control	Engineer approval; inventory reservation remains server transaction
Never claim	Live LLM reasoning, generative RAG, utility certification, or work you cannot prove

Last rehearsal

1

Explain your component in 60 seconds.

ඔබගේ component එක තත්පර 60කින් explain කරන්න.

2

Trace one request end to end.

Request එකක් end-to-end trace කරන්න.

3

Run one test and explain its assertions.

Test එකක් run කර assertions explain කරන්න.

4

Make one tiny validation change and rerun checks.

Tiny validation change එකක් කර checks නැවත run කරන්න.

5

Show your truthful Git and report evidence.

ඔබගේ truthful Git සහ report evidence පෙන්වන්න.

Source basis: SE3090 Assignment 1 Specification 2026, especially Sections 2-14 and 16-20; current repository feature guides and architecture documents. This study guide does not replace the official specification or personal contribution evidence.