## THIVISHA S 22CSR225

TASK 4

```
varsh_12@VARSH: ~/task4
varsh_12@VARSH:~$ cd task4
varsh_12@VARSH:~/task4$ vim a.yaml
varsh_12@VARSH:~/task4$ minikube start
minikube v1.35.0 on Ubuntu 24.04 (amd64)
Using the docker driver based on existing profile
  Requested memory allocation (1874MB) is less than the recommended minimum 1900MB. Deployments may fail.
   The requested memory allocation of 1874MiB does not leave room for system overhead (total system memory: 1874MiB). You may face stability issues.
   Suggestion: Start minikube with less memory allocated: 'minikube start --memory=1874mb'
Starting "minikube" primary control-plane node in "minikube" cluster
Pulling base image v0.0.46 ...
   Updating the running docker "minikube" container ...
  Preparing Kubernetes v1.32.0 on Docker 27.4.1 ...
   Verifying Kubernetes components...

    Using image gcr.io/k8s-minikube/storage-provisioner:v5

  Enabled addons: default-storageclass, storage-provisioner
🏂 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
varsh_12@VARSH:~/task4$ kubectl get pods
```

AGE

17h

19h

19h

17h

NAME

dog-76fc4c4f76-62fp4

thividog-85c54c7674-n25kj

varsh\_12@VARSH:~/task4\$

r1-846b546ff9-dpqvw

r3-d9b7c4b95-z5wrw

READY

1/1

0/1

1/1

1/1

STATUS

Running

Running

Running

ImagePullBackOff

RESTARTS

2 (54s ago)

2 (62s ago)

2 (54s ago)

0

```
varsh_12@VARSH: ~/task4
                                                                                                                                                         0
varsh_12@VARSH:~$ cd task4
varsh_12@VARSH:~/task4$ vim a.yaml
varsh_12@VARSH:~/task4$ minikube start
minikube v1.35.0 on Ubuntu 24.04 (amd64)
Using the docker driver based on existing profile
   Requested memory allocation (1874MB) is less than the recommended minimum 1900MB. Deployments may fail.
   The requested memory allocation of 1874MiB does not leave room for system overhead (total system memory: 1874MiB). You may face stability issues.
   Suggestion: Start minikube with less memory allocated: 'minikube start --memory=1874mb'
   Starting "minikube" primary control-plane node in "minikube" cluster
  Pulling base image v0.0.46 ...
   Updating the running docker "minikube" container ...
   Preparing Kubernetes v1.32.0 on Docker 27.4.1 ...
   Verifying Kubernetes components...

    Using image gcr.io/k8s-minikube/storage-provisioner:v5

   Enabled addons: default-storageclass, storage-provisioner
  Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
varsh_12@VARSH:~/task4$ kubectl get pods
NAME
                            READY
                                   STATUS
                                                       RESTARTS
                                                                      AGE
dog-76fc4c4f76-62fp4
                            1/1
                                                       2 (54s ago)
                                                                     17h
                                    Running
r1-846b546ff9-dpqvw
                            0/1
                                    ImagePullBackOff
                                                                      19h
r3-d9b7c4b95-z5wrw
                            1/1
                                                       2 (62s ago)
                                    Running
                                                                      19h
thividog-85c54c7674-n25kj
                            1/1
                                    Running
                                                       2 (54s ago)
                                                                     17h
varsh_12@VARSH:~/task4$ kubectl apply -f a.yaml
error: error parsing a.yaml: error converting YAML to JSON: yaml: line 19: mapping values are not allowed in this context
varsh_12@VARSH:~/task4$
varsh_12@VARSH:~/task4$ minikube service dog
 NAMESPACE
                     TARGET PORT
                                              URL
                                   http://192.168.49.2:30325
  default
                            8080
   Starting tunnel for service dog.
  NAMESPACE
                                            URL
                     TARGET PORT
                                   http://127.0.0.1:33877
  default
   Opening service default/dog in default browser...
   http://127.0.0.1:33877
```

Because you are using a Docker driver on linux, the terminal needs to be open to run it.





