



My Workspace
Search
Invite
Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.
Try Native Git
COLLECTIONS
GenAI-Aug
GenAI-Aug-HomeAssignment
S01-Text to Audio
S02- MultiLingual
S03-GenerateAPITestcasesFromS...
HR_Resume_Portal_Ingestion
HR_Resume_Portal_Retrieval
LLMAPIHomeAssignment
Collection is empty
Add a request or folder to structure your API workflow.
Add request
ENVIRONMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
DOCUMENTS
FLOWS
GenAI-Aug-HomeAssignment > S01-Text to Audio
Save
Share
POST
https://api.groq.com/openai/v1/audio/speech
Send
Docs
Params
Authorization
Headers 12
Body
Scripts
Settings
Cookies
raw
JSON
Schema
Beautify
{
"model": "canopylabs/orpheus-v1-english",
"input": "[Cheerful] vanakkam. I am a language model created by Groq. I am here to help you with any questions you may have. How can I assist you today?",
"voice": "diana",
"response_format": "wav"
}
Body
200 OK
1.49 s
402.04 KB
Load test
Save Response
Hex
Preview
Visualize
0:04 / 0:08
Accepting Terms for ...
/debug-request
The model `canopylabs/orpheus-v1-english` requires terms acceptance. Please have the org admin accept the terms
not a Postman configuration issue. The 400 error with code model_terms_required means the canopylabs/orpheus-v1-english model is gated — your Groq org admin must explicitly accept its usage terms before any API calls to it will succeed.
What needs to happen:
Visit https://console.groq.com/playgrou... as the org admin and accept the terms. Once accepted, the same
Describe what you need. Press @ for context, / for Skills.
Auto
Open Folder
Terminal
Console
Import Complete
Add response tests
Globals
Vault
Tools
25°C
Partly sunny
Search
ENG
IN
07:45
03-11-2026


My Workspace
Search
Invite
Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.
Try Native Git
COLLECTIONS
GenAI-Aug
GenAI-Aug-HomeAssignment
S01-Text to Audio
S02- MultiLingual
S03-GenerateAPITestc...
HR_Resume_Portal_Ingestion
HR_Resume_Portal_Retrieval
LLMAPIHomeAssignment
Collection is empty
Add a request or folder to structure your API workflow.
Add request
ENVIRONMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
DOCUMENTS
FLOWS
GenAI-Aug-HomeAssignment > S02- MultiLingual
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
"content": "You are an API Specialist. Always respond in the same language as the user."
},
{
"role": "user",
"content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."
}
]
}
Body
Cookies 1
Headers 20
Test Results
200 OK
5.36 s
5.34 KB
Load test
Save Response
JSON
Preview
Visualize
"message": {
"role": "assistant",
"content": "**API-ஐ பயன்படுத்தும் விதம் (Tamil வழிமுறைகள்)** \n\n---\n\n## 1. அடிப்படை தகவல் (Overview)\n- **Endpoint URL**: `https://api.example.com/v1/...`\n- **Authentication**: API-key (Bearer token) அல்லது OAuth 2.0. \n- **தரவு வடிவம்**: JSON (request + response) \n- **விகித வரம்பு**: நிமிடம் இல் 100 கோரிக்கைகள் (மாற்றம் செய்யலாம்)\n\n---\n\n## 2. Authentication \n\n### a. API-key (Bearer Token) \n\n```http\nAuthorization: Bearer YOUR_API_KEY\n``` \n\n### b. OAuth 2.0 (Client Credentials Flow) \n1. **Token பெற** \n ```bash\n curl -X POST https://auth.example.com/oauth2/token \\\n -d \"grant_type=client_credentials&client_id=YOUR_CLIENT_ID&client_secret=YOUR_CLIENT_SECRET\"\n ``` \n2. **Response** \n ```json\n {\n \"access_token\": \"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.\" \n \"token_type\": \"Bearer\" \n
Open Folder
Terminal
Console
Import Complete
Need help with the next steps?
Globals
Vault
Tools


My Workspace
Search
Invite
Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.
Try Native Git
No Environment
COLLECTIONS
GenAI-Aug
GenAI-Aug-Home...
S01-Text to Audio
S02- MultiLingual
S03-GenerateAPITestc...
HR_Resume_Portal_Ingestion
HR_Resume_Portal_Retrieval
LLMAPIHomeAssignment
Collection is empty
Add a request or folder to structure your API workflow.
Add request
ENVIRONMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
DOCUMENTS
FLOWS
GenAI-Aug-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"model": "openai/gpt-oss-120b",
"messages": [
{
"role": "system",
"content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured, TestNG, Maven, and API schema-driven test generation."
},
Body
Cookies 1
Headers 20
Test Results
200 OK
3.18 s
2.58 KB
Load test
Save Response
JSON
Preview
Visualize
"reasoning": "We need to output only Java code, no markdown fences, no extra text. Provide imports, class with @BeforeClass for base URI. Use Rest Assured, TestNG. CRUD for Pet. Include request body creation (likely using Map or POJO). We'll create a Pet model class? Could inline JSON string. Use static petId generated via random. Use assertions: statusCode, body fields like id, name, status.\n\nWill need to import static io.restassured.RestAssured.*; static org.hamcrest.Matchers.*; and org.testng.annotations.*; also org.testng.Assert.\n\nWe'll define baseURI in @BeforeClass: RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n\nImplement createPet test: POST /pet with JSON body. Use given().contentType(\"application/json\").body(petJson).when().post(\"/pet\").then().statusCode(200).body(\"id\", equalTo(petId), \"name\", equalTo(\"Rex\"), \"status\", equalTo(\"available\"));\n\nStore petId in static variable.\n\ngetPetById test: GET /pet/{petId}. Validate same
Open Folder
Terminal
Console
Import Complete
Need help with the next steps?
Globals
Vault
Tools