CLASSES AND OBJECTS

PEOPLE MANAGMENT SOFTWARE

string [] → Name
Long [] → Id
int [] → Age
Long [] → Salary
string [] → contact

CLASS

→ Hard to Maintain

```
class Employee {
    string Name;
    Long Id;
    int Age;
    Long salary;
    string contact;
}
```

BLUEPRINT

Ex int arr = New arr [] ;

↳ allocating Memory ;

Employee chahat = New Employee ( )

chahat. Name → NULL

chahat. salary → NULL

Chahat. Name = "Chahat"

Chahat →

```
class Employee {
    string Name ;
    Long Id ;
    int Age ;
    Long salary ;
    string contact ;
}
```

DEFAULT CONSTRUCTOR

Employee emp = New Employee ( )

Employee tmp ;

SHALLOW COPY tmp = emp

emp →

tmp →

```
class Employee {
    string Name ;
    Long Id ;
    int Age ;
    Long salary ;
    string contact ;
}
```

emp. Name = "siddhant"

tmp. Name = ? siddhant

copy the whole data ↓

tmp. name = emp. name
tmp. age = emp. age
|
|

DEEP copy

FILE STRUCTURE



→ class has 20 attributes

By declaring → will not write 20 lines.

CONSTRUCTOR

↳ It is a function whose Name is always CLASSNAME

```
class Employee {

    string Name;
    Long Id;
    int Age;
    Long salary;
    string contact;

    Employee(string Name, string id, ---){

            this.Name = Name
            ↳ current class context

    }
}
```

Employee emp = New Employee ("chahat", "10", - -)

emp. Name → chahat

emp. Name = "Sidhant"

emp. salary = "30L"

```
class Node {
    int value;
    Node node;
}
```