

Class starts in 5 minutes

Agenda

- ↳ Build our first proxy api -
 - ↳ Different ways of passing data to apis
 - ↳ How to call external apis

Product Service

Req.

- ① Create a new Product
- ② Delete a product
- ③ Update a product
- ④ Get details of all products
 - ↳ get all the products
 - ↳ get a single product ←
- ⑤ Associate a product to diff categories.

① get All Products ()
GET /products

② getSingleProduct (long id) → dynamic data

i) GET /product/{id} → Path Parameter

ii) GET /buy/{name}/times/{times}

③ Create a new product ⇒ title, desc, price, image url.

Request Body → 2nd way of sending the data.

↳ Along with request we can send info.

↳ Not visible in the url.

POST /products

{ title: —,

desc: —,

price: —,

}

- ① Path variables
- ② Req Body (Payload)
- ③ Query parameters.

/products/1/1/1
(products?id=1)

url? x = — & y = — & z = —

"/products"

/products

↳ "/products/{id}"

products

/products? no. of Products = 50 & first Product = 50 & page = 3

I need a way to pass data to an api
using the url, without changing its
endpoint.

url = "/products"

/products? x = abc & y = bcd & z = ---

{ "name": ---, -- }

F.E.

Controller

Product get P By Id GS

```

    ///
    User {
        id
        name
        username
        [password ←]
        [placementChances ←]
    }
  
```

get User Detail

DTOs => Data Transfer Objects


↳ Objects whose purpose is to send data outside & receive data from outside.

```

    ///
    User DTO {
        name
        email
        username
    }
  
```

UserDTO get User Detail() { }

It is okay to use models instead of DTOs if the model does not contain any sensitive information



class A {

B b

C c

~ ~

—