


Prevention of Play - Data Model	2
PoP Data Dictionary	5
Custom Metadata Configuration	23
PoP Custom Metadata Design Document	29
Work Order and Exclusion Mapping by Record Type	35



PREVENTION OF PLAY - DATA MODEL

This document describes the high-level data model for the Prevention of Play (PoP) solution. Each object is detailed with its purpose and role within the system, aligned to Salesforce architecture and supporting automation, case management, and reporting functions.



Object Name	Purpose	OWD & Data Creation
Restriction	Object that stores restriction instances applied during PoP processes. Each record reflects a restriction enforced (e.g., ETG block, Funds freeze).	OWD: Private. Data created by automation flows triggered during PoP application.
Restriction Association	Junction object that maps which system applied which restriction to which PoP record. Supports traceability across systems.	OWD: Controlled by parent. Automatically created via automation upon restriction application.

PoP/Exclusion	Central table that stores each PoP or Exclusion order related to a patron, including type, dates, and current status.	OWD: Private. Created via approved Case flows or APIs; not directly editable by users.
Contact	CRM contact record representing the patron. Linked to PoP/Exclusion records to associate actions with individuals.	OWD: Controlled by parent. Created by onboarding systems or manually entered by authorised roles.
Case	Represents business processes managing the lifecycle of PoP events. Includes record types: Apply, Revoke, Contravention.	OWD: Private. Created exclusively by users through the UI; not generated via automation.
Work Order	Atomic units of work that execute specific PoP-related tasks either automatically or by staff. Supports segregation of duties.	OWD: Controlled by parent. Generated automatically from case flows.
Work Order Line Item	Tracks execution of state-specific PoP tasks. Monitors signature status, timeline, DocuSign ID, and status updates for NSW/QLD.	OWD: Controlled by parent. Created automatically when a Work Order is generated for a specific jurisdiction.

Case-Exclusion Association (Case_Exclusion_Association__c)	Junction that links a Contravention Case to one or more selected Exclusions for the incident; enables traceability and reporting of breaches per Exclusion.	OWD: Controlled by parent. Created automatically by the “Log Contravention” Screen Flow when the incident is submitted; duplicate Case ↔ Exclusion pairs are blocked via Matching/Duplicate Rules ; not editable directly by users.
---	--	--

[Contact](#)
[Case](#)
[Exclusion](#)
[Work Order](#)
[Work Order Line Item](#)
[Restriction](#)
[Enforcement Status](#)
[Exclusion Restriction \(Junction Object\)](#)

This document provides a fully validated and corrected version of the PoP Data Dictionary. It includes object field mappings, metadata models, and downstream enforcement logic for the Salesforce implementation of the Prevention of Play solution.

Contact

Click here to expand...

Label	Field API Name	Data Type	Values	Description	New Field
Contact ID	Id	Id	—	Unique Salesforce identifier for the Contact.	No
First Name	FirstName	Text	—	Patron's first name.	No
Last Name	LastName	Text	—	Patron's last name.	No
Email	Email	Email	—	Patron's email address.	No
Phone	Phone	Phone	—	Patron's primary phone number.	No

Patron ID	Patron_ID__c	External Id	—	Unique external ID used to match patron with CID or MDM.	No
-----------	--------------	-------------	---	--	----

Case

▼ Click here to expand...

Label	Field API Name	Data Type	Values	Description	New Field
Case ID	Id	Id	—	Unique identifier for the Case.	No
Case Number	CaseNumber	AutoNumber	—	System-generated unique case number.	No
Patron	ContactId	Lookup(Contact)	—	Linked patron.	No
Origin	Origin	Picklist	Safer Gambling, Crown, Police Exclusion, Investigations, Third Party, QLD Operators, Asset	Source of the case.	No

			Protection , Reg Affairs, AML		
Type	Type	Picklist	Self Exclusion in both states, Self Exclusion in NSW only, Self Exclusion in QLD only, Problem Gambling in both states, Timed Play 24hr, Timed Play 7day, Police Exclusion in QLD, Police Exclusion in NSW, NICC Exclusion in NSW, Venue Exclusion in NSW, Venue Exclusion	Case type, controlled by Record Type.	No

			in QLD, WOL in NSW, WOL in QLD, WOL AML + Venue AML in NSW, Contraven tion - Confirme d, Contraven tion - Attempte d, Contraven tion - Unconfir med		
Behaviour	Behaviour __c	Picklist	TP24HR, TP7DAY, Gaming- Dishonest Act, Police, Problem Gambling, etc.	Trigger behaviour that caused the prevention.	Yes
POE Area	POE_Area __c	Picklist	Entire Property, CCA, Wagering & Keno	Area where incident occurred.	Yes

POE Property	Property_ _c	Picklist	The Star Sydney, The Star Brisbane, The Star Gold Coast	Venue issuing the prevention.	Yes
POE Under	POE_Under_ _c	Picklist	Section 91O, Section 92, Section 93A, Section 94, Section 95, NSW Section 81, ICM 13	Regulation related to prevention.	Yes
Incident Report Number	Incident_Report_Number_ _c	Text	—	Reference to incident in risk system.	Yes
Interpreter	Interpreter_ _c	Checkbox	Yes, No	Interpreter required.	Yes
Interpreter Name	Interpreter_Name_ _c	Text	—	Name of interpreter.	Yes
Revocation Reason Other	Revocation_Reason_Other_ _c	Text	—	Free text reason when 'Other' is selected.	Yes
Open Date	CreatedDate	DateTime	—	Date the case was	Yes

				opened.	
Created By	CreatedById	Lookup(User)	—	User who created the case.	No
Status	Status	Picklist	New, Working, Escalated, Closed, Cancelled Applied, Revoked	Workflow status (standard field).	No

Record Types (Case): thestar.atlassian.net/wiki/spaces/SVC/pages/edit-v2/2735243292

Exclusion

▼ Click here to expand...

Label	Field API Name	Data Type	Values	Description	New Field	Track
Exclusion Id	CID_Exclusion_Id__c	Extrenal ID Text	CID Data	Only used for migrate d data	Yes	
Exclusion ID	Id	Id	—	Unique identifier for the Exclusion record.	Yes	
Patron	Contact__c	Lookup(Contact)	—	Related patron.	Yes	Yes
Patron #	Text			Patron Number	Yes	

				at the time of exclusio n		
Origin	Origin__ c	Picklist	Safer Gamblin g, Crown, Police Exclusio n, Investig ations, Third Party, QLD Operato rs, Asset Protecti on, Reg Affairs, AML	Source of the Exclusio n.	Yes	Yes
POE #	Exclusio n_Numb er__c	AutoNu mber	—	Unique exclusio n number.	Yes	
Date	Start_Da te__c	Date	—	Date the exclusio n was recorde d.	Yes	Yes
POE Type	POE_Ty pe__c	Picklist	Same as Case Type	Type of exclusio n.	Yes	Yes

Behavior	Behavior__c	Picklist	Same as Case	Behavior leading to exclusion.	Yes	Yes
POE Area	POE_Area__c	Picklist	Entire Property, CCA, Wagering & Keno	Area of incident.	Yes	Yes
POE Property	Property__c	Picklist	The Star Sydney, The Star Brisbane, The Star Gold Coast	Originating venue.	Yes	Yes
POE Under	POE_Under__c	Picklist	Section 91O, Section 92, Section 93A, Section 94, Section 95, NSW Section 81, ICM 13	Legal regulation.	Yes	

POE Length	POE_Length__c	Picklist	24h, 7d, 3m, 6m, 1y, 2y, 5y, Indefinite	Duration of the Exclusion.	Yes	
Revocation Reminder Date	Revocation_Reminder__c	Date	—	Review trigger before expiration.	Yes	Yes
Revocation Date	Revocation_Date__c	Date	—	If revoked, the revocation date.	Yes	Yes
Revocation Reason	Revocation_Reason__c	Picklist	Approval from RDC, Expiry without re-entries, QCAT, Other	Revocation justification.	Yes	
Revocation Reason Other	Revocation_Reason_Other__c	Text	—	Free-text justification if reason = Other.	Yes	

POE From	POE_From__c	Multi-Picklist	The Star Sydney, The Star Brisbane, The Star Gold Coast	Replicated venue(s) .	Yes	
Voluntarily	Voluntary__c	Checkbox	Yes, No	Whether the exclusion is voluntary.	Yes	
Tracking Number	Tracking_Number__c	Text	—	Delivery tracking code.	Yes	
Returned to Sender	Returned_To_Sender__c	Checkbox	True, False	Returned mail flag.	Yes	
Must Hand Deliver	Must_Hand_Deliver__c	Checkbox	True, False	Flag for personal delivery.	Yes	
Handed to Patron	Handed_To_Patron_Date__c	Date	—	When notice was delivered in person.	Yes	
Issued By	Issued_By__c	Lookup(User)	—	User who processed	Yes	

				exclusion.		
Witness	Witness__c	Lookup(User)	—	Witness assigned.	Yes	
Interpreter	Interpreter__c	Checkbox	Yes, No	Whether interpreter was involved.	Yes	
Interpreter Name	Interpreter_Name__c	Text	—	Interpreter's full name.	Yes	
Handover Date	Handover_Date__c	Date	—	When documents were handed over.	Yes	
Handover Status	HandOver_Status__c	Picklist	Returned to Sender, Confirmed by AusPost, Handed to Patron	Delivery final state.	Yes	

Record Types (Exclusion)

Only one standard record type is used for PoP/Exclusion, as all variations are captured via the PoP Type field.

Work Order

▼ Click here to expand...

Label	Field API Name	Data Type	Values	Description	New Field
Work Order ID	Id	Id	—	Unique identifier for the Work Order record.	No
Case	CaseId	Lookup(Case)	—	Parent Case this Work Order is linked to.	No
Work Order Type	WorkOrderType__c	Picklist	Notify Surveillance, Apply STOPCODE, Print Letter, Flag Facial Image, Remove Facial Image	Type of operational action.	Yes
Status	Status	Picklist	Not Started, In Progress, Completed	Execution status of the Work Order.	No

Jurisdiction	Jurisdiction__c	Picklist	NSW, QLD	Applicable state or territory.	Yes
Owner	OwnerId	Lookup(User/Queue)	—	Assigned user or team responsible.	No
POE Length	POE_Length__c	Picklist	Same as Exclusion	Duration related to the prevention.	Yes
Revocation Reminder Date	Revocation_Reminder__c	Date	—	Reminder trigger for upcoming revocation window.	Yes
Voluntary	Voluntary__c	Checkbox	Yes, No	Flag if the prevention was voluntary.	Yes
POE Under	POE_Under__c	Picklist	Same as Exclusion	Regulation under which the Work Order is initiated.	Yes
Issued By	Issued_By__c	Lookup(User)	—	The user who created the Work Order.	Yes

Witness	Witness__c	Lookup(User)	—	Assigned witness for verification.	Yes
---------	------------	--------------	---	------------------------------------	-----

Record Types (WO)

Only oneStandard record type used to support all PoP-related work order processes consistently.

Work Order Line Item

Click here to expand...

Label	Field API Name	Data Type	Values	Description	New Field
Line Item ID	Id	Id	—	Unique identifier for the Work Order Line Item.	No
Work Order	WorkOrder__c	Lookup(WorkOrder)	—	Reference to parent Work Order.	No
Line Item Type	LineItemType__c	Picklist	Capture Issuer, Capture Witness, Add SLA Reminder, Update Status	Describes sub-action.	Yes

Status	Status__c	Picklist	Not Started, In Progress, Completed	Execution status of line item.	No
--------	-----------	----------	-------------------------------------	--------------------------------	----

Restriction

✓ Click here to expand...

Label	Field API Name	Data Type	Values	Description	New Field
Restriction ID	Id	Id	—	Unique identifier for the Restriction record.	Yes
Restriction Type	Restriction_Type__c	Picklist	Gaming, Funds, Loyalty Points, Digital Access, Parking, Draws, Hotel Bookings	Defines the type of restricted service or benefit.	Yes
Enforcement Description	Enforcement_Description__c	Long Text	—	Narrative explaining what the restriction enforces (e.g., "Tier	Yes

				must be Bronze, Casino Points = 0").	
Enforcement Status	Enforcement_Status__c	Picklist	PoP Data Dictionary Enforcement Status	Reflects current sync or enforcement outcome.	Yes
Enforcement Notes	Enforcement_Notes__c	Long Text	—	Additional context for Partial or Override statuses.	Yes
Is Enforced	Is_Enforced__c	Checkbox	True, False	Flag indicating if restriction is actively enforced.	Yes
Enforced By	Enforced_By__c	Picklist	Synkros, NeoFace, PingOne, MDM, SFMC	System responsible for enforcing restriction.	Yes
Acknowledged	Acknowledged__c	Checkbox	True, False	Confirms acknowledgment from enforcement	Yes

				ent system.	
Acknowledgement Date	Acknowledgement_ Date__c	DateTime	—	Timestamp of enforcement acknowledgment.	Yes

Enforcement Status

Value	Description
Pending	Initial state for migrated restriction — waiting for downstream enforcement
Acknowledged	Enforcement system (e.g., Synkros, PingOne) has confirmed application
Failed	Enforcement system did not apply the restriction (error or timeout)
Partial	Only some systems acknowledged enforcement
Overridden	Manual override applied due to operational decision
Not Required	Restriction determined to be informational only (e.g., not applied in Ping)
Migrated	New value — indicates migrated record where enforcement is TBD
Active	Fully applied and confirmed restriction
Inactive	Revoke when the downstream system removes the restriction.

Invalid	When the restriction becomes irrelevant because the exclusion is revoked.
---------	---

Record Types (Restriction)

Only oneStandard record type used to support all PoP-related Restriction processes consistently.

Exclusion Restriction (Junction Object)

▼ Click here to expand...

Label	Field API Name	Data Type	Description	New Field
Exclusion Restriction	Exclusion_Restriction__c	Custom Object	Junction linking Exclusion and Restriction records.	Yes
Exclusion	Exclusion__c	Master Detail(Exclusion)	The Exclusion that initiated this Restriction.	Yes
Restriction	Restriction__c	Master Detail(Restriction)	The associated Restriction policy.	Yes
Enforcement Scope	Enforcement_Scope__c	Text	Scope of rule being enforced (e.g., Funds, Loyalty).	Yes

? CUSTOM METADATA CONFIGURATION

This document outlines all custom metadata types used in the Prevention of Play (PoP) Salesforce solution. Each metadata type supports logic for enforcement, workflow automation, replication, and operational consistency.

1. Exl_Restriction_Enforcement_Config__mdt

Defines how each restriction type is enforced, in what system, and under which PoP types.

Restriction_Type__c	PoP_Type__c	System__c	Applied_In__c	Source_System__c	Acknowledgment_Type__c	Is_Tracked__c	Notes__c
Gaming	Exclusions;WOLs;TPOEs	Synkros	Synkros	MDM	Stop Code	TRUE	Stop Code 123 required
Funds	Exclusions;WOLs	Synkros	Salesforce	MDM	Patron Status	TRUE	Excluded All
Digital Access	Exclusions;WOLs;TPOEs	PingOne	PingOne	—	API Acknowledgment	TRUE	Not in MDM
Marketing	Exclusions;WOLs;TPOEs	SFMC	SFMC	MDM	Consent Field in contact	TRUE	Consent may conflict
Area Access	Exclusions;WOLs;TPOEs	NeoFace	NeoFace	—	API Sync	TRUE	New Interface
Loyalty	Exclusions	Synkros	Smart Button	ACE	\$ and Tier Checks	TRUE	Points must be zero
Accommodation	Exclusions	Smart Button	Smart Button	Salesforce	Loyalty Unlinking	TRUE	Entitlements cleared

2. Ex1_Restriction_Tracked_Data__mdt

Defines what field(s) in what system(s) are checked to determine whether restriction enforcement was successful.

Restriction_Type__c	Tracked_Field__c	Object__c	Expected_Value__c	Measurement_Source__c	Frequency__c
Gaming	Stop Code	—	Present	Synkros	API-driven
Funds	Patron Status	Contact	Excluded All	MDM	Real-Time
Funds	Card Type	Contact	Unknown	MDM	Real-Time
Loyalty	Casino Dollars	Loyalty Object	< 1	ACE	6 hours
Loyalty	Tier	Loyalty Object	Bronze	ACE	6 hours
Accommodation	Suite Entitlements	Relationship	Cleared	Salesforce	Real-Time
Digital Access	Access Flag	—	Blocked	PingOne	API-driven

3. Ex1_Case_Execution_Config__mdt

Merged metadata that combines Work Order mapping and replication logic.

Record_Type__c	Case_Type__c	Source_State__c	POE_Type__c	Replicated_POE_Type__c	Work_Order_Label__c	Work_Order_Type__c	Jurisdiction__c
Apply Self Exclusion	Self Exclusion in both states	NSW	Self Exclusion	Self Exclusion	Self-Exclusion – Group Wide NSW	PoP	NSW
Apply Self Exclusion	Self Exclusion in both states	QLD	Self Exclusion	Self Exclusion	Self-Exclusion – Group Wide QLD	PoP	QLD

Apply Self Exclusion	Self Exclusion in NSW only	NSW	Self Exclusion	Self Exclusion	Self-Exclusion – Group Wide NSW	PoP	NSW
Apply Self Exclusion	Self Exclusion in NSW only	QLD	Problem Gambling	Problem Gambling	Problem Gambling – Group Wide	PoP	QLD
Apply Self Exclusion	Self Exclusion in QLD only	QLD	Self Exclusion	Self Exclusion	Self-Exclusion – Group Wide QLD	PoP	QLD
Apply Self Exclusion	Self Exclusion in QLD only	NSW	Problem Gambling	Problem Gambling	Problem Gambling – Group Wide	PoP	NSW
Apply Problem Gambling	Problem Gambling in both states	NSW	Problem Gambling	Problem Gambling	Problem Gambling – Group Wide - NSW	PoP	NSW
Apply Problem Gambling	Problem Gambling in both states	QLD	Problem Gambling	Problem Gambling	Problem Gambling – Group Wide - QLD	PoP	QLD
Apply TPOE Exclusion	Timed Play 24hr	NSW	TPOE 24hr	TPOE 24hr	TPOE – 24hr	PoP TPOE	NSW
Apply TPOE Exclusion	Timed Play 7day	NSW	TPOE 7day	TPOE 7day	TPOE – 7day	PoP TPOE	NSW

Apply Police Exclusion	Police Exclusion in NSW	NSW	Police Exclusion	Police Exclusion	Police Exclusion - NSW	WOL	NSW
Apply Police Exclusion	Police Exclusion in QLD	QLD	Police Exclusion	Police Exclusion	Police Exclusion - QLD	WOL	QLD
Apply Venue Exclusion	Venue Exclusion in NSW	NSW	Venue Exclusion	Venue Exclusion	Venue Exclusion – Group Wide	WOL	NSW
Apply Venue Exclusion	Venue Exclusion in QLD	QLD	Venue Exclusion	Venue Exclusion	Venue Exclusion – Group Wide	WOL	QLD
Apply External Exclusion	NICC Exclusion in NSW	NSW	External Exclusion	External Exclusion	External Exclusion – Group Wide	PoP External	NSW
Apply WoL Exclusion	WOL in NSW	NSW	WoL	WoL	WoL – Property – Group Wide	WOL	NSW
Apply WoL Exclusion	WOL in QLD	QLD	WoL	WoL	WoL – Property – Group Wide	WOL	QLD
Apply WoL Exclusion	WOL AML + Venue AML in NSW	NSW	WoL	WoL	WoL – Property – Group Wide	WOL	NSW
Apply Contraven tion	Contraven tion	NSW	N/A	N/A	PoP Contraven tion	PoP Contraven tion	NSW

4. Exl_WorkOrder_LineItem__mdt

Defines the steps (line items) to be performed for each Work Order. Each line item is now directly linked to its Record Type.

Record_Type__c	Work_Order_Label__c	Line_Item_Type__c	Sequence__c	Mandatory__c
Apply Self Exclusion	Validate Patron Status	Check for Open Ratings	1	TRUE
Apply Self Exclusion	Validate Patron Status	Notify Surveillance Team	2	TRUE
Apply Self Exclusion	Validate Patron Status	Wait for Rating Closure	3	TRUE
Apply Self Exclusion	Enforce Exclusion (per Jurisdiction)	Create Exclusion in EMS	1	TRUE
Apply Self Exclusion	Enforce Exclusion (per Jurisdiction)	Apply STOPCODE in Synkros (NSW/QLD)	2	TRUE
Apply Self Exclusion	Enforce Exclusion (per Jurisdiction)	Sync to Facial Recognition (NeoFace)	3	TRUE
Apply Self Exclusion	Enforce Exclusion (per Jurisdiction)	Flag Patron in MDM	4	TRUE
Apply Self Exclusion	Capture Authority & Reminder	Capture Issuer Full Name	1	TRUE
Apply Self Exclusion	Capture Authority & Reminder	Capture Issuer Licence Number (NSW Only)	2	TRUE
Apply Self Exclusion	Capture Authority & Reminder	Assign Witness	3	TRUE

Apply Self Exclusion	Capture Authority & Reminder	Capture Witness Full Name	4	TRUE
Apply Self Exclusion	Capture Authority & Reminder	Capture Witness Licence Number (NSW Only)	5	TRUE
Apply Self Exclusion	Capture Authority & Reminder	Add Reminder Date	6	TRUE
Apply Self Exclusion	Generate Exclusion Document	Invoke FormAssembly	1	TRUE
Apply Self Exclusion	Generate Exclusion Document	Link Document to Contact & Exclusion	2	TRUE
Apply Self Exclusion	Generate Exclusion Document	Send Email to Issuer and Witness for eSignature	3	TRUE
Apply Self Exclusion	Deliver Exclusion Document	Print Document	1	TRUE
Apply Self Exclusion	Deliver Exclusion Document	Capture Tracking Number	2	TRUE
Apply Self Exclusion	Deliver Exclusion Document	Select Handover Type (Mail/Onsite)	3	TRUE
Apply Self Exclusion	Deliver Exclusion Document	Update Delivery Status	4	TRUE

POP CUSTOM METADATA DESIGN DOCUMENT

This document outlines the custom metadata model used to support Prevention of Play (PoP) enforcement logic and automation across jurisdictions. The model consists of three metadata tables, designed to manage the restriction categories, exclusion applicability matrix, and Work Order (WO) templates based on case type.

Metadata Table 1: RestrictionCategory__mdt

Purpose

Defines the list of restriction categories enforced during PoP processing. Each record represents a unique restriction with a description.

Field Name	Type	Description
Name	Text	Unique identifier (e.g., GAMING_ETG_BLOCK)
Description__c	Text	Description of the restriction (e.g., Must not play on ETG)

Metadata Table 2: PoPType__mdt

Purpose

Defines the available types of Prevention of Play (PoP) or Exclusion scenarios. This table acts as a reference list for all PoP types and supports downstream automation and validation.

Field Name	Type	Description
Name	Text	Unique PoP Type identifier (e.g., SELF_EX_NSW)
DisplayLabel__c	Text	Human-readable label (e.g., Self Exclusion - NSW)

Jurisdiction__c	Picklist	The state or group context (e.g., NSW, QLD, Group)
Active__c	Checkbox	Indicates if the PoP type is currently active

Metadata Table 3: RestrictionApplicability__mdt

Purpose

Serves as a junction metadata object

linking RestrictionCategory__mdt with PoPType__mdt . This enables flexible many-to-many relationships, allowing a restriction to be applied across multiple PoP types and jurisdictions. Each row defines a valid applicability combination.

Field Name	Type	Description
RestrictionCategory__c	Metadata Relationship	Link to RestrictionCategory__mdt
PoPType__c	Metadata Relationship	Link to PoPType__mdt
IsApplicable__c	Checkbox	Indicates whether the restriction applies for this PoP type

Metadata Table 4: WorkOrderTemplate__mdt

Purpose

Defines reusable Work Order templates that map Case types to specific Work Order tasks. This supports dynamic task generation and automation logic in PoP workflows.

Field Name	Type	Description
Name	Text	Unique name of the template
CaseType__c	Picklist	Type of case (Apply, Revoke, Contravention)

WorkOrderType__c	Picklist	Type of Work Order to generate
IsActive__c	Checkbox	Indicates whether the template is active for processing
Description__c	Text	Optional description or business notes

Summary

These three metadata types work together to support a scalable and flexible PoP management model:

- `RestrictionCategory__mdt` defines the types of restrictions.
- `RestrictionApplicability__mdt` manages their mapping across PoP scenarios.
- `WorkOrderTemplate__mdt` drives process automation for task creation.

This design supports jurisdictional specificity, efficient automation, and minimal code changes for future updates.

Matrix

Restriction Category	Restriction Description	Venue - Group Wide	WOL - Property - Group Wide	Self Exclusion - Group Wide	Problem Gambling - Group Wide	External Exclusion - Group Wide	Self Exclusion - Sydney	Self Exclusion - QLD	TP24 HR	TP7D AY
Gaming	Must not be able to play on ETG	✓	✓	✓	✓	✓	✓	✓	✓	✓
Funds	Must be	✓	✓	✓	✓	✓	✓	✓	✓	✗

	able to withdraw funds digitally									
Casino Points	Must not be able to use points to book hotels	✓	✓	✓	✓	✓	✓	✓	✗	✗
Parking benefits	Patron points must be set to 0	✓	✗	✓	✓	✓	✓	✓	✗	✗
Tier Level Lost	Patron tier is set to the lowest tier	✓	✗	✓	✓	✓	✓	✓	✗	✗
Access to Digital Channels	Must not be able to access digital channels	✓	✓	✓	✓	✓	✓	✓	✓	✓
Receive Market	Must not receive	✓	✓	✓	✓	✓	✓	✓	✓	✓

ing Comm unicati ons	e market ing comm unicati ons									
Entry to Precin ct/Blue Line/C asino Bound ary	Must be allowe d to enter the precin ct	✓	✗	✓	✓	✓	✓	✓	✓	✓
Discou nts	Must be able to receiv e discou nts	✗	✗	✗	✗	✗	✗	✗	✓	✓
Hotel Bookin gs	Must be able to book hotel room and may also use points or gamin g related	✗	✗	✗	✗	✗	✗	✗	✓	✓

	discou nts									
--	---------------	--	--	--	--	--	--	--	--	--



WORK ORDER AND EXCLUSION MAPPING BY RECORD TYPE

■ Record Type: Apply Self Exclusion

Work Orders

■ Record Type: Apply Problem Gambling Exclusion

■ Record Type: Apply TPOE Exclusion

Work Orders [Arth Sharma - 15/08/2025]

■ Record Type: Apply Police Exclusion

■ Record Type: Apply External Exclusion

■ Record Type: Apply Venue Exclusion

■ Record Type: Apply WoL Exclusion

■ Record Type: Revoke Exclusion

Work Orders

■ Record Type: Apply Contravention

Work Orders

■ Record Type: Apply Self Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
Self Exclusion in both states	Self-Exclusion – Group Wide	Self-Exclusion – Group Wide	SG
Self Exclusion in NSW only	Self-Exclusion – Group Wide	Problem Gambling – Group Wide	SG
Self Exclusion in QLD only	Problem Gambling – Group Wide	Self-Exclusion – Group Wide	SG

Work Orders

Work Order Type	Work Order Line Item	Status
Validate Patron Status	Check for Open Ratings	  Check for API feasibility
	Notify Surveillance Team	
	Wait for Rating Closure	
Enforce Exclusion (per Jurisdiction)	Upload the Photo in SF	

	Create Exclusion for NSW	
	Create Exclusion for NSW	
	Sync to Facial Recognition (NeoFace) (Get files)	
	Create Restrictions	
Capture Authority & Reminder	Capture Issuer Full Name	
	Capture Issuer Licence Number (NSW Only)	
	Assign Witness	
	Capture Witness Full Name	
	Capture Witness Licence Number (NSW Only)	
	Add Reminder Date	
Generate Exclusion Document	Invoke FormAssembly	
	Link Document to Contact & Exclusion	
	Send Email to Issuer and Witness for eSignature	
Deliver Exclusion Document	Print Document	
	Capture Tracking Number	
	Select Handover Type (Mail/Onsite)	
	Update Delivery Status	

 Record Type: Apply Problem Gambling Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
-----------	---------------	---------------	------------

Problem Gambling in both states	Problem Gambling – Group Wide	Problem Gambling – Group Wide	SG
---------------------------------	-------------------------------	-------------------------------	----

 Work Orders: Same as Apply Self Exclusion

 Record Type: Apply TPOE Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
Timed Play 24hr	TPOE – 24hr	TPOE – 24hr	SG
Timed Play 7day	TPOE – 7day	TPOE – 7day	SG

Work Orders [Arth Sharma - 15/08/2025]

Work Order Type	Work Order Line Item	Status
Validate Patron Status	Check for Open Ratings	
	Notify Surveillance Team	
	Wait for Rating Closure	
Enforce Exclusion (per Jurisdiction)	Upload the Photo in SF	
	Create Exclusion for NSW only or QLD only	
	Sync to Facial Recognition (NeoFace) (Get files)	
	Create Restrictions	
Capture Authority & Reminder	Add Reminder Date	

 Record Type: Apply Police Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
Police Exclusion in QLD	WoL – Undesirable Behaviour	Police Exclusion	Investigations

Police Exclusion in NSW	Police Exclusion	Venue Exclusion + WoL	Investigations
-------------------------	------------------	-----------------------	----------------

 Work Orders: Same as Apply Self Exclusion

 Record Type: Apply External Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
NICC Exclusion in NSW	External Exclusion – Group Wide	WoL – Property – Group Wide	Investigations

 Work Orders: Same as Apply Self Exclusion

 Record Type: Apply Venue Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
Venue Exclusion in NSW	Venue Exclusion – Group Wide	Venue Exclusion – Group Wide	CLM
Venue Exclusion in QLD	Venue Exclusion – Group Wide	Venue Exclusion – Group Wide	CLM

 Work Orders: Same as Apply Self Exclusion

 Record Type: Apply WoL Exclusion

Case Type	Exclusion NSW	Exclusion QLD	Created By
WOL in NSW	WoL – Property – Group Wide	WoL – Property – Group Wide	CLM
WOL in QLD	WoL – Property – Group Wide	WoL – Property – Group Wide	CLM

WOL AML + Venue AML in NSW	WoL – Property – Group Wide + Venue – Group Wide	WoL – Property – Group Wide	CLM
-------------------------------	--	--------------------------------	-----

 Work Orders: Same as Apply Self Exclusion

 Record Type: Revoke Exclusion

Case Type
Revocation Request
Revocation Reminder

Work Orders

Work Order Type	Work Order Line Item
Revoke Prevention	Capture Revocation Reason
	Validate Eligibility
	Sync Revocation with Systems
	Notify Regulatory Authority

 Record Type: Apply Contravention

Work Orders

Work Order Type	Work Order Line Item
Log Contravention Evidence	Record Incident Details
	Link Incident Report Number
	Notify Surveillance
	Link to Exclusion

