

POTENTIAL GAP - CID PHOTOS CURRENT STATE

PROBLEM STATEMENT

Once we go live with Salesforce, the “Excluded” Player profile will no longer be created in CID. This will impact the processes and procedures of the Surveillance team as they will no longer have these profiles in CID to review, track and attach photos to.

Upon detection in FRS or request from Security/Gaming/Other Staff members, Surveillance team will need to check CID for “Player of Interest” profile and also check Salesforce for Exclusion record. If the profile does not exist in CID it will need to be created, **need to agree how and by who.**

DISTRIBUTION LIST

Surveillance	CLM	Project Team	Product Team
• @Carl Woodall • @Calum Scorgie • @Ryan Patterson	• @Stacy Alphonso-Alvarez (Deactivated) • @Sabas Francia Fonseca • @James Wang	• @Maureen Kalnins • @Casey Moon-Watton (Deactivated) • @Barry Steinberg	Salesforce: • @Raghuram Pulavorty • @Hannah Wang • @Vish Nagaraju CID: • @Scott Mouat

CONTEXT

Surveillance rely heavily on viewing multiple patron photos to assert a persons identity

CID is used by multiple teams. Core teams that use CID in regards to Exclusions are CLM, Safer Gambling, Investigations and Surveillance.

- 📌 Ideally the change impact gap would have been picked up early in the project so it could have been scoped in/out with appropriate detail as @Casey Moon-Watton mentioned in attached email.  Potential Gap CID Photos.pdf

As it is currently NOT in scope of the project the Project Manager has added it to the issues register and if requested by SteerCo will look to allocate resources to quantify in detail

CLM / Investigations / Safer Gambling

- create **Exclusion** player profile records in CID.
- apply exclusions in CID.
- revoke exclusions in CID.

Surveillance


- create **“Player of Interest”** player profile records in CID.
- add notes to player profiles. (can be excluded patron or patron of interest)
- add photos to player profiles. (can be excluded patron or patron of interest)
- visually match patron photos to either FRS on live footage.

IMPACTED USE CASES - CLM

CLM need to apply exclusion for a patron not yet in CID.

Process

- Apply exclusion to patron not already in CID.
 - Look for patron in CID.
 - If not found in CID, then look for patron in CMS.
 - If not found in CMS then create patron record in CMS.
 - If found in CMS then create Player record in CID and link to patron record in CMS
 - Apply exclusion in CID



IMPACTED USE CASE - SURVEILLANCE

Assess potential contravention for patrons without player record in CID

- Surveillance will not be able to refer to the excluded patron's profile in CID.
- Surveillance will need to make their assessment based on the photo in Salesforce.
- Surveillance rely on referring to a collection of patrons photos.

CID FUNCTIONS USED CURRENTLY Y BY CID

- Create a player record (Profile)
- Add photos to player record
- Assess player photos


Create a player record (Profile)

Triggers:

Big wins play evaluation, internal alerts e.g high rate of play, known card counters

Method:

1. Look in CID for patron
 - a. if not found then create player record in CID and manually type PTN ID (from Synkros) into surveillance reference section in CID player profile.



Add photos to player record

Trigger:

1. On first time creation
2. Any contravention

Method:

1. Login to CID, find patron
 - a. Upload the photo into CID from photo sources see list
 - b. 260 x 370 px (CID) (too small)

Photo Sources

CCTV, Incident reports, Synkros

Assess player photos

Trigger:

1. On detection by FRS
2. On request by Security/Gaming

Method:

1. On detection by FRS, Surveillance check if FRS is correct,
 - a. If yes then Surveillance notify security.

- b. If no then Surveillance log as negative match and record the person is not person of interest.
- 2. On request by Security/Gaming/all staff members
 - a. Surveillance will get eyes on the patron of interest, will use CID to find the patron and visually check all available photos of patrons with matching data, name, DOB of ID (could be fraudulent ID)
 - b. Surveillance will agree/disagree with assessment and request Security to identify the person

Steps:

- 1. On detection by FRS (Exclusions and TPOEs)
 - a. Search CID with patron info
 - b. Search results displays
 - c. Manually choose a patron profile in CID
 - d. Scroll through photos and asses if visually matches FRS alert
 - e. If notify sec
 - f. If no log as negative
- 2. On request by Security
 - a. Sec will request eyes on the patron.
 - b. search CID with patron info provided by Sec
 - c. Search results displays
 - d. Manually choose a patron profile in CID
 - e. Scroll through photos and asses if visually matches the person
 - f. Tell security outcome

Script for diagrams

```
1 %% CLM Process
2 ---
3 config:
4   theme: neutral
5   layout: elk
6   look: neo
7 ---
8 flowchart LR
9
10 classDef oneColor fill:#e1f0ff,stroke:#5b8fd8,stroke-width:2px,color:#000,stroke-radius:6px;
11 classDef clmColor fill:#ffeacc,stroke:#d98c3c,stroke-width:2px,color:#000,stroke-radius:6px;
12
13 subgraph one["Create player record in CID"]
14   direction TD
```

```

15     G["Create in CMS"]
16     F{"Is patron found?"}
17     E["Use CID (CMS Patron search)"]
18     CPR(["Start"])
19     H["Select patron in CID"]
20     J["Link patron in CID"]
21     K(["End"])
22 end
23 class one oneColor;
24
25 subgraph clm["Exclusion/TPOE"]
26     direction LR
27     C{"Is patron in CID?"}
28     B["Look in CID for patron"]
29     A(["Start"])
30     D["Apply exclusion to patron"]
31     one
32     Z(["END"])
33 end
34 class clm clmColor;
35 A --> B
36 B --> C
37 C -- Yes --> D
38 CPR --> E
39 E --> F
40 F -- no --> G
41 G --> H
42 F -- yes --> H
43 H --> J --> K
44 one --> D
45 D --> Z
46 C -- No --> one

```

```

1 %% Surveillance Process
2 ---
3 config:
4     theme: neutral
5     layout: elk
6     look: neo
7 ---
8 flowchart LR
9
10 classDef oneColor fill:#e1f0ff,stroke:#5b8fd8,stroke-width:2px,color:#000,stroke-dasharray: 5px 5px;
11 classDef clmColor fill:#ffeacc,stroke:#d98c3c,stroke-width:2px,color:#000,stroke-dasharray: 5px 5px;
12
13 subgraph one["Create player record in CID"]
14     direction TD
15     G["Create in CMS"]
16     F{"Is patron found?"}
17     E["Use CID (CMS Patron search)"]
18     CPR(["Start"])
19     H["Select patron in CID"]
20     J["manually type PTN ID (from Synkros) into surveillance reference section in CID"]
21     class J oneColor;
22     K(["End"])
23 end
24 class one oneColor;
25
26 subgraph surv["Add player profile to CID"]
27     direction LR
28     C{"Is patron in CID?"}
29     B["Look in CID for patron"]
30     A(["Start"])
31     D["Apply exclusion to patron"]
32     one
33     Z(["END"])

```

```
34 end
35 class surv clmColor;
36   A --> B
37   B --> C
38   C -- Yes --> D
39   CPR --> E
40   E --> F
41   F -- no --> G
42   G --> H
43   F -- yes --> H
44   H --> J --> K
45   one --> D
46   D --> Z
47   C -- No --> one
```