Autonomous Vehicle Simulation (AVS) Laboratory, University of Colorado

Basilisk Technical Memorandum
Document ID: Basilisk-gaussMarkov

GAUSS MARKOV NOISE MODEL

Prepared by	S. Carnahan

Status: Tested
Scope/Contents
The Basilisk Gauss Markov Utility adds Gauss Markov noise with random walk and walk bounds to any model that uses it.

Rev	Change Description	By	Date
1.0	First draft	S Carnahan	20180116

Contents

---

1 Model Description

This utility produces white noise. It can have a bias added to it to make a non-zero mean. It also generates "random walk" by treating the noise as additive. Walk bounds can be provided that push the random walk away from the boundary. Setting the bounds to zero or less disables the random walk, this is the default.

2 Model Functions

The Gauss Markov functions are:

- **Set seed**: Sets the random number generator seed.

- **Compute next state**: Computes the next state using the propagation and noise matrices taking walk bounds into account

- **Get current state**: Retrieves the noise calculated to add to a state.

- **Set noise matrix**: Sets the noise covariance matrix

- **Set propagation matrix**: Sets the matrix by which to propagate noise.

- **Set bounds**: Sets the random walk bounds symmetric about 0.

3 Model Assumptions and Limitations

- **Walk Bounds**: It is assumed that the user sets appropriate walk bounds.

4 Test Description and Success Criteria

This test is located at `src/simulation/utilitiesSelfCheck`.

4.1 Test Descriptions

1. <u>Standard Deviation</u> The module is called 1 hundred thousand times and the standard deviation is found to be within 1 percent of the input.

    Mean: The utility is run one hundred thousand times and the mean is found to be within 0.5% of the standard deviation from zero for each state.

2. <u>Bounds</u> The utility is run one million times and the max/min outputs are tested against a known value which is close to, but not exactly the walk bounds.

5 Test Results

All test results below

Table 2: Test results

Test	Pass/Fail
All Tests	

6   User Guide

For the best examples of the using the Gauss Markov utility, please see the IMU unit test and .cpp files. For other examples, see the simple navigation unit and coarse sun sensor.