


zscore_H3K36me3_2C4_vs_2N4 _zscore_H3K36me3_2C4_vs_2N4	.y. readsCount readsCount	group1 Q_ChIP_H3K36me3_FWT3_Luc Q_ChIP_H3K36me3_FWT3_Luc	group2 Q_ChIP_H3K36me3_FWT3_Nelf Q_ChIP_H3K36me3_FWT3_Nelf	n1 344 68	n2 344 68	statistic 21426 2346	0.000113 7.81e-13	p.adj 0.000226 1.562e-12	p.signif	y.position 20.96256 22.25756	groups c("Q_ChIP_H3K36me3_FWT3_Luc", "Q_ChIP_H3K36me3_FWT3_Nelf") c("Q_ChIP_H3K36me3_FWT3_Luc", "Q_ChIP_H3K36me3_FWT3_Nelf")

wilcox NO paire test



select _ZSCORE_H3K36me3_2C4_vs_2N4 _ZSCORE_H3K36me3_2C4_vs_2N4	.y. readsCount readsCount	group1 Q_ChIP_H3K36me3_FWT3_Luc Q_ChIP_H3K36me3_FWT3_Luc	group2 Q_ChIP_H3K36me3_FWT3_Nelf Q_ChIP_H3K36me3_FWT3_Nelf	n1 344 68	n2 344 68	statistic 56813.5 3071	0.366 0.000963	p.adj 0.732 0.001926	p.signif ns	y.position 20.96256 22.25756	groups c('O_ChIP_H3K36me3_FWT3_Luc', 'Q_ChIP_H3K36me3_FWT3_Neff') c('Q_ChIP_H3K36me3_FWT3_Luc', 'Q_ChIP_H3K36me3_FWT3_Neff')

[1,]

[1,]