


select	.у.	group1	group2	n1	n2	statistic	р	p.adj	p.signif	y.position	groups	x
_60_65_ZSCORE_H3K36me3_2C4_vs_2N4	readsCount	Q_DRIP_Nelf	Q_DRIP_Nelf_RNAse	340	340	12659	2.24e-19	4.48e-19	****	18.69208	c("Q_DRIP_Nelf", "Q_DRIP_Nelf_RNAse")	1
i_UP_1_ZSCORE_H3K36me3_2C4_vs_2N4	readsCount	Q_DRIP_Nelf	Q_DRIP_Nelf_RNAse	68	68	1433	0.113	0.226	ns	17.96108	c("Q_DRIP_Nelf", "Q_DRIP_Nelf_RNAse")	2



select	.y.	group1	group2	n1	n2	statistic	р	p.adj	p.signif	y.position	groups	
RL 60 65 ZSCORE H3K36me3 2C4 vs 2N4	readsCount	Q DRIP Nelf	Q DRIP Nelf RNAse	340	340	52063.5	0.0251	0.0502		18.69208	c("Q DRIP Nelf", "Q DRIP Nelf RNAse")	
!lta_UP_1_ZSCORE_H3K36me3_2C4_vs_2N4	readsCount	Q_DRIP_Nelf	Q_DRIP_Nelf_RNAse	68	68	2416	0.652	1	ns	17.96108	c("Q_DRIP_Nelf", "Q_DRIP_Nelf_RNAse")	

x

[1,]

[1,]