


	groups
Q H2AV WT3	NelfKD")
Q_H2AV_WT3	

select	.y.	group1	group2	n1	n2	statistic	р	p.adj	p.signif	y.position	group
N10_Q_H3K36me3_2C4	readsCount	Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD	500	500	46251	4.07e-07	8.14e-07	****	19.68608	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_NelfKD
P10_Q_H3K36me3_2C4	readsCount	Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD	500	500	5456	5.33e-70	1.066e-69	****	21.27908	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_NelfKD



roups	
lfKĎ")	
IfKD")	

select	.у.	group1	group2	n1	n2	statistic	p	p.adj	p.signif	y.position	group
N10_Q_H3K36me3_2C4 P10_Q_H3K36me3_2C4	readsCount readsCount	Q_H2AV_WT3_LucKD Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD Q_H2AV_WT3_NelfKD	500	500	122277 106827	0.551 6.91e-05	0.0001382	ns ****	19.68608 21.27908	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_NelfKD c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_NelfKD

**DN10\_Q\_H3K36me3\_2C4 delta\_UP10\_Q\_H3K36me3\_2C4** 681 682

[1,]

**DN10\_Q\_H3K36me3\_2C4 delta\_UP10\_Q\_H3K36me3\_2C4** 500

[1,]