


	<b>select</b> DN_25_Q_H3K36me3_2C4 Ita_UP_25_Q_H3K36me3_2C4	.y. readsCount readsCount	<b>group1</b> Q_SEA4_Rad51_N2 Q_SEA4_Rad51_N2	<b>group2</b> Q_WT3_Rad51_N2 Q_WT3_Rad51_N2	<b>n1</b> 500 500	<b>n2</b> 500 500	<b>statistic</b> 64292 117766	<b>p</b> 0.606 2.99e-65	<b>p.adj</b> 1 5.98e–65	p.signif ns ****	y.position 10.57724 11.43524	groups c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2") c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2")	<b>x</b> 2 1	
--	---	---------------------------------	---	---	-------------------------	-------------------------	-------------------------------------	-------------------------------	-------------------------------	------------------------	------------------------------------	--	--------------------	--



<b>select</b>	.y.	<b>group1</b>	<b>group2</b>	<b>n1</b>	<b>n2</b>	<b>statistic</b>	<b>p</b>	<b>p.adj</b>	p.signif	<b>y.position</b>	<b>grout</b>
3K36me3_2C4	readsCount	Q_SEA4_Rad51_N2	Q_WT3_Rad51_N2	500	500	124272	0.873	1	ns	10.57724	c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2
3K36me3_2C4	readsCount	Q_SEA4_Rad51_N2	Q_WT3_Rad51_N2	500	500	208539	9.37e-75	1.874e-74	****	11.43524	c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2

**DN\_25\_Q\_H3K36me3\_2C4 delta\_UP\_25\_Q\_H3K36me3\_2C4** 1685

[1,]

DN\_25\_Q\_H3K36me3\_2C4 delta\_UP\_25\_Q\_H3K36me3\_2C4 [1,] 500