


coloct	.,	group1	group2	n1		statistic		n odi	p.sianif	v position	grauno
select _H3K36me3_2C4 _H3K36me3_2C4	readsCount readsCount	Q_GB_SEA4_NELFKD_R3_f Q_GB_SEA4_NELFKD_R3_f	Q_GB_SEA4_WT_R3_f Q_GB_SEA4_WT_R3_f	340 341	340 341	28777 40748	0.909 1.98e–10	7.3.96e–10	p.sigiii ns ****	y.position 19.87916 21.62616	groups c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f") c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f")



select	.y.	group1	group2	n1	n2	statistic	р	p.adj	p.signif	y.position	groups
5_Q_H3K36me3_2C4	readsCount	Q_GB_SEA4_NELFKD_R3_f	Q_GB_SEA4_WT_R3_f	340	340	57629	0.947	· 1	ns	19.87916	c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f")
5_Q_H3K36me3_2C4	readsCount	Q_GB_SEA4_NELFKD_R3_f	Q_GB_SEA4_WT_R3_f	341	341	60182	0.428	0.856	ns	21.62616	c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f")

**DN\_5\_Q\_H3K36me3\_2C4 delta\_UP\_5\_Q\_H3K36me3\_2C4** 340 341

[1,]

**DN\_5\_Q\_H3K36me3\_2C4 delta\_UP\_5\_Q\_H3K36me3\_2C4** 340 341

[1,]