
wilcox paire test
condition
Q_H2AV_WT3_LucKD
Q_H2AV_WT3_NelfKD
**
****
20.0
17.5
15.0
readsCount
DN_5_Q_H3K36me3_2C4
delta_UP_5_Q_H3K36me3_2C4
select

select	.y.	group1	group2	n1	n2	statistic	p	p.adj	p.signif	y.position	groups	x
)N_5_Q_H3K36me3_2C4	readsCount	Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD	341	341	23381	0.00153	0.00306	**	19.74052	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_NelfKD")	2
)P_5_Q_H3K36me3_2C4	readsCount	Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD	340	340	2541	3.81e−48	7.62e−48	****	21.47252	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_NelfKD")	1


wilcox NO paire test
condition
Q_H2AV_WT3_LucKD
Q_H2AV_WT3_NelfKD
ns
**
20.0
17.5
15.0
readsCount
DN_5_Q_H3K36me3_2C4
delta_UP_5_Q_H3K36me3_2C4
select

select	.y.	group1	group2	n1	n2	statistic	p	p.adj	p.signif	y.position	gro
6me3_2C4	readsCount	Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD	341	341	57227	0.723	1	ns	19.74052	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_Nelf
6me3_2C4	readsCount	Q_H2AV_WT3_LucKD	Q_H2AV_WT3_NelfKD	340	340	49790	0.00177	0.00354	**	21.47252	c("Q_H2AV_WT3_LucKD", "Q_H2AV_WT3_Nelf

	DN_5_Q_H3K36me3_2C4	delta_UP_5_Q_H3K36me3_2C4
[1,]	341	340

	DN_5_Q_H3K36me3_2C4	delta_UP_5_Q_H3K36me3_2C4
[1,]	341	340