


select	v	group1	group2	n1	n2	statistic	n	p.adj	p.signif	y.position	groups
(36me3_2C4_vs_2N4	readsCount	Q_GB_SEA4_NELFKD_R3_f	Q_GB_SEA4_WT_R3_f	340	340	32228	0.0738	0.2214	p.sigiii ns	20.07128	c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f")
(36me3_2C4_vs_2N4 (36me3_2C4_vs_2N4	readsCount readsCount	Q_GB_SEA4_NELFKD_R3_f Q_GB_SEA4_NELFKD_R3_f	Q_GB_SEA4_WT_R3_f Q_GB_SEA4_WT_R3_f	339 340	339 340	33305 41846	0.0129 1.34e-12	0.0387 4.02e-12	****	21.59028 20.46728	c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f") c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f")



select	.y.	group1	group2	n1	n2	statistic	р	p.adj	p.signif	y.position	groups
H3K36me3 2C4 vs 2N4	readsCount	Q GB SEA4 NELFKD R3 f	Q GB SEA4 WT R3 f	340	340	58303	0.844	. í	ns	20.07128	c("Q GB SEA4 NELFKD R3 f", "Q GB SEA4 WT R3 f")
H3K36me3 2C4 vs 2N4	readsCount	Q GB SEA4 NELFKD R3 f	Q GB SEA4 WT R3 f	339	339	58166	0.782	1	ns	21.59028	c("Q GB SEA4 NELFKD R3 f", "Q GB SEA4 WT R3 f")
H3K36me3_2C4_vs_2N4	readsCount	Q_GB_SEA4_NELFKD_R3_f	Q_GB_SEA4_WT_R3_f	340	340	60360	0.318	0.954	ns	20.46728	c("Q_GB_SEA4_NELFKD_R3_f", "Q_GB_SEA4_WT_R3_f")



