
wilcox paire test
condition
Q_GB_WT3_WT_R3_f
Q_GB_WT3_NELFKD_R3_f
22
20
18
16
readsCount
****
****
DN5_ZSCORE_H3K36me3_2C4_vs_2N4
delta_UP5_ZSCORE_H3K36me3_2C4_vs_2N4
select

select	.y.	group1	group2	n1	n2	statistic	p	p.adj	p.signif	y.position	grou
_H3K36me3_2C4_vs_2N4	readsCount	Q_GB_WT3_NELFKD_R3_f	Q_GB_WT3_WT_R3_f	340	340	48353	1.29e−26	2.58e−26	****	21.4238	c("Q_GB_WT3_NELFKD_R3_f", "Q_GB_WT3_WT_R3_
_H3K36me3_2C4_vs_2N4	readsCount	Q_GB_WT3_NELFKD_R3_f	Q_GB_WT3_WT_R3_f	340	340	54187	6.84e−44	1.368e−43	****	20.2128	c("Q_GB_WT3_NELFKD_R3_f", "Q_GB_WT3_WT_R3_


wilcox NO paire test
condition
Q_GB_WT3_WT_R3_f
Q_GB_WT3_NELFKD_R3_f
ns
**
22
20
18
16
readsCount
DN5_ZSCORE_H3K36me3_2C4_vs_2N4
delta_UP5_ZSCORE_H3K36me3_2C4_vs_2N4
select

select	.y.	group1	group2	n1	n2	statistic	p	p.adj	p.signif	y.position	groups	x
DN5_ZSCORE_H3K36me3_2C4_vs_2N4	readsCount	Q_GB_WT3_NELFKD_R3_f	Q_GB_WT3_WT_R3_f	340	340	62664	0.0576	0.1152	ns	21.4238	c("Q_GB_WT3_NELFKD_R3_f", "Q_GB_WT3_WT_R3_f")	2
delta_UP5_ZSCORE_H3K36me3_2C4_vs_2N4	readsCount	Q_GB_WT3_NELFKD_R3_f	Q_GB_WT3_WT_R3_f	340	340	64983	0.00504	0.01008	**	20.2128	c("Q_GB_WT3_NELFKD_R3_f", "Q_GB_WT3_WT_R3_f")	1

	DN5_ZSCORE_H3K36me3_2C4_vs_2N4	delta_UP5_ZSCORE_H3K36me3_2C4_vs_2N4
[1,]	340	340

	DN5_ZSCORE_H3K36me3_2C4_vs_2N4	delta_UP5_ZSCORE_H3K36me3_2C4_vs_2N4
[1,]	340	340