


select	.y.	group1	group2	n1	n2	statistic 25056 56907	p	p.adj	p.signif	y.position	group:
3K36me3_2C4	readsCount	Q_SEA4_Rad51_N2	Q_WT3_Rad51_N2	335	335		0.0822	0.1644	ns	10.79024	c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2"
3K36me3_2C4	readsCount	Q_SEA4_Rad51_N2	Q_WT3_Rad51_N2	338	338		1.11e–55	2.22e–55	****	12.19824	c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2"



select	.y.	group1	group2	n1	n2	statistic	р	p.adj	p.signif	y.position	groups	1
DN_5_Q_H3K36me3_2C4	readsCount	Q_SEA4_Rad51_N2	Q_WT3_Rad51_N2	335	335	53498	0.297	0.594	ns	10.79024	c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2")	2
Ita_UP_5_Q_H3K36me3_2C4	readsCount	Q_SEA4_Rad51_N2	Q_WT3_Rad51_N2	338	338	101025	5.32e-67	1.064e-66	****	12.19824	c("Q_SEA4_Rad51_N2", "Q_WT3_Rad51_N2")	1

x DN_5_Q_H3K36me3_2C4 delta_UP_5_Q_H3K36me3_2C4 335

[1,]

DN_5_Q_H3K36me3_2C4 delta_UP_5_Q_H3K36me3_2C4 335

[1,]