Test Controller / Notify endpoints

1. Invalid base URL (NotifyNL API service)

```
Error: response status is 403

Response body

{
   "Status code": 403,
   "Status description": "Invalid URL provided"
}
```

2. Invalid format of API key or it is missing (NotifyNL API service)

```
Error: response status is 403

Response body

{
   "Status code": 403,
   "Status description": "The API Key provided is invalid. Please ensure you are using a v2 API Key that is not empty or null"
}
```

3. Invalid API key – it was not registered for this NotifyNL API service

```
Error: response status is 403

Response body

{
   "Status code": 403,
   "Status description": "Invalid token: service not found"
}
```

4a / 4b. Missing required parameters

emailAddress * required
string
(query)

The email address (required) where the notification should be sent.

```
emailAddress
```

mobileNumber * required
string
(query)

The mobile phone number (required) where the notification should be sent.

```
mobileNumber
```

Please correct the following validation errors and try again.

- Required field is not provided

5. Email is empty (only whitespaces)

emailAddress * required

string

(query)

The email address (required) where the notification should be sent.

```

```

Error: response status is 400

Response body

```
{
    "Status code": 400,
    "Status description": "Email: Address field is required"
}
```

6. Email is invalid (missing @, dot, domain, etc.)

emailAddress * required

string

(query)

The email address (required) where the notification should be sent.

```
test
```

Error: response status is 400

Response body

```
{
    "Status code": 400,
    "Status description": "Email: Not a valid email address"
}
```

7. Phone number is empty (only whitespaces)

mobileNumber * required

string

(query)

The mobile phone number (required) where the notification should be sent.

```

```

Error: response status is 400

Response body

```
{
    "Status code": 400,
    "Status description": "Phone: Number field is required"
}
```

8. Phone number contains letters or symbols

mobileNumber * required
string
(query)

The mobile phone number (required) where the notification should be sent.

abc

Error: response status is 400

Response body

```
{
   "Status code": 400,
   "Status description": "Phone: Must not contain letters or symbols"
}
```

9. Phone number contains not enough digits

mobileNumber * required
string
(query)

The mobile phone number (required) where the notification should be sent.

123456

Error: response status is 400

Response body

```
{
   "Status code": 400,
   "Status description": "Phone: Not enough digits"
}
```

10. Phone number contains too many digits

mobileNumber * required
string
(query)

The mobile phone number (required) where the notification should be sent.

12345678910234567890

Error: response status is 400

Response body

```
{
   "Status code": 400,
   "Status description": "Phone: Too many digits"
}
```

11. Phone number has incorrect format (e.g., country code is not supported)

mobileNumber * required
string
(query)

The mobile phone number (required) where the notification should be sent.

+4917▮▮▮▮▮▮

Error: response status is 400

Response body

```
{
  "Status code": 400,
  "Status description": "Phone: Please enter mobile number according to the expected format"
}
```

12. Template UUID is invalid:

emailTemplateId
string
(query)

The email template ID (optional) to be used from NotifyNL API service. If empty the ID of a very first looked up email template will be used.

00000000-00000000-0000000000000000

Error: response status is 400

Response body

```
{
  "Status code": 400,
  "Status description": "Template ID is not a valid UUID"
}
```

13. Template not found:

emailTemplateId
string
(query)

The email template ID (optional) to be used from NotifyNL API service. If empty the ID of a very first looked up email template will be used.

00000000-0000-0000-0000-000000000000

Error: response status is 400

Response body

```
{
  "Status code": 400,
  "Status description": "Template not found"
}
```

14. Missing personalization (or the default "example" was used)

Request body

Example Value | Schema

```
{
  "key": "value"
}
```

Error: response status is 400

Response body

```
{
  "Status code": 400,
  "Status description": "Missing personalisation: zaak.omschrijving, zaak.identificatie"
}
```