Grouping and capturing

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist



Group characters

Clary has 2 friends who she spends a lot time with. Susan has 3 brothers while John has 4 sisters.

Group characters

Clary has 2 friends who she spends a lot time with. Susan has 3 brothers while John has 4 sisters.

```
re.findall('[A-Za-z]+\s\w+\s\d+\s\w+', text)
```

```
['Clary has 2 friends', 'Susan has 3 brothers', 'John has 4 sisters']
```



Clary has 2 friends who she spends a lot time with. Susan has 3 brothers while John has 4 sisters.

• Use parentheses to **group** and **capture** characters together

Clary has 2 friends who she spends a lot time with. Susan has 3 brothers while John has 4 sisters.

Use parentheses to group and capture characters together

```
re.findall('([A-Za-z]+)\s\w+\s\d+\s\w+', text)
```

```
['Clary', 'Susan', 'John']
```

Clary has 2 friends who she spends a lot time with. Susan has 3 brothers while John has 4 sisters.

```
Group 0
([A-Za-z]+)\s\w+\s(\d+)\s(\w+)
Group1 Group2 Group3
```

Clary has 2 friends who she spends a lot time with. Susan has 3 brothers while John has 4 sisters.

```
re.findall('([A-Za-z]+)\s\w+\s(\d+)\s(\w+)', text)
```

```
[('Clary', '2', 'friends'),
('Susan', '3', 'brothers'),
('John', '4', 'sisters')]
```

- Match a specific subpattern in a pattern
- Use it for further processing

Organize the data

```
pets = re.findall('([A-Za-z]+)\s\w+\s(\d+)\s(\w+)', "Clary has 2 dogs but John has 3 cats")
pets[0][0]
```

'Clary'

- Immediately to the left
 - o r"apple+": + applies to e and not to apple

Apply a quantifier to the entire group

```
re.search(r"(\d[A-Za-z])+", "My user name is 3e4r5fg")
```

```
<_sre.SRE_Match object; span=(16, 22), match='3e4r5f'>
```

• Capture a repeated group (\d+) vs. repeat a capturing group (\d)+

```
my_string = "My lucky numbers are 8755 and 33" re.findall(r"(\d)+", <math>my_string)
```

```
['5', '3']
```

```
re.findall(r"(\d+)", my_string)
```

```
['8755', '33']
```

Let's practice!

REGULAR EXPRESSIONS IN PYTHON



Alternation and noncapturing groups

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist



Pipe

Vertical bar or pipe:

```
my_string = "I want to have a pet. But I don't know if I want a cat, a dog or a bird."
re.findall(r"cat|dog|bird", my_string)
```

```
['cat', 'dog', 'bird']
```

Pipe

Vertical bar or pipe: |

```
my_string = "I want to have a pet. But I don't know if I want 2 cats, 1 dog or a bird."
re.findall(r"\d+\scat|dog|bird", my_string)
```

```
['2 cats', 'dog', 'bird']
```



Alternation

Use groups to choose between optional patterns

\d+\s(cat|dog|bird)

```
my_string = "I want to have a pet. But I don't know if I want 2 cats, 1 dog or a bird."
re.findall(r"\d+\s(cat|dog|bird)", my_string)
```

```
['cat', 'dog']
```

Alternation

• Use groups to choose between optional patterns

```
(\d+)\s(cat|dog|bird)
```

```
my_string = "I want to have a pet. But I don't know if I want 2 cats, 1 dog or a bird."
re.findall(r"(\d)+\s(cat|dog|bird)", my_string)
```

```
[('2', 'cat'), ('1', 'dog')]
```

Non-capturing groups

- Match but not capture a group
 - When group is not backreferenced
 - o Add ?: : (?:regex)

Non-capturing groups

Match but not capture a group

```
(?:\d{2}-){3}(\d{3}-\d{3})
Group1
```

```
my_string = "John Smith: 34-34-34-042-980, Rebeca Smith: 10-10-434-425" re.findall(r"(?:\d{2}-){3}(\d{3}-\d{3})", my_string)
```

```
['042-980', '434-425']
```



Alternation

Use non-capturing groups for alternation

```
my_date = "Today is 23rd May 2019. Tomorrow is 24th May 19."
re.findall(r"(\d+)(?:th|rd)", my_date)
```

```
['23', '24']
```

Let's practice!

REGULAR EXPRESSIONS IN PYTHON



REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist



Numbered groups

Python 3.0 was released on 12-03-2008. It was a major revision of the language. Many of its major features were backported to Python 2.6.x and 2.7.x version series.

Numbered groups

Python 3.0 was released on 12-03-2008. It was a major revision of the language. Many of its major features were backported to Python 2.6.x and 2.7.x version series.

Numbered groups

```
text = "Python 3.0 was released on 12-03-2008."
information = re.search('(\d{1,2})-(\d{2})-(\d{4})', numbers)
information.group(3)
'2008'
information.group(0)
12-03-2008
```



Named groups

Give a name to groups

(?P<name>regex)

Named groups

Give a name to groups


```
text = "Austin, 78701"
cities = re.search(r"(?P<city>[A-Za-z]+).*?(?P<zipcode>\d{5})", text)
cities.group("city")
```

```
'Austin'
```

```
cities.group("zipcode")
```

'78701'

• Using capturing groups to reference back to a group



Using numbered capturing groups to reference back

```
sentence = "I wish you a happy happy birthday!"
re.findall(r"(\w+)\s ", sentence)
```

Using numbered capturing groups to reference back

```
sentence = "I wish you a happy happy birthday!"
re.findall(r"(\w+)\s\1", sentence)
```

```
['happy']
```

Using numbered capturing groups to reference back

```
sentence = "I wish you a happy happy birthday!"
re.sub(r"(\w+)\s\1", r"\1", sentence)
```

```
'I wish you a happy birthday to you!'
```

Using named capturing groups to reference back

```
(?P<name>regex)
?P=name
```

```
sentence = "Your new code number is 23434. Please, enter 23434 to open the door." re.findall(r"(?P < code > \d{5}).*?(?P = code)", sentence)
```

['23434']

Using named capturing groups to reference back

```
(?P<name>regex)
\g<name>
```

```
sentence = "This app is not working! It's repeating the last word word."
re.sub(r"(?P<word>\w+)\s(?P=word)", r"\g<word>", sentence)
```

```
'This app is not working! It's repeating the last word.'
```

Let's practice!

REGULAR EXPRESSIONS IN PYTHON



Lookaround

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist




Looking around

• Allow us to confirm that sub-pattern is ahead or behind main pattern

the white cat sat on the chair

Looking around


Allow us to confirm that sub-pattern is ahead or behind main pattern



At my current position in the matching process, look ahead or behind and examine whether some pattern matches or not match before continuing.

Look-ahead

- Non-capturing group
- Checks that the first part of the expression is followed or not by the lookahead expression
- Return only the first part of the expression



positive (?=sat) negative (?!run)

Positive look-ahead

- Non-capturing group
- Checks that the first part of the expression is followed by the lookahead expression
- Return only the first part of the expression

Positive look-ahead

- Non-capturing group
- Checks that the first part of the expression is followed by the lookahead expression
- Return only the first part of the expression

```
my_text = "tweets.txt transferred, mypass.txt transferred, keywords.txt error"
re.findall(r"\w+\.txt(?=\stransferred)", my_text)
```

```
['tweets.txt', 'mypass.txt']
```

Negative look-ahead

- Non-capturing group
- Checks that the first part of the expression is **not** followed by the lookahead expression
- Return only the first part of the expression

Negative look-ahead

- Non-capturing group
- Checks that the first part of the expression is **not** followed by the lookahead expression
- Return only the first part of the expression

```
my_text = "tweets.txt transferred, mypass.txt transferred, keywords.txt error"
re.findall(r"\w+\.txt(?!\stransferred)", my_text)
```

```
['keywords.txt']
```

Look-behind

- Non-capturing group
- Get all the matches that are preceded or not by a specific pattern.
- Return pattern after look-behind expression



the white cat sat on the chair

Look behind

positive (?<=white)

negative (?<!brown)

Positive look-behind

- Non-capturing group
- Get all the matches that are preceded by a specific pattern.
- Return pattern after look-behind expression

```
my_text = "Member: Angus Young, Member: Chris Slade, Past: Malcolm Young, Past: Cliff Williams."
re.findall(r" \w+\s\w+", my_sentence)
```

Positive look-behind

- Non-capturing group
- Get all the matches that are preceded by a specific pattern.
- Return pattern after look-behind expression

```
my_text = "Member: Angus Young, Member: Chris Slade, Past: Malcolm Young, Past: Cliff Williams."
re.findall(r"(?<=Member:\s)\w+\s\w+", my_sentence)</pre>
```

```
['Angus Young', 'Chris Slade']
```

Negative look-behind

- Non-capturing group
- Get all the matches that are **not** preceded by a specific pattern.
- Return pattern after look-behind expression

```
my_{text} = "My white cat sat at the table. However, my brown cat was lying on the couch." re.findall(r"(?<!brown\s)(cat|dog)", <math>my_{text})
```

```
['cat']
```

Let's practice!

REGULAR EXPRESSIONS IN PYTHON



Finishing line

REGULAR EXPRESSIONS IN PYTHON




Maria Eugenia Inzaugarat

Data Scientist



r"(Congratulations!)+"




Key concepts

Concatenate and split

Index and slice strings

Replace and remove characters



Insert custom strings into a predefined text

Three string formatting methods

Best approach according to situation

Basic concepts RegEx




Basic syntax

Normal characters

Metacharacters

Greedy and non-greedy quantifiers



Capturing and non-capturing groups

Backreference a pattern

Lookaround an expression

Last tips

✓ Practice

- Apply
- √ Have fun

Thank you!

REGULAR EXPRESSIONS IN PYTHON

