



Building sensitive forecast models and common forecast assumptions

Victoria Clark
CGMA Financial Analyst



Considerations when forecasting

- Correctly interpret data
- Account for changes in data
- Account for interlinked variables
 - Dependencies
 - Sensitivities
- Set assumptions



Assumptions

- "Best guess" based on data available
- Set at the beginning of a forecast process
- Used to drive forecasting
- Can be directly controlled
- Can be indirectly controlled
 - Outside control of company





Different types of Assumptions

- Probability
 - Weighted
- Market sentiment
- Demand and supply





Working with pairs in Python

Using Combined Lists

Outcome	Probability (%)
1	30
2	20
3	50

```
outcome_probability = ['1|0.3', '2|0.2', '3|0.5']
```



Define a Python Function

Define a dependency or sensitivity formula

Prevent duplication of work and errors

```
def assumption1()
  if marketsentiment = 0.3:
    sales + sales*0.1
  else
    sales
```





Let's practice!





Dependencies and sensitivity in financial forecasting

Victoria Clark
CGMA Financial Analyst



Explaining forecasting dependencies and sensitivities

- Interlinked variables
- Changing one variable has a knockon effect on other variables





Working with dependencies and sensitivities in Python

```
if x = 0:
    x_costs + y_costs
else
    x_costs
```

- Expect rush orders
- Increases delivery costs by 10%

```
if month = December:
   delivery_costs + delivery_costs*0.1
   else
   delivery_costs
```





Let's practice!






Working with variances in the forecast


Victoria Clark
CGMA Financial Analyst







A gap analysis





Gap analysis and alternative forecasts

```
rollingforecast1 = 1200
# First 6 months
sales = 300
# The first dependency has 120 units
dependency1 = 120
units = 30
expected units = 45
# The adjusted dependency
dependency2 = units + expected units
dependency
75
```





Congratulations!